MCM

Your Expert In





Start your search here

- ✔Best Deals
- ✔Best Selection
- ✔Best Value

Special VIP Edition

Look for special VIP pricing inside this catalog!

2010 Seasonal Savings

Prices effective until Feb. 18, 2011

c UL us ESD

Weller

WES51 Electronic Soldering Station

• See page 116

Order #96-1760

Reg. ~~$99.99~~

VIP **$94.99**

MCM CUSTOM AUDIO

High Frequency Tweeter Array

• See page 34

Order #555-10345 MSRP $55.00 Reg, ~~$14.95~~

VIP **$9.99**

PHILIPS

Universal Remote Control Signal Extender

• See page 163

• Limited quantities

Order #58-14580 MSRP $59.99

Hot Deal! Limited Quantities

VIP **$24.99**

Stellar Labs™

500' Category 5e 350MHz UL CMR Cable

• See page 12

Order #24-10520

MSRP $59.95

Reg. ~~$38.79~~

VIP **$32.99**

Section Index:

Wire and Cable	1
Connectors	2
Home Audio	3
Professional Audio	4
Speaker Components	5
Audio/Video Accessories	6
Audio/Video Service Products	7
Batteries/Power Products	8
Bulbs/Fuses	9
Wall Plates	10
SATV/CATV	11
Security	12
Semiconductors/ Components	13
Chemicals	14
Project Accessories	15
Technician Aids	16
Soldering Equipment	17
Tools	18
Test Equipment	19
Computer Products	20
Ordering/Shipping Information	21
Hot Deals	22

www.MCMelectronics.com

▸ 1-800-543-4330

FREE Live Technical Support

MCM

www.MCMelectronics.com

▸1-800-543-4330

Hours:

Monday~Friday 8:00 a.m.~8:00 p.m. ET
Saturday 9:00 a.m.~3:00 p.m. ET

Look for these helpful icons:

NEW! — This graphic is used for our latest product additions.

ESD — This symbol is for products recommended for static sensitive projects.

RATED ★★★★★ — Look for this graphic on items that have been rated by our customers. You can rate items at MCMelectronics.com

UL c UL us / c UL us — UL is the trusted source across the globe for product compliance. Benefiting a range of customers, from manufacturers and retailers to consumers and regulating bodies.

MCM Contact Center

MCM Distribution Center

NESDA.com Panasonic largest sales growth received June 08.

Dear Customers and Friends:

I hope you are enjoying the fall weather. As the temperature begins to drop, more of us tend to shop via catalog and online. When you deal with MCM, I certainly hope you will keep in mind that you have all the benefits of online shopping, but we offer much more than some of the online retailers popping up each day. Before you make your next purchase, just ask yourself a few simple questions. How long has this company been in business? MCM has been serving your needs for well over 30 years. Does the company have their own warehouse or are they just an online store front for some drop-shipping company? MCM has a huge distribution center with over 40,000 products in-stock. Can I talk to someone in customer service, can I get live technical support, or can I return my order? The answer is yes to all of those questions when you deal with MCM. Well, you get the picture, MCM has great products at great prices - but equally as important we offer superior service to our valued customers. We are here for you – today, tomorrow and for years to come. I want to personally thank you for your business and your continued support.

Phil Minix

Phil Minix
President
pminix@mcmelectronics.com

Benefits of Using MCM:

- No minimum order
- Free live technical support Monday- Friday 8 a.m. – 5 p.m. ET
- Over 40,000 in-stock products with access to 1.5 million more
- Online manuals, specification sheets, MSDS sheets
- Same-day shipping available on orders placed by 4:00 p.m. ET

Quotes:

For large quotations as well as special order requests, call MCM for a quick response. Online, click on Customer Service, then Quote Request.
Fax: **1-800-267-7596**
Email: **quotes@MCMelectronics.com**
Web: **www.MCMelectronics.com**

VISA MasterCard American Express Cards DISCOVER NOVUS

Payment Options:

Credit Cards: Visa, Mastercard, Discover, American Express, and IMPAC Government Visa

Open Accounts:

Net 30 terms for approved customers.
To apply call 1-800-543-4330.

Satisfaction Guaranteed

Satisfaction Guarantee:

Buy with 100% confidence from MCM. We want you to be completely satisfied with your purchase from us. If you are not satisfied, you can return the product to MCM within 30 days of purchase for a credit or refund.*

*Visit our website or call a customer service representative for full details and instructions. Excludes certain items.

Stellar Labs™

S-Video Plus Stereo Audio Cables

•Bonded, tangle-free construction •EMI/RFI shielded, low-loss, dual conductor 75ohm coax S-video wire to deliver high-resolution video images •Dual 26AWG shielded audio cables protect against noise and distortion •Color-coded red and white RCA audio connectors.

Order #	Length	MSRP	Reg.	VIP
24-9380	1½'	$10.95	~~$4.09~~	$3.09
24-9381	3'	12.95	~~5.09~~	3.79
24-9382	6'	18.95	~~5.09~~	4.09
24-9383	12'	19.95	~~6.19~~	5.29
24-9384	25'	29.95	~~9.19~~	8.09
24-9385	50'	49.95	~~15.29~~	13.79

Stellar Labs™

Composite Video and Stereo Audio Cables

•Bonded, tangle-free construction •EMI/RFI shielded, low-loss, 75ohm video coaxial wire helps reduce interference and noise, and improve resolution, color and brightness •Long-lasting, corrosion resistant, gold plated barrel connectors with fully over-molded, custom tooled strain reliefs •Color-coded connectors for easy identification

Order #	Length	MSRP	Reg.	VIP
24-9420	1½'	$11.95	~~$4.59~~	$3.29
24-9421	3'	15.95	~~5.60~~	4.19
24-9422	6'	16.95	~~6.19~~	4.89
24-9423	12'	23.95	~~8.19~~	6.39
24-9424	25'	42.95	~~12.89~~	10.29
24-9425	50'	56.95	~~18.39~~	14.89

Stellar Labs™

Component Video Cables

•Bonded, tangle-free construction •EMI/RFI shielded, low-loss, 75ohm video coaxial wire helps reduce interference and noise, and accurately separate the component color signal (Y-Pr-Pb) for better resolution and greatly improved color saturation •Long-lasting, corrosion resistant, gold plated barrel connectors with fully over-molded, custom tooled strain reliefs •Color-coded connectors for easy identification

Order #	Length	MSRP	Reg.	VIP
24-9430	1½'	$10.95	~~$5.39~~	$3.29
24-9431	3'	14.95	~~6.19~~	4.29
24-9432	6'	18.95	~~9.19~~	6.39
24-9433	12'	26.95	~~11.29~~	8.69
24-9434	25'	42.95	~~15.29~~	12.39
24-9435	50'	84.95	~~22.49~~	19.99
24-9436	75'	119.00	~~38.99~~	29.99
24-9437	100'	149.00	~~38.79~~	33.99
24-9438	150'	189.00	~~61.19~~	49.99

Stellar Labs™

Component Video and Stereo Audio Cables

Features: •EMI/RFI shielded, low-loss, 75ohm video coaxial wire helps reduce interference and accurately separate the component color signal (Y-Pr-Pb) for better resolution and greatly improved color saturation •Oxygen-free copper wires produce crisp, clear audio signal transfer •Long-lasting, corrosion resistant, gold plated barrel connectors with fully over-molded, custom tooled strain reliefs •Color-coded connectors for easy identification.

Order #	Length	MSRP	Reg.	VIP
24-9440	1½'	$19.95	~~$7.49~~	$5.99
24-9441	3'	25.95	~~9.69~~	7.49
24-9442	6'	27.95	~~11.89~~	8.49
24-9443	12'	54.95	~~13.29~~	10.79
24-9444	25'	65.95	~~20.39~~	16.59
24-9445	50'	88.95	~~28.59~~	24.99

Stellar Labs™

Component Video plus Toslink Audio Cables

•Bonded, tangle-free construction •EMI/RFI shielded, low-loss, 75ohm video coaxial wire helps reduce interference and noise, and accurately separate the component color signal (Y-Pr-Pb) •Bonded, tangle-free construction reduces cable clutter •Precision-polished fiber optic connectors for optimum signal transfer and corrosion resistance •Color-coded connectors for easy identification.

Order #	Length	MSRP	Reg.	VIP
24-9550	1½'	$24.95	~~$10.19~~	$5.39
24-9551	3'	36.95	~~12.29~~	9.49
24-9552	6'	46.95	~~14.29~~	10.79
24-9553	9'	49.95	~~17.39~~	13.99
24-9554	12'	74.95	~~21.49~~	16.59

Stellar Labs™

HDMI Right Angle Adapter Cable

Exits downward from the back of your HDMI source component to provide right-angle connector strain relief and promote signal transfer stability. Delivers clean, uncompressed digital signals and supports high definition resolutions up to 1080p and UXGA. Features include 24K gold-plated male to female connectors, and multi-layer shielding to reduce EMI/RFI.

Order #	Reg.	VIP
24-10330	~~$8.19~~	$5.99



Stellar Labs™

HDMI v1.3 Locking Cable Kit

Innovative two-piece design guarantees a secure, long-lasting HDMI cable connection to virtually all source components. •Strong adhesive plate attaches to the back-plate of HDMI receiver/switching component, and the cable's specially designed thumbscrew mates with the plate to secure the HDMI cable •HDMI v1.3 certified •28AWG •Gold-plated connectors •Triple shielding •10.2Gbit/s bandwidth •Deep color, 120Hz frame rate, 1080p resolution, and lossless audio capable •7.2mm (O. D.)

Order #	Length	MSRP	Reg.	VIP
Male-to-male				
24-10530	3'	$24.95	~~$9.19~~	$6.79
24-10531	6'	34.95	~~11.29~~	8.49
24-10532	10'	49.95	~~13.29~~	9.99
24-10533	25'	79.95	~~15.29~~	10.99
Male-to-male angled downward				
24-10535	3'	24.95	~~9.19~~	6.79
24-10536	6'	34.95	~~11.29~~	8.49
24-10537	10'	49.95	~~13.29~~	9.99
24-10538	25'	79.95	~~15.29~~	10.99
Male-to-male angled left exit				
24-10540	3'	24.95	~~9.19~~	6.79
24-10541	6'	34.95	~~11.29~~	8.49
24-10542	10'	49.95	~~13.29~~	9.99
24-10543	25'	79.95	~~15.29~~	10.99

Stellar Labs™

HDMI v1.3 Swivel Cable

•Right-angle swivel connectors stay connected better by rotating a full 180° to facilitate installation in tight spaces behind source equipment •Reduces directional strain on cable •Low 1¼" profile from connection •HDMI v1.3 certified •28AWG •Gold-plated connectors •Triple shielding •10.2 Gbit/s bandwidth •Deep color, 120Hz frame rate, 1080P resolution, and lossless audio capable •7mm (O.D.)

Order #	Length	MSRP	Reg.	VIP
Swivel-to-swivel				
24-10495	1.5'	$17.95	~~$6.19~~	$4.99
24-10496	3'	24.95	~~10.19~~	6.99
24-10497	6'	34.95	~~14.29~~	9.99
24-10498	10'	49.95	~~15.29~~	11.99
24-10499	25'	79.95	~~20.39~~	16.99
Swivel-to-straight				
24-10500	1.5'	17.95	~~6.19~~	4.99
24-10501	3'	24.95	~~10.19~~	6.99
24-10502	6'	34.95	~~14.29~~	9.99
24-10503	10'	49.95	~~15.29~~	11.99
24-10504	25'	79.95	~~20.39~~	17.99

Wire and Cable

Make the most of your high-definition display with the newest in HDMI connectivity.



Stellar Labs™ HDMI v1.3 Pro Cables

•High-definition cables that allow you to tackle any professional install •CL3 in-wall rated •HDMI v1.3 certified •28AWG •Gold-plated connectors •Triple shielding •10.2Gbit/s bandwidth •Deep color, 120Hz frame rate, 1080P resolution, and lossless audio capable •Multi-color options for organization or personal preference

White	Blue	Length	MSRP	Reg.	VIP
24-10055	24-10060	3'	$24.95	~~$7.19~~	$4.99
24-10056	24-10061	6'	34.95	~~11.29~~	5.99
24-10057	24-10062	10'	49.95	~~12.29~~	8.99
24-10058	24-10063	25'	89.95	~~19.39~~	14.99
24-10059	24-10064	50'	149.95	~~30.59~~	24.99

SONY HDMI v1.3 High Speed Cable

•High-speed v1.3a (Cat 2) certified •Supports up to 1080p (full-HD) resolution •Oxygen-free, triple-shielded construction to reduced corrosion and EMI/RFI •24K gold-plated connectors •Mesh jacket

Order #	Length	Reg.	VIP
DLCHD10G	1m	~~$49.99~~	$39.99
DLCHD30G	3m	~~79.99~~	62.99
DLCHD50G	5m	~~109.00~~	89.99

Stellar Labs™ HDMI v1.3 Mini Cables

This single cable allows you to connect high-definition video cameras to your high-definition display. •Male to male ends •No extra adapters needed •Also available in mini HDMI to mini HDMI for device-to-device connections •Black

Order #	Length	MSRP	Reg.	VIP
HDMI male to HDMI mini male				
24-10146	6'	$34.99	~~$8.19~~	$4.99
HDMI mini to HDMI mini				
24-10149	6'	37.50	~~8.19~~	4.99

#24-9345

Stellar Labs™ HDMI Adapters

Designed to meet rigid and demanding HDMI compliant standards, these adapters are ideal for connecting high definition set top boxes to components with HDMI inputs. HDMI to DVI adapters are 100% backward compatible with DVI (**Note:** DVI does not pass audio signal). **Features:** 24-karat gold-plated connectors, multi-layer shielding to reduce EMI/RFI, crystal-clear digital quality and simplified interconnect installation.

Order #	Description	MSRP	Reg.	VIP
24-9345	HDMI male to DVI female adapter	$44.95	~~$7.19~~	$4.99
24-9350	HDMI female to DVI male adapter	44.95	~~7.19~~	4.99

Stellar Labs™ HDMI v1.3 Flat Cables

High-definition audio and sound are delivered in an extra flexible, low profile cable that is only 3mm thick. •Great for running in tight spaces •CL3 rated for in-wall use •For Hi-Def 1080p video •HDMI v1.3 compatible

Order #	Length	MSRP	Reg.	VIP
24-10090	3'	$39.95	~~$8.19~~	$4.99
24-10092	6'	49.95	~~12.29~~	7.99
24-10094	10'	59.95	~~13.29~~	8.99
24-10096	25'	99.95	~~18.39~~	14.99

#24-10335 #24-10336 #24-10337 #24-10338 #24-10339

Stellar Labs™ HDMI Right Angle Adapters

Use to reposition cable jack for easy access where space is limited. Delivers clean, uncompressed digital signals and supports high-definition resolutions up to 1080p and UXGA. Features include 24K gold-plated male to female connectors, and multi-layer shielding to reduce EMI/RFI. Unique ball-joint swivel adapter accommodates multi-directional orientation.

Order #	Right Angle Orientation	Reg.	VIP
24-10335	Upward	~~$6.19~~	$4.99
24-10336	Downward	~~6.19~~	4.99
24-10337	Left-side	~~6.19~~	4.99
24-10338	Right-side	~~6.19~~	4.99
24-10339	Multi-directional swivel	~~7.19~~	5.99

HDMI™ v1.3 Active Equalizing Extender

Active coupler provides double female connection (A/A), allowing two HMDI™ cables to be combined for up to 100' total length **Features:** •Uses external power supply (included) to equalize and extend the HDMI™ signal •Status indicator LEDs •Compatible with HDMI™ Version 1.3a •HDCP (High-Bandwidth Digital Content Protection) complaint •Supports 1080p to 82', 1080i to 100' •Compatible with computer resolutions through UXGA

Order #	Reg.	VIP
33-10500	~~$31.69~~	$27.99

HDMI™ Cable Couplers

These passive HDMI™ female-to-female couplers allow you to extend two HDMI™ cables for a combined length of 50' **Features:** •Compatible with HDMI™ Version 1.3a •HDCP (High Definition Copy Protocol) complaint •Supports 1080p and 1080i up to 50' •Compatible with computer resolutions through UXGA

Order #	Description	Reg.	VIP
33-10505	HDMI A/A jacks	~~$9.19~~	$7.99
33-10506	HDMI A/C jacks	~~9.19~~	7.99

Stellar Labs™ HDMI v1.3 Premium High Speed Cables

High performance home theater HDMI cables suitable for use with the latest A/V receivers, high-definition DVD players, set-top boxes and projectors. These cables are specially designed to support HDMI v1.3, high-speed, Cat 2 requirements including 48 bit x.v.YCC with deep color, Dolby True HD, and DTS-HD Master Audio. **Specifications:** •24K gold plated connectors •Oxygen-free, 26AWG, twisted-pair wire with drain •Dual layer aluminum mylar foil shield, plus tinned copper braided shield •Supports single-link bandwidth of 340MHz (10.2Gbps) •High resolution support (full 1080p at up to 120Hz refresh and WQXGA) •CEC system control support •Fully HDCP compliant

Order #	Length	MSRP	Reg.	VIP
24-10160	3'	$39.95	~~$10.19~~	$6.99
24-10162	6'	49.95	~~14.29~~	9.99
24-10164	12'	59.95	~~17.39~~	12.99
24-10166	25'	79.95	~~20.39~~	17.99

Stellar Labs™ HDMI v1.3 High-Speed Cables

Just what you need to take advantage of full high-definition audio and video signals •Specially designed to support HDMI v1.3, high-speed, Cat 2 requirements **Specifications:** •24K gold-plated connectors •Supports single-link bandwidth of 340MHz (10.2 Gbps) •High resolution support (full 1080p at up to 120Hz refresh and WQXGA) •CEC system control support •Fully HDCP compliant

Order #	Length	MSRP	Reg.	VIP
24-10100	3'	$19.95	~~$5.09~~	$3.99
24-10105	6'	24.95	~~7.19~~	5.99
24-10110	10'	39.95	~~10.19~~	7.99
24-10115	25'	69.95	~~18.39~~	12.99

Stellar Labs™ HDMI v1.3 Repeater Cable

•Extra long cable lengths allow you to deliver your high-definition signal to devices 75' or 100' away •Built-in equalization repeater to maintain signal integrity •CL3 rated cabling for in-wall runs •Gold-plated connectors •8mm OD •HDMI v1.3 certified

Order #	Length	MSRP	Reg.	VIP
24-10120	75'	$179.00	~~$71.39~~	$69.95
24-10125	100'	209.00	~~81.59~~	69.95

#24-10140 #24-10142

Stellar Labs™ HDMI/DVI Swivel Adapters

•Adapt from HDMI to DVI, or vice-versa with a convenient swivel design •Dual-axis swivel bends 180° up or down, and twists 360° •Eliminate strain from bulky standard adapters.

Description Order #	MSRP	Reg.	VIP
HDMI female to DVI male			
24-10140	$29.99	~~$10.19~~	$8.99
DVI female to HDMI male			
24-10142	29.99	~~10.19~~	8.99

Bulk Screw Type RF Cables

Save money by purchasing your audio/video cables in bulk. These cables are available 20 per package for home theater installation or use to give away when doing service calls. 75ohm cable with screw on "F" connectors on each end.

Order #	Length	Reg.	VIP
24-2515	3'	$23.49	$19.99
24-2520	6'	32.69	29.99
24-2525	10'	38.79	36.99

"F" to "F" Patch Cables

•High quality jumper cables •75ohm •Ideal for cable, TV, and VCR connections •Male connectors

Order #	Length	Reg.	VIP
Gold plated			
32-580	3'	$2.59	$2.09
32-585	6'	2.99	2.09
Nickel plated			
33-544	3'	1.59	0.89
33-548	6'	1.99	1.09
33-1150	12'	2.49	1.99
33-4030	25'	3.99	3.29
33-4035	50'	6.99	5.59

White RF Patch Cables

75ohm patch cables with male "F" connectors at each end. White jacket to blend with decor inside as well as outside the house.

Order #	Length	Reg.	VIP
24-2545	3'	$4.09	$2.89
24-2550	6'	5.09	3.89
24-2555	10'	5.99	4.29
24-2560	25'	5.99	4.79
24-2565	50'	13.79	10.79

Right Angle Push On "F" to "F" Jumper Cables

•Right angle connectors on both ends for use where space is limited •High quality, 75ohm RG-59 cable •Molded strain relief

Order #	Length	Reg.	VIP
32-930	3'	$2.89	$1.79
32-935	6'	4.09	2.09

Stellar Labs™

Premium 3.5mm to RCA Stereo Audio Cables

Features a tangle-free bonded wire construction that easily facilitates converting from 3.5mm stereo audio components to RCA stereo audio receivers, or speakers. Limited life-time warranty.

Order #	Length	MSRP	Reg.	VIP
24-8990	1½'	$19.95	$7.19	$5.99
24-8991	3'	21.95	9.19	7.99
24-8992	6'	24.95	10.19	8.99
24-8994	12'	29.95	11.29	9.99
24-8995	25'	42.95	19.39	12.99
24-8996	50'	46.95	20.39	17.99
24-8997	75'	49.95	25.49	21.99
24-8998	100'	64.95	30.59	24.99

BNC Patch Cables

Molded strain reliefs to ensure long life. Male BNC connectors on each end. Perfect for use with professional video equipment and closed circuit television (CCTV) applications.

Order #	Length	Reg.	VIP
75ohm			
24-1605	1'	$4.89	$3.89
24-1610	3'	5.09	4.09
24-1615	6'	5.60	4.39
24-1620	10'	5.60	4.39
24-5350	25'	15.29	11.89
24-1625	50'	17.39	13.69
24-1630	100'	23.49	17.99
50ohm			
24-1455	1'	4.89	3.59
24-785	3'	5.09	3.99
24-790	6'	5.60	4.29
24-795	12'	6.89	5.09
24-1515	30'	12.59	9.59

Stellar Labs™

Premium "F" Type Coaxial Cables

Ideal for transporting cable TV, DSS or 75ohm RF antenna signals to your TV, or monitor. **Features:** •UL listed wire •7.0mm outer diameter •Dual EMI/RFI shielding •Thick polyethylene dielectric •OFC conductors •Screw-lock "F" type connectors feature gold-plated, corrosion free construction to further reduce interference and attenuation •Limited lifetime warranty

Order #	Length	MSRP	Reg.	VIP
RG-6				
24-8920	1.5'	$12.95	$4.49	$3.99
24-8921	3'	14.95	5.09	3.99
24-8922	6'	16.95	5.09	3.99
24-8924	12'	19.95	6.19	5.49
24-8925	25'	24.95	7.19	6.39
24-8926	50'	29.95	11.29	9.99
Mini Coax				
24-8930	1.5'	10.95	6.59	3.99
24-8931	3'	12.95	7.19	3.99
24-8935	25'	19.95	11.79	6.39
24-8936	50'	24.95	17.39	7.09

Push On "F" to "F" Jumper Cables

•High-quality coaxial cable •75ohm •RG-59 •Molded strain relief •Nickel plated •Male connectors

Order #	Length	VIP
Nickel Plated		
32-3675	3'	$1.39
32-3680	6'	4.29
Gold Plated		
32-600	3'	4.19
32-605	6'	2.67
32-607	12'	4.09

Stellar Labs™

3.5mm to Dual RCA Stereo Cables

Bonded, tangle-free construction. Perfect for connecting audio sources (iPod®, MP3, DVD, PC, and XM™ or Sirius™ satellite radio players) to an amplifier or home theater system. Features bonded wires and tangle-free construction to help facilitate flexibility and compatibility among audio interconnects while reducing cable clutter.

Order #	Length	MSRP	Reg.	VIP
24-9490	1½'	$6.99	$3.89	$2.39
24-9491	3'	9.99	4.49	2.69
24-9492	6'	9.99	5.60	3.19
24-9493	12'	11.95	7.59	3.49
24-9494	25'	16.95	9.41	4.89

RCA to RCA Patch Cables



•Made of high-quality, 75ohm RG-59 cable •Molded strain relief •Male connectors

Order #	Length	Reg.	VIP
Gold Plated			
32-5265	1'	$1.70	$1.19
32-5275	2'	1.89	1.39
32-590	3'	1.89	1.39
32-595	6'	2.09	1.59
32-597	12'	2.11	1.99
32-4500	25'	4.09	3.29
32-4505	50'	6.69	5.99
Nickel Plated			
32-5270	1'	1.59	1.09
32-5280	2'	1.69	1.19
32-4540	3'	1.69	1.19
32-4545	6'	2.09	1.39
32-4550	10'	2.69	1.89
32-4555	25'	3.89	3.29
32-4560	50'	6.19	5.09

Stellar Labs™

1.5' A/V Adapter Cable

Used to breakout and extend the composite and stereo audio signals from 4-pole 3.5mm A/V outputs on many popular portable DVD, camcorder and MP3 players. **Note:** 4-pole pin-outs vary among devices. Please consult the manufacturer's specifications for 4-pole A/V jack pin-outs. Pin-outs for common devices noted below are subject to change.

Order #	Common devices	MSRP	Reg.	VIP
24-9770	Creative zen	$12.95	$6.19	$3.99
24-9771	Standard camcorder	12.95	6.19	3.99
24-9772	iPod video/zune	12.95	6.19	3.99

Stellar Labs™

3.5mm 4-Pole AV Extension Cable

•Extend an existing 4-pole 3.5mm A/V cable, or connect from a 3.5mm 4-pole adapter cable •Low-loss spiral-wrapped dual conductor provides excellent protection from EMI/RFI •Fully molded, gold plated connectors ensure superior strain relief and longevity

Order #	Length	MSRP	Reg.	VIP
24-10460	1½'	$5.99	$4.09	$3.09
24-10461	3'	6.99	4.09	3.19
24-10462	6'	7.99	5.60	3.59
24-10463	12'	9.99	5.09	4.09
24-10464	25'	14.99	8.69	5.39
24-10465	50'	21.99	10.70	9.39
24-10466	75'	24.99	14.29	13.99
24-10467	100'	34.99	18.39	17.99

3.5mm to RCA Female

Use for connecting a 3.5mm line output to an amplifier or other RCA type line input. 12" in length.

Order #	Description	Reg.	VIP
24-4590	Stereo	$4.09	$3.09
24-4595	Mono	4.09	3.09

Wire and Cable

You have a choice with Stellar Labs® Premium or Value Series AV cables.

Stellar Labs™



Composite/ S-Video and Stereo Audio Cables

•Bonded, tangle-free construction •EMI/RFI shielded, low-loss, dual conductor 75ohm coax S-video wire to deliver high-resolution video images •Color-coded composite video 75ohm coaxial cable •Dual 26AWG shielded audio wires protect against noise and distortion •Color-coded red and white RCA audio connectors

Order #	Length	MSRP	Reg.	VIP
24-9390	1½'	$10.95	~~$4.99~~	$3.89
24-9391	3'	12.95	~~6.19~~	4.39
24-9392	6'	22.95	~~8.19~~	7.39
24-9393	12'	28.95	~~10.19~~	9.59
24-9394	25'	39.95	~~17.39~~	16.59
24-9395	50'	54.95	-	21.49

Stellar Labs™

Component Video Cables

•Bonded, tangle-free construction Connect your component video device to the VGA or DVI input connector on HDTV compatible displays. **Note:** The video display with a "VGA" or "DVI-I" connector needs to support component video (Y-Pr-Pb) in order to properly synchronize.

Order #	Length	MSRP	Reg.	VIP
3RCA to HD15				
24-9450	1½'	$11.95	~~$5.40~~	$4.19
24-9451	3'	17.95	~~9.19~~	6.29
24-9452	6'	23.95	~~11.79~~	8.29
24-9453	12'	23.95	~~11.79~~	9.49
24-9454	25'	42.95	~~21.49~~	15.79
24-9455	50'	72.95	~~38.79~~	23.99
24-9456	75'	99.95	~~52.09~~	34.99
3RCA to DVI-I				
24-9460	3'	22.95	~~12.29~~	8.49
24-9461	6'	28.95	~~15.29~~	10.79
24-9462	12'	32.95	~~17.39~~	12.59
24-9463	25'	46.95	~~24.49~~	15.99

Stellar Labs™

Composite Video Cables

•Bonded, tangle-free construction •EMI/RFI shielded, low-loss, 75ohm video coaxial wire helps reduce interference and improve resolution, color and brightness •Long-lasting, corrosion resistant, gold plated barrel connectors with fully over-molded, custom tooled strain reliefs •Color-coded connectors for easy identification

Order #	Length	MSRP	Reg.	VIP
24-9410	1½'	$6.99	~~$2.49~~	$1.79
24-9411	3'	8.99	~~2.59~~	2.09
24-9412	6'	11.95	~~4.09~~	2.99
24-9413	12'	13.95	~~4.59~~	3.49
24-9414	25'	29.95	~~9.19~~	7.39
24-9415	50'	44.95	~~14.29~~	11.19
24-9416	75'	62.95	~~17.39~~	13.79
24-9417	100'	78.95	~~26.99~~	21.29

Stellar Labs™

HDTV Premium Cable Kit

The most popular 6' cables used in virtually all HDTV connections. Great all-in-one solution for connecting your HDTV home theater system. Kit includes one each of the following: HDMI cable, component video/toslink audio cable assembly, composite video/stereo audio cable assembly, S-video cable and an HDMI/female-to-DVI-I male adapter. Limited life-time warranty.

Order #	Reg.	VIP
24-10450	~~$19.39~~	$17.99

Stellar Labs™

S-Video and Stereo Audio Cables

•Bonded, tangle-free construction •Dual 26AWG shielded audio wires to protect against noise and distortion •EMI/RFI shielded, low-loss, dual conductor 75ohm coax S-video wire •Color-coded red and white RCA audio connectors •Male 4 pin DIN S-video to male RCA composite video

Order #	Length	MSRP	Reg.	VIP
24-9401	3'	$14.95	~~$4.09~~	$1.79
24-9402	6'	18.95	~~5.09~~	2.59
24-9403	12'	23.95	~~6.99~~	3.99
24-9404	25'	39.95	~~9.19~~	5.99
24-9405	50'	49.95	~~12.29~~	10.79

Stellar Labs™

S-Video Cables

•Bonded, tangle-free construction •Individually shielded, low-loss, dual 75ohm video coaxial conductors, which separate color and brightness signals to maximize video signal transfer •Long-lasting, corrosion resistant, gold plated barrel connectors with fully over-molded, custom tooled strain relief.

Order #	Length	MSRP	Reg.	VIP
24-9360	1½'	$7.99	~~$3.59~~	$2.79
24-9361	3'	8.99	~~4.09~~	3.19
24-9362	6'	11.95	~~5.09~~	3.99
24-9363	12'	13.95	~~6.19~~	4.79
24-9364	25'	26.95	~~11.29~~	8.99
24-9365	50'	42.95	~~16.99~~	13.59
24-9366	75'	59.95	~~21.49~~	17.99
24-9367	100'	68.95	~~27.59~~	22.99
24-9368	150'	99.95	~~30.59~~	26.99

Stellar Labs™

S-Video "Y" Splitting Cables

•Bonded, tangle-free construction •Individually shielded, low-loss, dual 75ohm video coaxial conductors, which separate color and brightness signals to maximize video signal transfer •Long-lasting, corrosion resistant, gold plated barrel connectors with fully over-molded, custom tooled strain relief •4 pin DIN male to two 4 pin DIN male

Order #	Length	MSRP	Reg.	VIP
24-9370	1½'	$8.99	~~$2.09~~	$1.99
24-9371	3'	9.99	~~4.09~~	3.19
24-9372	6'	12.95	~~5.09~~	3.99
24-9373	12'	15.95	~~6.19~~	4.99
24-9374	25'	29.95	~~9.19~~	7.99

Stellar Labs™

Premium Component Video Cables

Precision engineered to provide superior picture quality and excellent signal integrity. **Features:** •Oxygen free coaxial copper construction •Tangle free bonded wires •Gold plated, corrosion free split-lock ring RCA connectors •UL listed •Limited lifetime warranty

Order #	Length	MSRP	VIP
24-8891	3'	$59.95	$16.39
24-8892	6'	65.95	19.39
24-8893	9'	80.95	22.49
24-8894	12'	85.95	25.49
24-8895	25'	119.00	30.59
24-8896	50'	159.00	35.69
24-8897	75'	299.00	43.89
24-8898	100'	399.00	56.09

Stellar Labs™

Premium S-Video Cables

Twisted pair, oxygen free coaxial copper construction provides the ideal media for separating and transporting color and brightness signals. **Features:** •Dual EMI/RFI shielding •Tangle free bonded wires •Gold plated corrosion free shielded S-video connectors. •UL listed wire •Limited lifetime warranty

Order #	Length	MSRP	Reg.	VIP
24-8821	3'	$46.95	~~$5.09~~	$4.59
24-8822	6'	48.95	~~6.19~~	4.99
24-8823	9'	64.95	~~7.19~~	5.99
24-8825	25'	78.95	~~13.29~~	10.99
24-8826	50'	119.00	~~17.39~~	12.99
24-8827	75'	149.00	~~22.49~~	17.99
24-8828	100'	169.00	~~25.49~~	19.99
24-8829	150'	189.00	~~35.69~~	29.99

Stellar Labs™

Premium Composite Video Cables

Ideal for long cable runs where EMI/RFI shielding and signal integrity are crucial. •UL listed wire •Limited lifetime warranty

Order #	Length	MSRP	Reg.	VIP
24-8871	3'	$18.95	~~$7.09~~	$6.95
24-8872	6'	18.95	~~9.39~~	9.19
24-8873	9'	19.95	~~9.19~~	8.99
24-8874	12'	18.95	~~10.19~~	9.99
24-8875	25'	29.95	~~16.39~~	12.99
24-8876	50'	29.95	~~15.80~~	14.99
24-8877	75'	42.95	~~26.59~~	22.95
24-8878	100'	49.95	~~30.59~~	27.95
24-8879	150'	68.95	~~40.79~~	34.95

RG-59 Cable Extensions

•10' extension •75ohm •Male connectors

Order #	Type	Reg.	VIP
33-530	BNC to RCA (shown)	~~$6.19~~	$4.29
33-540	RCA to RCA	~~5.19~~	3.29

Female to Female S-Video Connector

•Connects two S-video cables together

Order #	Reg.	VIP
27-1270	~~$2.09~~	$1.89

3.5mm to RCA Plug Cables

•3.5mm mono plug to RCA plug

Order #	Length	Reg.	VIP
24-665	3'	$2.69	$2.09
24-670	6'	4.99	3.79

MCM 3.5mm Stereo to Two RCA

3.5mm male to two RCA type male connectors for use with personal audio equipment and PC speakers.

Order #	Length	Reg.	VIP
24-655	3'	$5.60	$3.89
24-6270	6'	6.49	5.59
24-6275	10'	9.49	8.19
24-6280	15'	12.79	9.99

3.5mm "Y" Cable

3.5mm male plug to two 3.5mm female jacks.

Order #	Description	Reg.	VIP
24-2595	Mono	$4.09	$3.09
24-2596	Stereo	4.09	3.09

Toslink Signal Splitters

These digital optical splitters allow the use of one digital audio device for two inputs. Connect a minidisc player or MP3 player to your computer and stereo receiver simultaneously.

Order #	Reg.	VIP
24-4455	$11.29	$7.99

SONY Audio Plug Adapter

•Connects stereo mini plug into stereo phone plug •Used to connect headphones with stereo mini plug to headphone jack of stereo amplifier

Order #	Reg.	VIP
PC-234S	$3.99	$3.19

¼" "Y" Adapter Cable

•¼" stereo plug to two ¼" stereo jacks •Allows simultaneous use of two pairs of headphones from one jack

Order #	Reg.	VIP
24-690	$6.19	$4.79

Headphone Extension/Adapter Cable

•¼" stereo plug to 3.5mm stereo jack •3' coiled length; 20' extended length.

Order #	Reg.	VIP
24-695	$11.29	$9.39

MCM 3.5mm Patch Cables

3.5mm audio patch cables for use with personal audio equipment. Molded strain reliefs. Nickel plated plugs. Available stereo or monaural.

Order #	Length	Reg.	VIP
Stereo			
24-6170	1'	$3.69	$3.09
24-6175	3'	5.99	3.59
24-815	6'	6.49	3.99
24-6180	10'	9.19	6.89
24-6185	15'	10.80	7.19
24-6190	20'	12.99	10.39
24-6195	25'	17.99	14.39
Monaural			
24-6200	1'	3.69	2.79
24-6205	3'	5.99	2.99
24-810	6'	6.79	3.29
24-6210	10'	9.19	5.99
24-6215	15'	10.80	8.99
24-6220	20'	12.29	9.59
24-6225	25'	17.39	9.99

3.5mm to 3.5mm Plug Cables

•Molded strain relief •6' length •Available in mono and stereo

Order #	Type	Reg.	VIP
24-810	Mono	$6.79	$3.29
24-815	Stereo	6.49	3.99

Genuine Neutrik Connectors

Stellar Labs™ Professional Speakon® Speaker Cables

Designed for rugged pro sound and stage use, these heavy-duty cables feature original Neutrik Speakon® connectors and are available in 12 and 16 gauge configurations. Various connector configurations allow compatibility with most amplifiers and speakers in use today.

Fig.	Order #	Connectors	Length	MSRP	Reg.	VIP
12 Gauge						
A	24-10475	Speakon® to Speakon®	25'	$59.95	$40.79	$36.99
A	24-10476	Speakon® to Speakon®	50'	79.95	61.19	53.99
A	24-10477	Speakon® to Speakon®	100'	129.95	102.00	84.99
B	24-10478	Speakon® to ¼" male	25'	59.95	40.79	32.99
B	24-10479	Speakon® to ¼" male	50'	79.95	61.19	53.99
B	24-10480	Speakon® to ¼" male	100'	129.95	102.00	84.99
C	24-10481	Speakon® to banana	25'	59.95	40.79	36.99
C	24-10482	Speakon® to banana	50'	79.95	61.19	53.99
C	24-10483	Speakon® to banana	100'	129.95	102.00	84.99
16 Gauge						
A	24-10485	Speakon® to Speakon®	25'	49.95	30.59	27.99
A	24-10486	Speakon® to Speakon®	50'	59.95	40.79	33.99
A	24-10487	Speakon® to Speakon®	100'	89.95	61.19	53.99
B	24-10488	Speakon® to ¼" male	25'	49.95	30.59	27.99
B	24-10489	Speakon® to ¼" male	50'	59.95	40.79	36.99
B	24-10490	Speakon® to ¼" male	100'	89.95	61.19	53.99
C	24-10491	Speakon® to banana	25'	49.95	30.59	27.99
C	24-10492	Speakon® to banana	50'	59.95	40.79	36.99
C	24-10493	Speakon® to banana	100'	89.95	61.19	53.99

MCM 3.5mm Extension Cables

3.5mm audio extension cables for use with personal audio equipment. Molded strain reliefs. Nickel plated plugs. Available stereo or monaural.

Order #	Length	Reg.	VIP
Stereo			
24-6230	3'	$1.99	$1.49
24-6235	6'	2.79	1.99
24-1050	12'	3.59	2.59
24-6240	20'	4.59	3.69
24-6245	25'	6.19	4.99
Monaural			
24-6250	3'	2.99	2.09
24-6255	6'	4.89	3.99
24-1045	12'	5.40	4.49
24-6260	20'	7.29	6.49
24-6265	25'	10.70	9.59

Stellar Labs™ 3.5mm Stereo Audio Cables

Adapt from one connection to another, or extend an existing cable connection. •Bonded, tangle-free construction •Low-loss, spiral wrapped dual conductor provides excellent protection against EMI/RFI •Fully molded connectors provide excellent strain relief

Order #	Length	MSRP	Reg.	VIP
3.5mm male to male				
24-9520	1½'	$5.99	$2.59	$2.09
24-9521	3'	8.99	4.49	3.09
24-9522	6'	9.99	4.09	3.09
24-9523	12'	10.95	5.09	4.09
24-9524	25'	15.95	6.19	5.19
24-9525	50'	24.95	9.19	8.49
24-9526	75'	29.95	12.29	10.79
24-9527	100'	39.95	15.29	13.99
3.5mm male to female				
24-9530	1½'	6.99	2.59	2.09
24-9531	3'	8.99	4.49	3.09
24-9532	6'	9.99	4.09	3.19
24-9533	12'	10.95	5.09	4.19
24-9534	25'	13.95	6.59	5.39
24-9535	50'	24.95	9.19	8.49
24-9536	75'	34.95	12.29	11.59
24-9537	100'	44.95	16.99	14.99

Wire and Cable

Stock-up and save on the audio cables you use the most.

Stellar Labs™ SLV Series Stereo Audio Cables

•Bonded, tangle-free construction •Dual conductor 90% spiral-wrapped cable •Color-coded connectors •Dual RCA male plugs to dual RCA plugs

Order #	Length	MSRP	Reg.	VIP
24-9510	1½'	$9.99	~~$4.09~~	$3.39
24-9511	3'	12.95	~~5.09~~	4.29
24-9512	6'	13.95	~~6.69~~	5.49
24-9513	12'	18.95	~~7.69~~	6.59
24-9514	25'	21.95	~~9.69~~	8.89
24-9515	50'	39.95	~~16.39~~	13.99
24-9516	75'	49.95	~~19.39~~	15.99
24-9517	100'	74.95	~~26.59~~	22.99
24-9518	150'	96.95	~~37.79~~	32.99

Stellar Labs™ Premium Stereo Audio Cables



Provides excellent signal integrity and balanced audio integrity. **Features:** •Twisted pair, oxygen free coaxial copper construction •Tangle free bonded wires •Gold plated, split-lock, stereo audio RCA connectors •UL listed cables •7.0mm outer diameter •Dual EMI/RFI shielding •Thick polyethylene dielectric •Limited lifetime warranty

Order #	Length	MSRP	Reg.	VIP
24-8941	3'	$54.95	~~$16.39~~	$10.99
24-8942	6'	88.95	~~22.49~~	12.99
24-8943	9'	99.95	~~24.49~~	14.99
24-8944	12'	99.95	~~27.59~~	15.99
24-8945	25'	119.00	~~33.69~~	19.99
24-8947	75'	179.00	~~28.59~~	27.99

Stellar Labs™ Audio "Y" Splitting Cables

Bonded, tangle-free construction. Connect a single audio source to two devices, or split a mono audio signal for connection to a stereo input.

Order #	Length	MSRP	Reg.	VIP
Male plug to dual female jacks				
24-9470	1½'	$8.99	~~$4.09~~	$3.09
24-9471	3'	8.99	~~4.19~~	3.09
24-9472	6'	10.95	~~4.89~~	3.09
24-9474	25'	18.95	~~9.09~~	6.59
Female jack to dual male plugs				
24-9480	1½'	8.99	~~4.09~~	3.09
24-9481	3'	9.99	~~4.69~~	3.09
24-9482	6'	10.95	~~4.89~~	3.09

Stellar Labs™ Toslink Optical Digital Audio Cables

Bonded, tangle-free construction. Superior sound quality and accurate transfer of digital audio source signals from DVD, surround sound receivers, digital cable boxes, and advanced gaming systems. High-quality precision-polished fiber optic connectors optimize signal transfer, while the PVC jacket adds flexibility and durability for years of listening enjoyment.

Order #	Length	MSRP	Reg.	VIP
24-9560	1½'	$11.95	~~$6.29~~	$3.09
24-9561	3'	15.95	~~8.09~~	4.09
24-9562	6'	18.95	~~10.19~~	4.99
24-9563	9'	22.95	~~13.29~~	6.39
24-9564	12'	29.95	~~15.29~~	8.59

Bulk Stereo Patch Cables

Save money by purchasing your audio cables in bulk. These cables are available 20 per package for home and automotive audio installation or use to give away when doing service calls. Two conductors, color coded for quick identification.

Order #	Length	Reg.	VIP
24-2500	3'	~~$31.69~~	$21.99
24-2505	6'	~~38.79~~	26.99
24-2510	10'	~~56.09~~	42.99



MCM Audio Patch Cables

These audio patch cables are made from shielded cable with 22AWG center conductor and 3.0mm outer diamter. Use these cables in any audio application including home theater and mobile audio.

Order #	Length	Reg.	VIP
Gold			
24-7115	1'	~~$5.99~~	$4.79
24-7120	2'	~~5.99~~	5.19
24-7125	3'	~~8.89~~	7.69
24-7130	6'	~~10.70~~	9.39
24-7135	10'	~~13.29~~	12.59
24-7140	15'	~~18.39~~	16.59
24-7145	25'	~~18.39~~	17.99
Nickel			
24-7080	1'	~~2.49~~	1.99
24-7090	3'	~~3.59~~	2.69
24-7095	6'	~~5.09~~	3.79
24-7100	10'	~~5.09~~	3.99
24-7105	15'	~~7.19~~	5.79
24-7110	25'	~~9.19~~	7.39



Stellar Labs™ Premium Digital Audio Cables

Ideal for DVD players, satellite reveivers/TiVo®, Dolby Digital Surround Sound components, and high performance DTS. **Features:** •UL listed •7.0mm out diameter •Dual EMI/RFI shielding technology •Thick polyethylene dielectric to significantly reduce attenuation, and improve impedance •Limited lifetime warranty

Order #	Length	MSRP	Reg.	VIP
24-8970	1.5'	$15.95	~~$8.19~~	$5.39
24-8971	3'	17.95	~~9.19~~	5.99
24-8972	6'	19.95	~~9.59~~	6.99
24-8973	9'	19.95	~~11.29~~	8.99
24-8974	12'	23.95	~~13.29~~	9.99
24-8975	25'	23.95	~~20.39~~	10.99



Stellar Labs™ Premium Toslink Optical Digital Audio Cables

Optical fiber cables provide the ideal media for transporting audio data with no degradation to digital audio signal quality. •Spring-loaded metal connectors •Immune from EMI/RFI interference •6.00mm outer diameter

Order #	Length	MSRP	Reg.	VIP
24-8951	3'	$29.95	~~$22.49~~	$7.69
24-8952	6'	39.95	~~31.69~~	8.99
24-8953	9'	42.95	~~39.79~~	9.99
24-8954	12'	49.95	~~44.89~~	10.99
24-8955	25'	69.95	~~59.19~~	14.99

RCA "Y" Adapter Cables

•Divides a RCA input into two outputs

Order #	Description	Reg.	VIP
24-770	RCA jack to two RCA plugs	~~$1.59~~	$1.09
24-650	RCA plug to two RCA jacks	~~1.59~~	1.09

RCA to RCA Stereo Cables

•High-quality molded construction •Dual RCA plugs •Color coded red and gray

Order #	Length	Reg.	VIP
Gold Plated			
24-4620	1'	~~$5.40~~	$4.29
24-4625	2'	~~6.09~~	5.19
24-760	3'	~~6.39~~	4.99
24-765	6'	~~7.09~~	5.79
24-768	12'	~~9.49~~	7.49
24-769	20'	~~9.59~~	8.39
Nickel Plated			
24-4600	1'	~~3.49~~	3.19
24-4605	2'	~~3.09~~	2.79
24-090	3'	~~5.80~~	2.99
24-100	6'	~~4.39~~	3.79
24-103	10'	~~6.49~~	5.49
24-5345	15'	~~7.59~~	6.89
24-104	20'	~~9.29~~	7.99
24-1470	25'	~~9.69~~	8.49
24-1475	50'	~~14.29~~	13.59

RCA Piggyback Patch Cables

•RCA patch cable with two RCA plugs on one end and combination RCA plug/jack on other end •Allows connection of two audio/video components to one input

Order #	Length	Reg.	VIP
24-640	3'	~~$4.09~~	$2.99
24-645	6'	~~4.59~~	3.49

1.2m Right Angle RCA Stereo Patch Cable

Order #	Reg.	VIP
AV00264	~~$1.89~~	$1.79



1.2m RCA to RCA "Y" Cable

Order #	Reg.	VIP
AV00251	~~$1.59~~	$1.49

Banana Speaker Cables

Speaker cables for use when connecting home theater equipment with banana type connectors for speaker terminals. Available in 16 and 18AWG with gold plated banana connectors. Sold one cable per package.

Order #	Length	Reg.	VIP
18 Gauge			
24-2600	6'	~~$4.59~~	$3.49
24-2605	10'	~~5.60~~	4.19
24-2610	25'	~~8.69~~	6.49
16 Gauge			
24-2625	6'	~~6.69~~	4.99
24-2630	10'	~~8.19~~	6.19
24-2635	25'	~~8.69~~	6.49
24-2640	50'	~~15.29~~	11.49

Choose Stellar Labs® pro audio cables for your music or stage production.



CL2 Rated In-Wall Speaker Wire

Two and four conductor commercial grade in-wall CL2 rated speaker wire features 41-strand, high-conductivity ETP bare copper conductors with ultra flexible PVC insulation. **Features:** •Low capacitance, oxygen-free, high conductivity wire •White PVC outer jacket •Color-coded two and four conductor inner jacketed wire •UL CL2 rated •RoHS compliant •Reel-in-pull box put-up.

Order #	Description	Length	Reg.	VIP
2 Conductor				
24-10325	18AWG	500'	~~$60.69~~	$49.99
24-10326	18AWG	1000'	~~112.00~~	94.99
24-10323	16AWG	500'	~~97.40~~	84.99
24-10324	16AWG	1000'	~~173.00~~	129.00
4 Conductor				
24-10322	18AWG	500'	~~96.89~~	89.99
24-10331	18AWG	1000'	~~184.00~~	169.00
24-10340	16AWG	500'	~~153.00~~	139.00
24-10341	16AWG	1000'	~~286.00~~	269.00

BELDEN Paired Audio Cable

1 twisted pair stranded (7 x 30) 22AWG tinned copper conductors. Polypropylene insulation, Beldfoil shield with 22AWG tinned copper drain wire providing 100% shield. PVC jacket is riser rated. 1000'. Mfr. #8451.

Order #	Reg.	VIP
24-7175	~~$214.00~~	$179.00

Superior Quality Microphone Cable

•2 conductor with braided shield •PVC jacket •For use with low impedance microphones •22 gauge conductors •Nominal capacitance 31pF •.235" (O.D.) •Made in USA

Order #	Length	Reg.	VIP
24-441	100'	~~$48.99~~	$37.99
24-440	500'	~~209.00~~	159.00



Standard Speaker Wire

•Two conductor clear insulation, polarity identified by white stripe •Made in USA

Order #	Gauge	Length	Reg.	VIP
24-310	24	50'	~~$5.09~~	$4.39
24-320	24	500'	~~28.09~~	24.99
24-330	24	1000'	~~50.99~~	45.99
24-340	18	50'	~~7.19~~	6.99
24-350	18	500'	~~61.19~~	54.99
24-360	18	1000'	~~122.00~~	99.99
24-370	16	50'	~~11.29~~	9.99
24-380	16	500'	~~86.69~~	79.99
24-390	16	1000'	~~163.00~~	139.00
24-110	12	50'	~~29.59~~	21.99
24-120	12	100'	~~43.89~~	39.99
24-130	12	500'	~~292.00~~	219.00

Color Coded Patch Cables

A set of six color coded patch cables (yellow, red, green, blue, black and white) to make identification much easier. ¼" monaural, right angled plugs on each end. Ideal for PA and music sound systems.

Order #	Length	Reg.	VIP
24-5395	1'	~~$8.19~~	$7.59
24-5400	6'	~~10.99~~	8.99



CAROL BRAND

In-Wall Speaker Wire

Two or four conductor extra flexible high stranded bare copper wire with gauges in 12, 14 or 16. For use in home theater, sound/audio, intercom and P.A. systems. Ease of installation. UL Type CM and/or CL3. NEC Article 725. White PVC ripcord jacket.

Order #	Carol ID	Gauge	Length	VIP
Two Conductor				
24-10670	I162SSA65.B3.02	16	500'	$107.00
24-10671	I162SSA65.B4.02	16	1000'	214.00
24-10674	I142SSA41.B3.02	14	500'	154.00
24-10675	I142SSA41.B4.02	14	1000'	281.00
24-10678	I122SSA105.38.02	12	500'	232.00
24-10679	I122SSA105.41.02	12	1000'	464.00
Four Conductor				
24-10672	I164SSA65.B3.02	16	500'	194.00
24-10673	I164SSA65.B4.02	16	1000'	388.00
24-10676	I144SSA41.B3.02	14	500'	261.00
24-10677	I144SSA41.B4.02	14	1000'	522.00
24-10680	I124SSA105.38.02	12	500'	450.00
24-10681	I124SSA105.41.02	12	1000'	900.00

Stellar Labs™ Professional ¼" to ¼" Patch Cables

Noise-free ¼" male to male cables are ideal for interconnection between amplifiers and mixers, processors and source gear. They are also suitable for musical instrument use. Available in two conductor configuration, or three conductor TRS configuration for single channel balanced, or two channel unbalanced stereo use. Terminated with durable, fully molded ¼" male plugs.

Order #	Length	MSRP	Reg.	VIP
Balanced				
24-9870	2'	$6.99	~~$3.99~~	$2.69
24-9871	3'	7.99	~~4.59~~	2.89
24-9872	6'	9.99	~~5.09~~	3.89
24-9873	10'	13.95	~~7.19~~	5.49
24-9874	15'	13.95	~~7.39~~	5.89
24-9875	25'	13.95	~~10.19~~	8.59
Unbalanced				
24-9880	2'	6.99	~~3.89~~	2.69
24-9881	3'	7.99	~~4.09~~	2.89
24-9882	6'	9.99	~~4.59~~	3.89
24-9883	10'	13.95	~~6.69~~	5.49
24-9884	15'	13.95	~~7.09~~	5.89
24-9885	25'	19.95	~~9.19~~	8.59

Stellar Labs™ Professional Balanced XLR Female to ¼" Patch Cables

Balanced audio stage cables are ideal for professional sound and stage applications requiring balanced input to balanced source connections. High-quality, rugged and durable, these cables are constructed with noise-free, Lo-Z shielded wire, and terminated with reliable latch-lock, 3 pin XLR connectors, and fully molded ¼" 3 conductor (TRS) male plugs.

Order #	Length	MSRP	Reg.	VIP
24-9830	2'	$10.95	~~$4.99~~	$3.99
24-9831	3'	11.95	~~6.09~~	4.89
24-9832	6'	13.95	~~6.49~~	5.19
24-9833	10'	16.95	~~8.79~~	6.99
24-9834	15'	16.95	~~8.89~~	7.29
24-9835	25'	12.95	~~11.29~~	8.99

Stellar Labs™ Professional Balanced XLR Male to Female Patch Cables

High-quality, balanced audio stage cables are the ideal choice for professional sound applications including connections from balanced sources, like microphones, mixers and equalizers to balanced amplifier inputs. Rugged and durable, these cables are constructed with noise-free, shielded Lo-Z wire, and terminated with reliable latch-lock, 3 pin XLR connectors.

Order #	Length	MSRP	Reg.	VIP
24-9820	2'	$11.95	~~$6.69~~	$4.89
24-9821	3'	12.95	~~7.89~~	5.39
24-9822	6'	14.95	~~8.89~~	6.09
24-9823	10'	17.95	~~10.19~~	7.19
24-9824	15'	18.95	~~10.70~~	7.79
24-9825	25'	29.95	~~13.29~~	9.99

Professional Eight Channel XLR Snake Cable

Noise-free, studio quality, eight-channel balanced audio snake cables terminated with durable, metal, latch-lock, 3 pin XLR connectors on both ends (male-to-female). Balanced, Lo-Z shielded wire and reinforced strain relief for professional sound in demanding environments.

Order #	Length	MSRP	Reg.	VIP
24-9800	6'	$54.95	~~$27.59~~	$24.99
24-9801	15'	69.95	~~35.69~~	34.99
24-9802	20'	76.95	~~38.79~~	37.99

Professional XLR Female to ¼" Patch Cables

Ideal for professional sound and stage applications, these cables are used to connect balanced XLR sources to unbalanced inputs on mixers and amplifiers. High-quality, rugged and durable, these cables are constructed with noise-free, Lo-Z shielded wire, and terminated with reliable latch-lock, 3 pin XLR connectors, and fully molded ¼" 2-conductor male plugs.

Order #	Length	MSRP	Reg.	VIP
24-9840	2'	$10.95	~~$5.19~~	$4.59
24-9841	3'	11.95	~~5.40~~	4.99
24-9842	6'	13.95	~~6.69~~	5.79
24-9843	10'	16.95	~~7.99~~	7.49
24-9844	15'	16.95	~~8.19~~	7.59
24-9845	25'	22.95	~~11.29~~	9.99

Need Larger Quantities?
Contact Our Quotes Team:
1-800-543-4330
quotes@MCMelectronics.com

Wire and Cable

Improve your signal integrity with precision engineered coax cable.

CAROL BRAND RG-6/U

RG6/U coaxial cable 18AWG copper covered steel conductor with 60% aluminum braid and 100% aluminum-Mylar foil shield. Polyethylene dielectric and PVC jacket. Reel put-up.

Order #	Carol ID	Rating	Length	Color	VIP
24-10600	C5775	CM	500'	Black	$33.99
24-10601	C5775	CM	1000'	Black	66.99
24-10603	C5886	CMR	1000'	Black	71.99
24-10604	C3524	CMP	500'	Natural	181.00
24-10605	C3524	CMP	1000'	Natural	362.00

CAROL BRAND RG-6/U Quad Shield

RG6/UQS coaxial cable 18AWG copper covered steel, dual Mylar foil and braid shield with 60%/40% aluminum. Polyethylene dielectric and PVC jacket. Reel put-up.

Order #	Carol ID	Rating	Length	Color	VIP
24-10610	C5785	CM	500'	Black	$39.99
24-10611	C5785	CM	1000'	Black	79.99
24-10612	C5889	CMR	500'	Black	42.99
24-10613	C5889	CMR	1000'	Black	84.99
24-10614	C3525	CMP	500'	Black	203.00
24-10615	C3525	CMP	1000'	Black	406.00

CAROL BRAND RG-59/U

RG59/U coaxial cable 20AWG solid bare copper 10.1 Ω/Mft (CM) or copper clad steel 45.9 Ω/Mft (CMP). 95% bare copper braid. Dielectric is foam PE in a black PVC jacket (CM) or Fluoropolymer in a natural Flexguard PVC jacket (CMP).

Order #	Carol ID	Rating	Length	Put-up	VIP
24-10620	C1142	CM	500'	Pullbox	$86.99
24-10621	C1142	CM	1000'	Pullbox	174.00
24-10622	C3500	CMP	500'	Reel	180.00
24-10623	C3500	CMP	1000'	Reel	360.00





Stellar Labs™ Miniature Bundled Coax Cable

Ultra-flex mini RGB and RGBHV riser rated 75ohm precision video cable suitable for longer, in-wall component video and AV runs. Individual mini coax conductors are 23AWG solid bare copper for exceptional signal distance and frequency response. **Specifications:** •Sweep tested to 2250MHz •23AWG solid bare copper conductors •Gas-injected FHDPE insulation •100% bonded aluminum foil and 95% aluminum braid shielding •PVC outer jacket •UL 1666; CMR rated; FT4 •RoHS compliant

Order #	Conductors	Length	Reg.	VIP
24-10295	3-conductor (RGB)	500'	~~$254.00~~	$199.00
24-10296	5-conductor (RGBHV)	250'	~~203.00~~	199.00



Stellar Labs™ RG-59/U White Siamese Cable

RG-59/U coaxial cable with 20AWG solid bare copper center conductor, mylar foil and 60% aluminum braid providing 100% shield coverage. Sweep tested to 2250MHz. Polyethylene dielectric and PVC jacket. OD .240" nominal. **Impedance:** 75ohm nominal. 18AWG bare copper twisted pair, PVC jacket, color coded for easy polarity identification. Sequential foot marking every two feet.

Order #	Length	Reg.	VIP
24-10290	500'	~~$91.79~~	$84.99
24-10291	1000'	~~189.00~~	169.00

Stellar Labs™ RG-59/U Siamese Cable

RG-59/U coaxial cable with 20AWG copper covered steel, mylar foil and 60% aluminum braid providing 100% shield coverage. Sweep tested to 2250MHz. Polyethylene dielectric and PVC jacket. OD .250" nominal. Impedance: 75ohm nominal. 18AWG bare copper stranded wire, PVC jacket, color coded for easy polarity identification. Sequential feet marking every two feet.

Order #	Length	Reg.	VIP
24-10285	500'	~~$81.59~~	$74.99
24-10286	1000'	~~152.00~~	139.00

Stellar Labs™ RG-6/U with Solid Copper Center

RG-6/U coaxial cable with 18AWG solid bare copper center conductor, mylar foil and 60% aluminum braid providing 100% shield coverage. Sweep tested to 2250MHz. Polyethylene dielectric and PVC jacket. OD .280" nominal. Impedance: 75ohm nominal. Sequential foot marking every two feet.

Order #	Length	Reg.	VIP
24-10220	500'	~~$49.99~~	$39.99
24-10221	1000'	~~79.99~~	69.99

Stellar Labs™ RG-59/U

RG-59/U coaxial cable with 20AWG copper covered steel, mylar foil and 60% aluminum braid providing 100% shield coverage. Sweep tested to 2250MHz. Polyethylene dielectric and PVC jacket. OD .240" nominal. Impedance: 75ohm nominal. Sequential feet marking every two feet.

Order #	Length	Reg.	VIP
Black			
24-10270	500'	~~$25.49~~	$23.99
24-10271	1000'	~~50.99~~	44.99
White			
24-10275	500'	~~25.49~~	23.99
24-10276	1000'	~~53.99~~	44.99



Stellar Labs™ RG-59/U Plus 18/2

Dual coax cable perfect for installing cable television systems and closed circuit television systems. Constructed with one RG-59/U cable molded to a two conductor 18AWG cable.

Order #	Length	Reg.	VIP
24-10280	500'	~~$81.59~~	$74.99
24-10281	1000'	~~152.00~~	139.00

Stellar Labs™ RG-6/U Black Siamese Cable

RG-6/U coaxial cable with 18AWG copper covered steel, mylar foil and 60% aluminum braid providing 100% shield coverage. Sweep tested to 2250MHz. Polyethylene dielectric and PVC jacket. OD .275" nominal. Impedance: 75ohm nominal. 18AWG bare copper stranded wire, PVC jacket, color coded for easy polarity identification. Sequential foot marking every two feet.

Order #	Length	Reg.	VIP
24-10245	500'	~~$102.00~~	$89.99
24-10246	1000'	~~195.00~~	169.00

Stellar Labs™ RG-6/U Dual

Two RG-6/U coaxial cable with 18AWG copper covered steel, mylar foil and 60% aluminum braid providing 100% shield coverage. Sweep tested to 2250MHz. Polyethylene dielectric and PVC jacket. OD .275" nominal. Impedance: 75ohm nominal. Sequential foot marking every two feet. Black.

Order #	Length	Reg.	VIP
24-10215	500'	~~$46.99~~	$42.99
24-10216	1000'	~~81.59~~	73.99

Stellar Labs™ RG-6/U

RG-6/U coaxial cable with 18AWG copper covered steel, mylar foil and 60% aluminum braid providing 100% shield coverage. Sweep tested to 2250MHz. Polyethylene dielectric and PVC jacket. OD .275" nominal. **Impedance:** 75ohm nominal. Sequential foot marking every two feet.

Order #	Length	Reg.	VIP
Black			
24-10205	500'	~~$25.49~~	$24.99
24-10206	1000'	~~46.99~~	45.99
White			
24-10210	500'	~~25.49~~	24.99
24-10211	1000'	~~46.99~~	45.99

Stellar Labs™ RG-6/U CL2-Rated Coax Cable

RG-6/U type coax cable. 18AWG solid bare copper center conductor. Mylar aluminum foil shield plus 40% aluminum braid provides 100% shield. Foam dielectric and PVC jacket. Outside diameter .270" nominal. Impedance 75ohm nominal. Perfect cable for high frequency cable systems, satellite television and DBS. CL2 rated for in-wall use.

Order #	Length	Reg.	VIP
24-10200	500'	~~$40.79~~	$39.99
24-10201	1000'	~~99.99~~	69.99

Stellar Labs™ RG-6/U Quad Shield

RG-6/U coaxial cable with 18AWG copper covered steel, mylar foil and 60% aluminum braid conductor and dual mylar foil shields with 60%/40% aluminum braiding providing exceptional shielding. Sweep tested to 2250MHz. Polyethylene dielectric and PVC jacket. OD .30" nominal. **Impedance:** 75ohm nominal. Sequential foot marking every two feet.

Order #	Length	Reg.	VIP
Black			
24-10225	500'	~~$35.69~~	$34.99
24-10226	1000'	~~64.79~~	59.99
White			
24-10230	500'	~~35.69~~	34.99
24-10231	1000'	~~61.19~~	59.99

Extend the reach of your sound system with these multi-conductor speaker cables.

NTE 25' Stranded Hook-Up Wire

Stranded hook-up wire for point-to-point wiring. Ideal for wiring of electrical and electronic equipment, meters, computers, business machines, appliances and control panels.
Specifications: •Gauges: 26-24-22-20-18 •Rated for 300V •UL style 1007 •CSA TR-64/1569 •Passes UL VW-1.S vertical flame test •OSHA acceptable •Stranded tinned copper (strand count 22, 24, 26 gauge = 7 strand; 20 gauge = 10 strand; 18 gauge = 16 strand)

Order #	Color	Reg.	VIP
18AWG			
24-10350	Black	$6.89	$4.99
24-10351	Brown	6.89	4.99
24-10352	Red	6.89	4.99
24-10353	Orange	6.89	4.99
24-10354	Yellow	6.89	4.99
24-10355	Green	6.89	4.99
24-10356	Blue	6.89	4.99
24-10357	Violet	6.89	4.99
24-10358	Grey	6.89	4.99
24-10359	White	6.89	4.99
20AWG			
24-10370	Black	5.79	3.99
24-10371	Brown	5.79	3.99
24-10372	Red	5.79	3.99
24-10373	Orange	5.79	3.99
24-10374	Yellow	5.79	3.99
24-10375	Green	5.79	3.99
24-10376	Blue	5.79	3.99
24-10377	Violet	5.79	3.99
24-10378	Grey	5.79	3.99
24-10379	White	5.79	3.99
22AWG			
24-10390	Black	4.59	3.29
24-10391	Brown	4.59	3.29
24-10392	Red	4.59	3.29
24-10393	Orange	4.59	3.29
24-10394	Yellow	$4.59	$3.29
24-10395	Green	4.59	3.29
24-10396	Blue	4.59	3.29
24-10397	Violet	4.59	3.29
24-10398	Grey	4.59	3.29
24-10399	White	4.59	3.29
24AWG			
24-10410	Black	4.59	3.29
24-10411	Brown	4.59	3.29
24-10412	Red	4.59	3.29
24-10413	Orange	4.59	3.29
24-10414	Yellow	4.59	3.29
24-10415	Green	4.59	3.29
24-10416	Blue	4.59	3.29
24-10417	Violet	4.59	3.29
24-10418	Grey	4.59	3.29
24-10419	White	4.59	3.29
26AWG			
24-10430	Black	3.49	2.39
24-10431	Brown	3.49	2.39
24-10432	Red	3.49	2.39
24-10433	Orange	3.49	2.39
24-10434	Yellow	3.49	2.39
24-10435	Green	3.49	2.39
24-10436	Blue	3.49	2.39
24-10437	Violet	3.49	2.39
24-10438	Grey	3.49	2.39
24-10439	White	3.49	2.39

Modular Connectors for Flat Cable



•Designed for flat "silver satin" or coiled cable •#36-505 is the reduced size four pin type used for handset cords •#36-690 is keyed, #36-665 is unkeyed •Ten per package

Fig.	Order #	Type	# of Conductors	VIP
A	36-505	Handset	4	$1.09
B	36-400	RJ-11	4	1.09
B	36-635	RJ-12	6	2.09
C	36-665	RJ-45	8	2.59
C	36-690	RJ-45 keyed	8	2.59
D	36-666	RJ-48	10	4.09



Modular Connectors for Round Cable

•Half round modular connectors •#36-740 keyed •Ten per bag

Fig.	Order #	Type	# of Conductors	VIP
A	36-725	RJ-11	4	$1.09
B	36-730	RJ-12	6	2.09
C	36-735	RJ-45	8	2.59
C	36-740	RJ-45	8	2.59

PLATINUM TOOLS

EZ-RJ45 Category 4/6 Connector System

The Platinum Tools patented connectors simplify RJ-11/12, Cat 5 and Cat 6 terminations by allowing wire to be extend beyond the front of the connector. This allows you to easily verify proper wire order before cutting the excess. By seating the cable jacket tightly in the front of the connector, mechanical reliability is improved. This also maintains the maximum number of wire twists, which is the key to having optimal electrical performance. Platinum Tools makes it easy to get the job done right. Simply select the solution that's right for you.

Features: •Simple one piece design •No bars or liners •Patented crimp tool works for RJ-45 and RJ-11/12 connectors •Use in Cat 3, 5e and 6 networks and patch cords •FCC compliant •50 micro inch gold plate •UL rated •Made in the USA

Tools

Order #	Description	Reg.	VIP
36-1655	Cable jacket stripper	$18.99	$11.59

Kits

Order #	Description	Reg.	VIP
36-1650	EZ RJ-45 kit - crimp tool + 50 Cat 5e connectors	$79.99	$72.99
27-5060	EZ RJ-45 Cat 6+ combo - 30 connectors and strain reliefs	32.69	29.99

Connectors

Order #	Description	Reg.	VIP
36-1640	EZ RJ-45 Cat 5e connectors - 50pk	$32.69	$27.99
27-5065	EZ RJ-45 Cat 6+ connectors - 50pk	38.79	33.99
27-5070	EZ RJ-45 Cat 6+ connectors - 500pk	341.00	329.00

Strain Reliefs*

Order #	Description	Reg.	VIP
27-5075	EZ RJ-45 Cat 6+ combo blue strain reliefs - 50pk	$13.29	$11.99
27-5095	EZ RJ-45 Cat 6+ combo green strain reliefs - 50pk	13.29	11.99

*** For use with the EZ RJ-45 Cat 6+ connectors only.**



Primary Wire

Add distinctiveness to any automotive sound system with this clear/blue primary wire. Made from high strand, oxygen free tinned copper for maximum flexibility and performance.

Order #	AWG	Length	Reg.	VIP
Blue				
24-4130	8	100'	$68.39	$44.99
Clear				
24-4195	4	1'	4.89	1.99

Automotive "Zip" Cord



Multi-stranded soft bare electronic copper conductors. Insulated with 80° "GPT" automotive grade VW-1 flame retardant PVC. One conductor is all red and one conductor is all black (for polarity) in "zip cord" construction. Useful as "CB" power cord, stereo, alarm and other general purpose applications. 250' length.

Order #	Gauge	Reg.	VIP
24-1865	18AWG	$59.19	$42.99
24-1880	16AWG	70.39	54.99
24-1895	14AWG	104.00	84.99
24-1910	12AWG	142.00	129.00
24-1925	10AWG	183.00	159.00

Rotator Cable

Three conductor cable for use with many popular antenna rotators. Outer jacket 0.162" black PVC with 0.020" wall. Three 20AWG conductors color coded black, white and red.

Order #	Length	Reg.	VIP
24-3080	100'	$26.59	$24.49
24-3085	500'	114.00	99.99
24-3090	1000'	203.00	189.00

Telephone Line Cord



•Color-coded stranded wire •Custom design your own modular extension cords to any length •Silver PVC jacket •26 gauge

Order #	Length	Reg.	VIP
4 Conductor			
36-460	100'	$10.19	$7.99
36-465	500'	40.79	34.99
6 Conductor			
36-615	100'	15.29	11.09
36-620	500'	81.59	79.95

Standard Lamp Wire



•2 conductor: One bare copper, one tinned copper •18 gauge standard •1 conductor ribbed for polarity identification •300V suggested working voltage •Brown jacket •SPT-1 •Made in USA

Order #	Length	Reg.	VIP
24-570	50'	$11.29	$8.99
24-575	100'	45.89	16.99
24-580	500'	91.79	59.99

Surface Mount Telephone Jacks

Low profile jack mounts directly to baseboard or any flat surface, and includes cover. Ideal for most voice and low speed data applications. Screw terminals. #36-105, 36-106 are keyed and include shorting bar.

Order #	Color	Pins	Compatibility	Reg.	VIP
36-100	Ivory	4	RJ-11/14	$1.09	$0.79
36-101	White	4	RJ-11/14	1.09	0.79
36-103	Ivory	6	RJ-11/12/14	1.29	0.99
36-104	White	6	RJ-11/12/14	1.29	0.99
36-105	Ivory	8	RJ-45/31/38X	1.59	1.29
36-106	White	8	RJ-45/31/38X	1.59	1.29

MCM accepts Visa, Mastercard, Discover, American Express and IMPAC Government Visa.

Wire and Cable

Keep your network up and running with bulk Cat 5e and 6 ethernet cable from MCM.

CAROL BRAND Category 5E 350Mhz Cable

24 AWG solid bare annealed copper. Polyolefin PVC jacket (CMR) and Fluoropolymer PVC jacket (CMP). Applications are IEEE 802.3, 1000 BASE-T, 100 BASE-TX, 10 BASE-T, ANSI X3.263, 52/155 Mp/s ATM, 4/16 Mp/s Token Ring. 1000' length. Pullbox put-up.

Order #	Carol ID	Rating	Color	VIP
24-10630	CR5.30.07	CMR	Blue	$105.00
24-10631	CR5.30.02	CMR	White	105.00
24-10632	CR5.30.10	CMR	Gray	105.00
24-10633	CR5.30.06	CMR	Green	105.00
24-10634	CR5.30.05	CMR	Yellow	105.00
24-10635	CR5.30.03	CMR	Red	105.00
24-10636	CP5.30.07	CMP	Blue	254.00
24-10637	CP5.30.02	CMP	White	254.00
24-10638	CP5.30.10	CMP	Gray	254.00
24-10639	CP5.30.06	CMP	Green	254.00
24-10640	CP5.30.05	CMP	Yellow	254.00
24-10641	CP5.30.03	CMP	Red	254.00

CAROL BRAND Category 6 500Mhz Cable

23 AWG solid bare annealed copper. Polyolefin PVC jacket (CMR) and Fluoropolymer PVC jacket (CMP). Applications are IEEE 802.3, 1000 BASE-T, 100 BASE-TX, 10 BASE-T, ANSI/TIA/EIA 854, ANSI X3.263, 155 Mp/s 1.2 Gb/s ATM. 1000' length. Separator filament. Pullbox put-up.

Order #	Carol ID	Rating	Color	VIP
24-10645	CR6.30.07	CMR	Blue	$213.00
24-10646	CR6.30.02	CMR	White	213.00
24-10647	CR6.30.10	CMR	Gray	213.00
24-10648	CR6.30.06	CMR	Green	213.00
24-10649	CR6.30.05	CMR	Yellow	213.00
24-10650	CR6.30.03	CMR	Red	213.00
24-10651	CP6.30.07	CMP	Blue	390.00
24-10652	CP6.30.02	CMP	White	390.00
24-10653	CP6.30.10	CMP	Gray	390.00
24-10654	CP6.30.06	CMP	Green	390.00
24-10655	CP6.30.05	CMP	Yellow	390.00
24-10656	CP6.30.03	CMP	Red	390.00

GenSPEED BRAND Category 5E Residential CMX

•24 AWG solid bare annealed copper •Polyolefin PVC ivory colored jacket outdoor CMR •1000 BASE-T, 52/155 Mp/s ATM, 100/10 BASE-T (IEEE 802.3), T1, Voice • 1000' length. Reel put-up

Order #	VIP
24-10667	$150.00

GenSPEED BRAND Category 5E Screened Cable

•24 AWG solid bare annealed copper. Stranded drain •Blue PVC jacket Polyolefin or Fluoropolymer CMP •1000 BASE-T (Gigabit Ethernet), E52/155 Mbps ATM, E100/10 BASE-T (IEEE 802.3), T1, Voice •1000' length •Spool put-up

Order #	Mfr. #	Rating	O.D.	Reg.	VIP
24-10660	2133496E	CMR	.250	~~$314.00~~	$299.00
24-10661	2132661E	CMP	.225	~~662.00~~	579.00

Stellar Labs™ Category 5e 350MHz UL CMR Cable

Ideal for today's high-speed voice, data and video applications the Stellar Labs® Cat 5e cable is UL approved, riser rated (CMR) and tested to meet both Cat 5e specifications and 350MHz bandwidth. **Specifications:** •Four unshielded twisted pairs •24AWG solid bare copper conductors •PVC outer jacket •High-density polyethylene individual conductor insulation •Complies with Cat 5e (EIA/TIA-568) standards •Rated to 350MHz headroom or above •RoHS compliant •Convenient and durable pull box

Order #	Color	Length	MSRP	Reg.	VIP
24-10515	Blue	500'	$59.95	~~$38.79~~	$32.99
24-10505	Blue	1000'	99.95	~~66.29~~	59.99
24-10520	Gray	500'	59.95	~~38.79~~	32.99
24-10510	Gray	1000'	99.95	~~66.29~~	59.99
24-10526	White	500'	59.95	-	38.79
24-10525	White	1000'	99.95	~~66.29~~	79.99

Stellar Labs™ Category 6 CMR 550MHz Cable

Due to higher bandwidth usage and faster data transmission, Cat 6 cable is becoming the new standard in network installations. Used for networking, A/V distribution, and security, Cat 6 cable is extremely versatile. •UL listed •Four twisted 24AWG solid bare copper conductors •Blue PVC jacket •Polyethylene insulation •Convenient pull box

Order #	Length	Reg.	VIP
24-10527	1000'	~~$113.00~~	$103.00
24-10528	500'	~~61.20~~	54.99



Stellar Labs™ Category 5e 350MHz UTP Cable

Ideal for today's high-speed voice, data, and video applications, the Stellar Labs® Cat 5e cable is not only tested to meet both Cat 5e specifications and 350MHz bandwidth, but also offers excellent flexibility in a convenient and durable EZ-pull reel-in-a-box. **Specifications:** •Four unshielded twisted pairs •24AWG solid bare copper conductors •PVC outer jacket •High-density polyethylene individual conductor insulation •Complies with Category 5e (EIA/TIA-568) standards •Rated to 350MHz or above •RoHS compliant

Order #	Color	Length	VIP
24-10300	Gray	500'	$35.69
24-10305	Red	500'	40.79
24-10306	Red	1000'	71.39
24-10310	Yellow	500'	40.79
24-10311	Yellow	1000'	71.39
24-10315	Blue	500'	35.69



CAROL BRAND Composite Access Control Cable

Stranded bare copper wire. Blue PVC overall jacket in reel put ups. Individually shielded. Construction: 18AWG, four conductor; 22 AWG, six conductor (three twisted pair); 22 AWG, two conductor; 22 AWG, four conductor. Application markings on individual elements. Application: security systems, access control, card reader, door control, REX and power-limited controls. Compliances: NEC Article 800 type CMR (UL), c(UL) or CMP(UL), c(UL).

Order #	Carol ID	Rating	Length	O.D.	VIP
24-10885	4ERS4S	CMR	500'	.430	$389.00
24-10886	4ERS4S	CMR	1000'	.430	777.00
24-10890	4EPL4S	CMP	500'	.430	464.00
24-10891	4EPL4S	CMP	1000'	.430	928.00



BELDEN Category 5e UTP Plenum and Non-Plenum Cable

Unshielded, four pair, 24AWG solid bare copper conductors. 1585A: Blue Flamarrest® Plenum jacket with nylon ripcord. 1583A: Blue PVC jacket with nylon ripcord. 1000'.

Order #	Mfr. #	Reg.	VIP
24-5100	1583A	~~$137.00~~	$124.00
24-5105	1585A	~~279.00~~	259.00



BELDEN Category 6 Datatwist® UTP Cable

Four bonded, twisted pairs of 23AWG solid bare copper conductors separated by a center rod member and individually encased in polyethylene insulation. Overall unshielded PVC jacket with ripcord sequentially marked at 2' intervals. CMR, UL444, riser rated and verified to Category 6. 0.241" outer diameter, nominal. 1000'.

Order #	Mfr. #	VIP
24-9680	7881A	$214.00

BELDEN Category 6 Mediatwist® UTP Cable

Belden's 1000' MediaTwist® Cat 6 UTP cable is a unique cable design delivering the ultimate in unshielded twisted pair performance. Media Twist features 23AWG solid bare copper conductors, and four twisted pairs bonded in a PVC jacket to effectively separate and isolate each pair minimizing NEXT interference. Jacket sequentially marked at two foot intervals, and nominal O.D. is 0.365. Mfr. #1872A.

Order #	Reg.	VIP
24-7170	~~$254.00~~	$239.00



Outdoor Category 5e UTP Cable

Ultra high performance LAN cable suitable for data, video and audio transfer in outdoor applications. Suitable for industrial ethernet and harsh climates. **Features:** •Four twisted, 24AWG solid bare copper conductors •UV stabilized and oil resistant jacket made of high-density polyethylene insulated (HDPE) material •CMX-Outdoor, UL 444 and UL 1666, ISO/IEC 11801 Cat 5e, FT4 flame resistant.

Order #	Color	Length	Reg.	VIP
24-9730	Gray	500'	~~$95.89~~	$87.99
24-9735	Gray	1000'	~~192.00~~	162.00

Multiconductor Unshielded Cable Non-Plenum (FPLR)

Annealed solid bare copper wire in 2 or 4 conductor, ASTM B-3. Red PVC jacket. Available in 12, 14, 16, or 18 AWG. Application: fire and burglar alarms, smoke detectors, voice communication, and fire protective circuits. Suggested voltage rating 300 volts. Compliances: NEC Article 760 type FPLR (UL: 75C, 300V) and UL 1666 flame test.

Order #	Caro l ID	No. Cond.	Lgth.	OD	VIP
18 AWG, solid strand					
24-10800	E1502S	2	500'	.150	$52.99
24-10801	E1502S	2	1000'	.150	106.00
24-10802	E1504S	4	500'	.175	95.99
24-10803	E1504S	4	1000'	.175	192.00
16 AWG, solid strand					
24-10804	E1512S	2	500'	.172	77.99
24-10805	E 1512S	2	1000'	.172	154.00
24-10806	E1514S	4	500'	.202	149.00
24-10807	E1514S	4	1000'	.202	298.00
14 AWG, solid strand					
24-10808	E1522S	2	500'	.210	108.00
24-10809	E1522S	2	1000'	.210	216.00
24-10810	E1524S	4	500'	.248	230.00
24-10811	E1524S	4	1000'	.248	459.00
12 AWG, solid strand					
24-10812	E1532S	2	500'	.244	183.00
24-10813	E1532S	2	1000'	.244	365.00

Multiconductor Shielded Cable Non-Plenum (FPLR)

Annealed solid bare copper wire in two or four conductor, ASTM B-3. Red PVC jacket. Available in 12, 14, 16, or 18 AWG. Shield: Overall polyester supported aluminum foil with stranded tinned copper drain wire. Application: Fire, burglar, and smoke alarms, voice communication, and fire protective circuits. Suggested voltage rating 300V. Compliances: NEC Article 760 type FPLR (UL: 75C, 300V) and UL 1666 flame test.

Order #	Carol ID	No. Cond.	Lgth.	OD	VIP
24-10815	E2502S	2	500'	.158	$70.99
24-10816	E2502S	2	1000'	.158	141.00
24-10817	E2504S	4	500'	.183	128.00
24-10818	E2504S	4	1000'	.183	256.00
16 AWG, solid strand					
24-10819	E2522S	2	500'	.180	103.00
24-10820	E2522S	2	1000'	.180	206.00
24-10821	E2524S	4	500'	.210	169.00
24-10822	E2524S	4	1000'	.210	337.00
14 AWG, solid strand					
24-10823	E2532S	2	500'	.218	143.00
24-10824	E2532S	2	1000'	.218	285.00
24-10825	E2534S	4	500'	.253	273.00
24-10826	E2534S	4	1000'	.253	546.00
12 AWG, solid strand					
24-10827	E2542S	2	500'	.252	220.00
24-10828	E2542S	2	1000'	.252	440.00

Mid-Capacitance, Shielded Cable non-Plenum (FPL)

Annealed solid bare copper wire ASTM B-3. Red PVC jacket. Application: Addressable fire alarms systems, smoke detectors, voice communication, and pull boxes. Suggested voltage rating 300V. Compliances: NEC Article 760 type FPL (UL: 60C, 300V) and passes UL 70,000 BTU vertical tray flame test.

Order #	Carol ID	No. Cond.	Lgth.	OD	VIP
18 AWG, solid strand					
24-10861	E3502S	2	1000'	.182	$223.00

Multiconductor Shielded Cable (CMR Riser)

Solid or stranded bare copper wire in 2, 3, 4, 6, 8 conductor, ASTM B-3, B-8 and B-286. Gray PVC jacket with sequential footage marking for installation ease. Shield: Overall polyester supported aluminum foil with stranded tinned copper drain wire. Available in 12, 14, 16, 18, 20 or 22 AWG. Application: power limited control circuits for intercom, security, audio and background music. Suggested voltage rating 300 volts. Compliances: NEC Article 725 type CL3R (UL: 75C, 150V) and NEC Article 800 type CMR (UL: 75C, 300V).

Order #	Carol ID	No. Cond.	Lgth.	OD	VIP
22 AWG, solid strand					
24-10716	E2000S	2	500'	.117	$42.99
24-10717	E2000S	2	1000'	.117	84.99
22 AWG, 7/30 strands					
24-10718	E2002S	2	500'	.132	49.99
24-10719	E2002S	2	1000'	.132	98.99
24-10720	E2004S	4	500'	.147	78.99
24-10721	E2004S	4	1000'	.147	158.00
24-10722	E2006S	6	500'	.173	103.00
24-10723	E2006S	6	1000'	.17	206.00
24-10724	E2008S	8	500'	.195	119.00
24-10725	E2008S	8	1000'	.195	238.00
20 AWG, 7/28 strands					
24-10726	E2022S	2	500'	.142	63.99
24-10727	E2022S	2	1000'	.142	127.00
20 AWG, 7/28 strands					
24-10728	E2024S	4	500'	.171	96.99
24-10729	E2024S	4	1000'	.171	194.00
18 AWG, 7/26 strands					
24-10730	E2032S	2	500'	.164	83.99
24-10731	E2032S	2	1000'	.164	168.00
24-10732	E2033S	3	500'	.172	106.00
24-10733	E2033S	3	1000'	.172	211.00
24-10734	E2034S	4	500'	.187	130.00
24-10735	E2034S	4	1000'	.187	259.00
16 AWG, 19/.0117 strands					
24-10736	E2042S	2	500'	.189	93.99
24-10737	E2042S	2	1000'	.189	187.00
24-10738	E2044S	4	1000'	.219	375.00
14 AWG, 19/.0147 strands					
24-10739	E2052S	2	500'	.245	167.00
24-10740	E2052S	2	1000'	.245	333.00
24-10741	E2054S	4	1000'	.269	747.00
12 AWG, 19/.0185 strands					
24-10742	E2062S	2	500'	.281	244.00
24-10743	E2062S	2	1000'	.281	488.00



Multiconductor Unshielded Cable (CMR Riser)

Solid or stranded bare copper wire in 2, 3, 4, 6, 8 conductor, ASTM B-3, B-8 and B-286. Gray PVC jacket with sequential footage marking for installation ease. Available in 12, 14, 16, 18, 20 or 22 AWG. Application: power limited control circuits for intercom, security, audio and background music. Suggested voltage rating 300 volts. Compliances: NEC Article 725 type CL3R (UL: 75C, 150V) and NEC Article 800 type CMR (UL: 75C, 300V).

Order #	Carol ID	No. Cond.	Lgth.	OD	VIP
22 AWG, solid strand					
24-10685	E1000S	2	500'	.118	$31.99
24-10686	E1000S	2	1000'	.118	62.99
24-10687	E1001S	4	500'	.126	31.99
24-10688	E1001S	4	1000'	.126	102.00
22 AWG, 7/30 strands					
24-10689	E1002S	2	500'	.122	33.99
24-10690	E1002S	2	1000'	.122	67.99
24-10691	E1004S	4	500'	.141	57.99
24-10692	E1004S	4	1000'	.141	116.00
24-10693	E1006S	6	500'	.164	81.99
24-10694	E1006S	6	1000'	.164	163.00
24-10695	E1008S	8	500'	.180	107.00
24-10696	E1008S	8	1000'	.180	214.00
20 AWG, 7/28 strands					
24-10697	E1022S	2	1000'	.134	94.99
24-10698	E1024S	4	500'	.142	80.99
24-10699	E1024S	4	1000'	.142	161.00
18 AWG, 7/26 strands					
24-10700	E1032S	2	500'	.156	61.99
24-10701	E1032S	2	1000'	.156	123.00
24-10702	E1033S	3	500'	.166	86.99
24-10703	E1033S	3	1000'	.166	173.00
24-10704	E1034S	4	500'	.187	112.00
24-10705	E1034S	4	1000'	.187	223.00
16 AWG, 19/.0117 strands					
24-10706	E1042S	2	500'	.178	93.99
24-10707	E1042S	2	1000'	.178	187.00
24-10708	E1044S	4	500'	.210	159.00
24-10709	E1044S	4	1000'	.210	318.00
14 AWG, 19/.0147 strands					
24-10710	E1052S	2	500'	.224	120.00
24-10711	E1052S	2	1000'	.224	239.00
24-10712	E1054S	4	500'	.264	302.00
24-10713	E1054S	4	1000'	.264	604.00
12 AWG, 19/.0185 strands					
24-10714	E1062S	2	500'	.260	193.00
24-10715	E1062S	2	1000'	.260	386.00

Order #	Carol ID	No. Cond.	Lgth.	OD	VIP
18 AWG, solid strand					
24-10830	E3502S	2	500'	.155	$70.99
24-10831	E3502S	2	1000'	.155	141.00
24-10832	E3504S	4	500'	.175	132.00
24-10833	E3504S	4	1000'	.175	263.00
16 AWG, solid strand					
24-10834	E3512S	2	500'	.172	132.00
24-10835	E3512S	2	1000'	.172	263.00
24-10836	E3514S	4	500'	.202	187.00
24-10837	E3514S	4	1000'	.202	374.00
14 AWG, solid strand					
24-10838	E3522S	2	500'	.205	127.00
24-10839	E3522S	2	1000'	.205	253.00
24-10840	E3524S	4	500'	.243	279.00
24-10841	E3524S	4	1000'	.243	558.00
12 AWG, solid strand					
24-10842	E3532S	2	500'	.244	210.00
24-10843	E3532S	2	1000'	.244	419.00

Multiconductor Unshielded Cable Plenum (FPLR)

Annealed solid bare copper wire in two or four conductor, ASTM B-3. Red PVC jacket. Available in 12, 14, 16, or 18 AWG. Application: fire and burglar alarms, smoke detectors, voice communication, and fire protective circuits. Suggested voltage rating 300V. Compliances: NEC Article 760 type FPLR (UL: 75C, 300V), NFPA 262 and CSA FT-6 Steiner Tunnel Fire Tests for Plenum applications.

Wire and Cable

Handy hardware kits save you valuable time and money.

Auto Fuse Set

This 150pc set contains the most commonly replaced fuses in cars, light trucks, SUVs, ATVs, and more. Chip type fuses meet or exceed OEM specifications. **Kit Includes:** •15 each (5A, 10A, 15A, 20A, 25A, 30A) •10 each (10A mini, 15A mini, 20A mini) •9 each (5A mini, 25A mini, 30A mini) •Auto tester with grounding alligator clip •Removal tweezers

Order #	VIP
28-11190	$9.99

Electrical Clip Kit

Repair broken leads on test equipment and chargers with this 28pc kit. Make your own low-voltage jumper leads. **Kit Includes:** •Two each (10A/25A/30A charging clips •10 mini alligator clips •Six 2" alligator clips •Six 1½" alligator clips

Order #	VIP
28-11205	$4.99

Hex Cap Screw Kit

A wide 106pc variety of the most commonly used hex cap screws used in automotive and household applications. **Sizes:** • #8 x 32 x ½", #10 x 24 x ½", #10 x 24 x 1", ¼" x 20 x ½", ¼" x 20 x 1", 5/16" x 18 x 1", 5/16" x 18 x 1½", ⅜" x 16 x 1", ⅜" x 16 x 1½"

Order #	VIP
28-11230	$7.99

Tap Reseating Washer Kit

This 125pc kit contains every kind of washer needed for fixing leaking faucets in the kitchen, bathroom, wash room, and more. **Kit Includes:** •Red fiber washers, faucet washers, rubber washers, foam gaskets, rubber flat washers, aluminum washers, c-clips, nylon o-rings, rubber o-rings

Order #	VIP
28-11235	$8.99

347pc Nut and Bolt Kit

Ideal for replacing broken, lost, or stripped nuts, bolts, and screws around the home, garage, and workshop. **Sizes:** •Sheet metal screws: 6 x 12", 6 x ¾", 10 x 1" •Wood screws: 4 x ½", 6 x ¾", 8 x 1" •Machine screws: 10-24 x 1", ¼" - 20 x ¾" •Washers: #10 flat washers, ¼" flat washers •Nuts: ¼" - 20 hex nut, #10 - 24 hex nut

Order #	VIP
28-11270	$6.99

200pc Sheet Metal Screw Kit

Super sharp tips seat faster than standard screws. Zinc plated carbon steel resists rust and corrosion. **Sizes:** •#10 x ½", #10 x ⅝", #10 x ¾", #10 x 1", #8 ½", #8 x ⅝", #8 x ¾", #8 x 1"

Order #	VIP
28-11260	$8.99

160pc Socket head Insert Kit

Chrome moly alloy steel construction. **Sizes:** • 5/32" x 3/16" 32 thread, ⅜" x ⅜" 24 thread, 5/16" x ⅜" 18 thread, 5/16" x ⅜" 24 fine thread, ⅜" x ⅜" 16 thread, 5/16" x ½" 18 thread, ⅛" x 3/16" 40 thread, 3/16" x ¼" 24 thread, ¼" x ¼" 20 thread, ¼" x ¼" 28 thread, ⅜" x ½" 16 thread, ¼" x ⅜" 20 thread

Order #	VIP
28-11250	$9.99

Locknut Set

This 150pc set is ideal for securing nuts in high vibration applications. Nylon inserts eliminate the need for lock washers. **Sizes:** • #10 x 24, 5/16" x 18, ¼" x 20, ⅜" x 16, ¼" x 28, ½" x 13

Order #	VIP
28-11240	$9.99

Large Cotter Pin Kit

A wide 144pc assortment of the most commonly used pins for all types of securing applications. **Sizes:** •⅛" x 2", 5/32" x 2½", 3/16" x 3", ¼" x 2", ¼" x 3", 5/16" x 2½"

Order #	VIP
28-11215	$12.99

527pc Particle Board Screw Kit

A complete assortment of the most commonly used particle board screws, designed specifically for use in dense woods and man made types such as chipboard and particle board.

Order #	VIP
28-11290	$14.99

407pc O-Ring Set

Use while working with plumbing, hydraulics, air, and gas connections to prevent leaks. Nitrile Buna-N construction resists oil, gas, water, and alcohol solvents. Includes plastic storage case.

Order #	VIP
28-11280	$11.99

180pc Rubber Grommet Kit

Ideal for replacing worn or broken grommets in leaky faucets, hoses, and more. **Sizes:** •⅞", ⅜", ⅝", 5/16", ¼", ½", 7/16", 1"

Order #	VIP
28-11255	$8.99

Stock up and save on the connectors you use most.

MCM Universal Gold Connector Adapter Kits

Choose any two connector ends you need and screw them together with the universal adapter. Quickly assemble the exact adapter for any job. 40 piece kit includes two each male and female UHF, mini UHF, "N", BNC, TNC, SMA, "F", RCA and six universals. Kits are in a soft zippered carry case.

Order #	Reg.	VIP
27-1605	~~$128.00~~	$99.00

MCM BNC Type Compression Connectors

BNC type compression connectors are quicker to install and in many cases out perform hex crimp BNC connectors. Use these connectors for home theater, video applications, surveillance and test equipment. Install the MCM compression connectors using the compression tool #22-3251.

Order #	Color	Reg.	VIP
RG-6			
27-4485	Black	~~$2.29~~	$1.59
27-4770	Red	~~2.29~~	1.59
27-4775	Green	~~2.39~~	1.89
27-4780	Blue	~~2.29~~	1.89
27-4785	Yellow	~~2.29~~	1.89
RG-6 Quad Shield			
27-4805	Black	~~2.29~~	1.89
27-4795	Red	~~2.29~~	1.89
27-4815	White	~~2.29~~	1.89
RG-59			
27-4495	Black	~~2.29~~	1.89
27-4825	Green	~~2.09~~	1.79
27-4830	Blue	~~2.29~~	0.69
27-4840	White	~~2.29~~	0.69

BNC Male Multi-Fit Crimp Connector

Carry one connector for six different cables. Patent pending captive-pin BNC male crimp connector will handle center conductor wire size of 18~26AWG. Comes with three crimp ferrules to fit the following cables: mini-coax, West Penn 825, RG-58, RG-59, RG-59 plenum, RG-6, RG-6 plenum, and RG-6QS.

Order #	VIP
27-5530	$1.79

BNC Adapter

A high-quality goal post type BNC connector especially suitable for thin wire ethernet use. Manufactured with insulators and gold over beryllium contacts.

Order #	Reg.	VIP
CS00165	~~$2.49~~	$1.99

MCM "N" Type Connectors

Order #	Cable Type	Description	Reg.	VIP
27-545	RG-8U	Male	~~$8.59~~	$5.29

Try our OEM Part Finder to find original brand name products.



MCM BNC Type Connectors

•Minimum ten

Fig.	Description	Order #	Cable Type	Reg.	VIP
A	Male crimp-on	27-895	RG-58	~~$3.79~~	$1.99
A	Male crimp-on	27-425	RG-59	~~3.89~~	3.29
B	Male twist-on	27-820	RG-59	~~4.89~~	2.39
B	Male twist-on	27-830	RG-58	~~3.49~~	1.79
C	Female twist-on	27-1165	RG-59	~~3.49~~	3.39
C	Female twist-on	27-1030	RG-58	~~4.89~~	2.39
D	Male twist-on	27-270	RG-58	~~5.19~~	3.99
E	Chassis mount female	27-210		~~3.69~~	1.89
F	Hex Crimp	27-4440	RG-59	~~2.59~~	2.29
F	Hex Crimp	27-4445	RG-6	~~2.99~~	2.79

Amphenol® RFX™ BNC Type Connectors

Fig.	Order #	Cable Type	Description	Reg.	VIP
A	27-1795	RG-58	Male, crimp-on	~~$2.79~~	$2.19
A	27-1800	RG-59	Male, crimp-on	~~2.88~~	2.19
A	27-1810	8281	Male, Belden crimp-on	~~2.99~~	2.49
A	27-1815	RG-174	Male, crimp-on	~~2.89~~	2.19
A	27-1820	RG-179	Male, crimp-on	~~2.89~~	2.19
B	27-1825	RG-58	Male, twist-on	~~3.39~~	2.49
B	27-1830	RG-59	Male, twist-on	~~4.09~~	2.99
C	27-1865	-	Female receptacle	~~3.39~~	2.89
A	27-2055	Archnet, RG-59, RG-62	Male, crimp-on	~~2.59~~	2.09
D	27-2135	-	Bulkhead mount coupler	~~11.79~~	9.99
A	27-2830	9248	Male, crimp-on	~~3.29~~	3.19
A	27-2835	8218	Male, crimp-on	~~4.69~~	4.59
A	27-2845	RG-59	Male, crimp-on	~~3.49~~	3.39
E	27-2855	RG-179/ RG-187	Female, crimp-on	~~2.99~~	2.89
A	27-2860	RG-59	Male, 20AWG, 75ohm	~~6.09~~	5.89
F	27-2905	RG-8	Male, clamp/solder	~~19.99~~	17.49
E	27-2920	RG-58	Female, crimp-on	~~2.69~~	2.29

BNC Male Crimp-On

Fig.	Order #	Type	Reg.	VIP
A	57-130	RG-58	~~$2.70~~	$2.09
A	57-135	RG-59/62	~~2.99~~	2.29
A	57-285	RG-59/62 Plenum	~~2.99~~	2.29
B	57-300	RG-58	~~2.19~~	1.99
B	57-305	RG-58 Plenum	~~1.89~~	1.79
B	57-310	RG-59/62	~~2.29~~	1.99
B	57-315	RG-59 Plenum	~~1.89~~	1.79



Amphenol® RFX™ BNC Type Adapters

Fig.	Order #	Description	Reg.	VIP
A	27-1850	Female BNC to female BNC, bulkhead mount	~~$5.09~~	$4.59
A	27-2925	Female BNC to female BNC	~~4.59~~	4.09
A	27-1835	Female BNC to female BNC 50ohm	~~8.19~~	6.49
B	27-1840	Right angle BNC adapter	~~4.69~~	4.09
C	27-1845	BNC "T" adapter	~~4.69~~	4.09

MCM BNC Type Adapters

Fig.	Order #	Description	VIP
D	27-410	Male BNC to male BNC	$1.59
A	27-435	Female BNC to female BNC	2.19
B	27-385	Right angle BNC adapter	2.09
C	27-390	BNC "T" adapter	2.69
E	33-510	Female BNC to male RCA	1.09
F	27-405	Female RCA to male BNC	0.99
G	27-400	Male BNC to male RCA	1.39
H	27-440	Female BNC to male "F"	2.19
J	27-5680	Female "F" to male BNC (75ohm/50ohm)	0.99
K	27-1425	Female BNC "T" adapter	1.69
M	27-4215	"F" female to BNC female	1.19
M	27-4220	"F" female to BNC female Gold	1.29
P	27-4225	BNC male to "N" female	1.69
N	27-4235	"N" male to BNC female	1.89

MCM Four Piece Mini Coax BNC Connector

This four piece BNC connector is designed for use with miniature 75ohm coax cables. Nickel plated brass body with gold plated copper center pin. Teflon insulator supports the center conductor found in miniature coaxial cable.

Order #	Reg.	VIP
27-5015	~~$1.69~~	$1.29

Connectors

Finilize your structured cabling installation with quality RG-6 connectors.



MCM "F" Type Adapters

•#27-5675 screw-on to push-on •#27-5670 right angle adapter **•Minimum ten**

Fig.	Order #	Description	VIP
A	27-5685	Female RCA to male "F"	$0.99
B	27-5675	Female "F" to push-on male "F"	0.89
C	27-5695	Female "F" to male RCA	0.99
D	27-5696	Female RCA to female "F"	0.99
E	27-805	Female "F" to male 3.5mm	0.99
F	27-5670	Right angle "F" adapter	1.39
G	33-550	"F" type 75ohm terminator	0.79
H	27-4245	"F" male to "N" female-nickel	1.29
H	27-4250	"F" male to "N" female-gold	2.09



MCM Quick Terminating "F" Type Connectors

•No crimping **•Minimum ten**

Fig.	Order #	Cable Type	Description	Reg.	VIP
A	33-890	RG-59	Push	~~$1.09~~	$0.59
B	27-890	RG-59	Screw-on	~~1.39~~	0.69
C	27-500	RG-59	Push/right angle	~~3.59~~	1.99
D	27-5655	RG-6	Tool-less "F" type	–	0.59

Thomas&Betts Job Packaged Snap-N-Seal Connectors

For big home theater and satellite installation jobs, buy the Snap-N-Seal connectors in packages of 50. Use with #33-1792 SNS installation tool.

Order #	Cable Type	Description	Reg.	VIP
33-1756	RG-59	W/O nut seal	~~$54.99~~	$34.95
33-1766	RG-6	W/O nut seal	~~41.99~~	34.99
33-1771	RG-6	With nut seal	~~82.49~~	59.99
33-4151	RG-6-QS	W/O Nut Seal	~~49.99~~	39.99

Thomas&Betts Plenum "F" Connectors

•Use with plenum type RG-59 and RG-6 coaxial cable •Use with #22-100 hex crimp tool •Ten per package

Order #	Cable type	Reg.	VIP
33-4190	RG-6	~~$18.99~~	$14.99

4 x 4 Pin Jack to 4 Pin Plug "T" Adapters

Order #	Color	Reg.	VIP
36-040	Ivory	~~$1.09~~	$0.79
36-041	White	~~1.09~~	0.79



Type F-81 Female Barrel Splice

•Minimum ten

Fig.	Order #	Description	Reg.	VIP
Female to female splice				
A	33-460	F-81 w/ knurled barrel	~~$0.59~~	$0.59
B	27-5660	F-81 w/o hardware	~~0.70~~	0.39
B	27-5661	F-81 w/o hardware (3GHz)	~~0.89~~	0.39
C	27-5662	F-81 w/hardware	~~0.89~~	0.39
C	27-5663	F-81 w/hardware (3GHz)	~~0.99~~	0.49
Male to male splice				
D	33-480	F-81 w/ knurled barrel	~~0.99~~	0.69
D	27-5665	F-81 w/o knurled barrel	~~1.39~~	1.09



MCM UHF Type Adapters

Fig.	Order #	Description	Reg.	VIP
A	27-335	Male UHF to male UHF	~~$3.49~~	$1.59
B	27-260	Female UHF to Female UHF	~~2.89~~	1.29
C	27-365	UHF right angle adapter	~~12.29~~	5.99
D	27-370	UHF "T" adapter	~~8.19~~	5.99
E	27-250	Female BNC to male UHF	~~4.39~~	2.29
F	27-360	Female UHF to male BNC	~~5.70~~	2.99
G	27-375	Female "F" to female UHF	~~6.69~~	3.29
H	27-345	Female RCA to male UHF	~~2.39~~	1.29
J	27-380	Female UHF to male RCA	~~2.89~~	1.39

"F" Driver

The "F" driver incorporates two tools into one. Socket end helps get the connector into tight spaces like multi taps and rear of VCRs and televisions. The threaded end is for "F" connector insertion for easy and secure "F" connector termination.

Order #	Reg.	VIP
33-3085	~~$5.99~~	$2.99

In-Line Phone Coupler

•Modular coupler female-female •Ivory

Order #	Pins	Reg.	VIP
36-260	4	~~$1.79~~	$0.99
36-605	6	~~2.29~~	1.89
36-610	8	~~1.49~~	0.99

MCM Hex Crimp Connectors

Hex crimp "F"connectors for antenna, satellite and cable television installations. Anodized brass connector with large surface on the nut for "finger" tightening the connector. Configurations for indoor or outdoor use include "O" ring seal in the nut and silicone gel in the ferrule. Use with standard hex crimp tool (#22-100).

Order #	Type	VIP
Standard		
27-5650	RG-6	$0.30
Weatherproof w/ "O" Ring		
27-5648	RG-59	0.29
27-5651	RG-6	0.40
27-5649	RG-6Q	0.50
Weatherproof w/ "O" Ring and Silicone Gel		
27-5652	RG-6	0.50

MCM Weatherproof Compression "F" Connectors

The compression design of these connectors prevents moisture from entering from the rear of the connector and an "O" ring keeps moisture from entering through the nut. These connectors are ideal for CATV, MATV and satellite installations. Use with #22-3250 compression tool. **Minimum ten.**

Order #	Description	Color	Reg.	VIP
33-7765	RG-6	Black	~~$0.69~~	$0.49
33-7770	RG-59	Black	~~0.69~~	0.49
33-7775	RG-6QS	Blue	~~0.69~~	0.49



HOLLAND Electronics LLC Miniature Coax Compression Connectors

Designed for all applications in CATV, satellite, home theater, broadcast and satellite radio, Holland's patented U-type compression connectors (#27-5620~27-5630) can be used on a wider range of cable sizes (23~30AWG). These Superlok™ compression connectors utilize two independent compression points to seal and hold the oaxial cable, and the patented viewing window helps ensure proper cable insertion prior to compression. While the right-angle compression connectors are for 23AWG minicoax wire only, they still feature the same patented Superlok™ features.

Fig.	Order #	Mfr. #	Description	VIP
Standard				
A	27-5620	SLC-1855FP2U	"F" type	$1.29
B	27-5625	SLC-1855-RCAFPU	RCA	1.99
C	27-5630	SLC-1855-BNCFPU	BNC	2.29
Right-angle				
D	27-5635	SLC90-F-1855	"F" type	2.29
E	27-5640	SLC90-RCA-1855	RCA	2.69
F	27-5645	SLC90-BNC-1855	BNC	2.99

ELK Bulk "Bean" Connectors

Beans are commonly used in alarm and telephone installations. Available with and without silicone gel for moisture protection. Color coded yellow (no gel) and white (with gel) for quick identification. 500 per package.

Order #	Color	Type	VIP
27-4611	Yellow	No gel	$16.79
27-4616	White	Gel	21.99

MCM RCA Type Compression Connectors

RCA type compression connectors are quicker to install and provide the same performance as solder type RCA connectors. Use these connectors for home theater video applications and RF Dolby digital interconnects. Install the MCM compression connectors using the compression tool #22-3251.

Order #	Color	Reg.	VIP
RG-6			
27-4455	Black	~~$2.19~~	$1.49
27-4620	Red	~~2.19~~	1.49
27-4625	Green	~~2.19~~	1.49
27-4630	Blue	~~2.09~~	1.49
27-4635	Yellow	~~1.99~~	1.49
27-4640	White	~~2.19~~	1.49
RG-6Q			
27-4655	Black	~~2.09~~	1.49
27-4645	Red	~~2.19~~	1.49
27-4650	Green	~~2.19~~	1.49
27-4460	Blue	~~2.09~~	1.49
27-4660	Yellow	~~2.79~~	1.49
27-4665	White	–	2.19
RG-59			
27-4465	Black	~~2.19~~	1.49
27-4670	Red	~~2.19~~	0.59
27-4675	Green	~~0.70~~	0.59
27-4680	Blue	~~0.70~~	0.59
27-4690	White	~~2.19~~	0.59

Gold Plated RCA Type Jacks

•Spring-type strain relief

Order #	Description	Reg.	VIP
27-705	(I.D.) .177"	~~$2.09~~	$0.89
27-915	(I.D.) .219", Black	~~2.29~~	0.99
27-910	(I.D.) .219", Red	~~2.29~~	0.99

High-Quality Phono Plug

Soft plastic screw on cover, integral cable protector, solder connection. Ten per package.

Order #	Color	VIP
AR70506	Red	$3.59
AR70507	Black	3.59
AR70508	Yellow	3.59
AR70509	White	3.59



RCA Type Jacks

•#27-200 and 27-190 minimum ten

Fig.	Order #	Description	Reg.	VIP
A	27-200	Chassis mount	~~$2.59~~	$1.19
B	27-190	In-line	~~1.79~~	0.89
C	27-955	Dual chassis mount	~~1.39~~	0.59
D	27-965	Four jack, double row	~~1.49~~	0.69

Gold Plated In-Line Coupler

This connector accepts two male ¼" RCA connectors together with a tight fit.

Order #	Reg.	VIP
50-2125	~~$2.19~~	$1.79

Banana Plug-Gold Plated

•Color coded red and black
•Screw type adjustment
•Sold in pairs

Order #	Reg.	VIP
27-1060	~~$5.29~~	$3.59



RCA Type "Y" Adapters

•Plastic case

Fig.	Order #	Type	Description	Reg.	VIP
A	27-605	Mono	RCA male to two RCA female	~~$1.09~~	$0.89
A	27-695	Mono	RCA female to two RCA male	~~1.49~~	1.29
A	27-1440	Mono	RCA female to two RCA female	~~1.09~~	0.89
B	27-1415	Stereo	3.5mm to two RCA female	~~1.39~~	1.19
B	27-1315	Mono	3.5mm to two RCA female	~~1.99~~	1.79
C	27-1380	Stereo	¼" to two RCA female	~~1.29~~	1.09
C	27-1375	Mono	¼" to two RCA female	~~1.69~~	1.49
D	27-5180	Mono	RCA male to two RCA female right angle	~~1.29~~	0.89

Gold Plated Banana Plugs

Dual banana plug screw type.

Order #	VIP
50-4435	$1.89
50-4440	3.99

RCA Type Adapters

•Gold plated right angle adapters
•**Sold in pairs**

Order #	Reg.	VIP
27-1450	~~$7.99~~	$5.29



RCA Type Couplers

Fig.	Order #	Case	Reg.	VIP
Chassis mount, female to female				
A	27-1085	Metal	~~$1.59~~	$1.39
In-line, female to female				
B	27-230	Metal	~~1.19~~	0.89
In-line, female to female				
C	27-240	Plastic	~~0.99~~	0.79
D	27-5690	Plastic	~~0.70~~	0.39
In-line, male to male				
E	27-700	Metal	~~1.69~~	1.49

Audio and Video In-Line Couplers

Perfect for extending cable lengths.

Order #	Description	VIP
27-4960	A/V coupler	$1.19
CN00502	Dual female to female	0.69



RCA Type In-Line Adapters

•Mono

Fig.	Order #	Case	Description	Reg.	VIP
A	27-1430	Plastic	¼" female to RCA male	~~$1.35~~	$0.79
A	27-1420	Metal	¼" female to RCA male	~~1.09~~	0.99
B	27-1390	Plastic	3.5mm female to RCA male	~~0.89~~	0.79
C	27-315	Metal	RCA female to 3.5mm male	~~0.89~~	0.79
D	27-575	Plastic	RCA female to ¼" male	~~0.89~~	0.79

MCM Banana Plugs and Binding Posts

Fig.	Order #	Description	Reg.	VIP
Banana Plugs				
A	27-520	Black	~~$1.09~~	$0.59
A	27-525	Red	~~1.09~~	0.59
B	27-4285	Black solderless	~~1.29~~	0.89
B	27-4290	Red solderless	~~1.29~~	0.89
Banana Sockets				
C	27-4255	Black long	~~0.89~~	0.69
C	27-4260	Red long	~~0.89~~	0.69
D	27-4265	Black short	~~0.79~~	0.59
D	27-4270	Red short	~~0.69~~	0.49
E	27-4275	Black low profile	~~0.79~~	0.59
E	27-4280	Red low profile	~~0.69~~	0.49
F	27-4305	Black inline	~~0.69~~	0.39
F	27-4310	Red inline	~~0.59~~	0.29
Binding Posts				
G	27-745	Dual binding post	~~4.39~~	2.09
H	27-740	Black	~~1.49~~	0.59
H	27-735	Red	~~1.49~~	0.59
J	27-4295	Black	~~1.49~~	0.89
J	27-4300	Red	~~1.69~~	0.89
Banana Adapters				
K	27-1040	Dual plug to BNC female	~~4.89~~	2.69
L	27-535	Dual binding post to BNC male	–	6.89

Need large quantities? Call and ask for our quotes team or request a quote at MCMelectronics.com/quotes

Connectors

Stock up and save on XLR adapters, plugs and jacks.



XLR

•3 pin •Solder type •#27-685 requires ¾" mounting hole •#27-690 requires ⅞" mounting hole

Fig.	Order #	Type	Description	Reg.	VIP
A	27-160	Male	In-line	$2.49	$2.29
B	27-165	Female	In-line	2.99	2.79
C	27-1460	Male	In-line, right angle	2.99	2.79
D	27-1465	Female	In-line, right angle	3.99	3.79
E	27-685	Male	Chassis mount	3.19	2.99
F	27-690	Female	Chassis mount	3.09	2.89

NEUTRIK

NEW LOWER PRICING!!!

XX Series XLR Connectors

The next generation of XLR connectors provides unequalled performance for the most demanding applications. •Unique cage-type contact increases conductivity and reduces wear •Improved ground contact ensures integrity between chassis and cable connector •Black-chrome or nickel metal housings •Accepts 14AWG wire (2.5mm) •16A rated current (3-pole) •Standard black color-code ring on connector (additional colors available).

Order #	Housing	Contacts	VIP
Male			
NC3MXX	Nickel	Silver	$2.79
NC3MXX-B	Black	Gold	2.99
NC3MXX-BAG	Black	Silver	2.69
Female			
NC3FXX	Nickel	Silver	2.99
NC3FXX-B	Black	Gold	3.19
NC3FXX-BAG	Black	Silver	2.79
Color-coded ring			
XXR-GR	Gray		0.39

NEUTRIK

NEW LOWER PRICING!!!

ConvertCON XLR Gender-Selectable Connector

The world's first unisex XLR 3-pole male and female cable connector in a single housing with all the benefits of the XLR XX series. Select male or female gender simply by sliding nickel/silver housing back and forth.

Order #	VIP
NC3FM-C	$17.39

DC Barrel Connectors

Solder type barrel connectors. Length, 9mm.

Order #	Dimensions (mm)	Reg.	VIP
27-4320	5.5 x 2.1	$1.39	$0.89
27-4325	5.5 x 2.5	1.29	0.89
27-4330	5.0 x 2.1	1.29	0.89
27-4335	5.0 x 2.5	1.59	1.29
27-4340	2.5 x 0.7	1.49	0.89
27-4345	4.0 x 1.75	1.39	0.99
27-4350	4.75 x 1.7	1.29	0.89
27-4355	3.0 x 1.1	1.79	1.29

NEW LOWER PRICING!!!

NEUTRIK

Professional Right-Angle XLR Plugs

Heavy-duty, right angle RX series male and female 3-pin XLR connectors feature an improved chuck-type strain relief, five selectable cable outlet positions and a variety of casings with either gold or nickel contacts. (Note: See XX-series for compatible color-coded rings).

Order #	Housing	Contacts	Reg.	VIP
Male				
NC3MRX	Silver	Nickel	$5.99	$5.99
NC3MRX-B	Black	Gold	7.29	7.29
NC3MRX-BAG	Black	Nickel	5.59	5.59
Female				
NC3FRX	Silver	Nickel	6.29	6.29
NC3FRX-B	Black	Gold	6.99	6.99

NEW LOWER PRICING!!!

NEUTRIK

XLR Wall Plate Receptacles

Available in single or dual configuration in both male and female. Mounts on standard single gang electrical box.

Order #	Description	VIP
103F	Single female	$8.19
103M	Single male	7.59
203F	Dual female	11.39
203M	Dual male	10.99



Switchcraft®

Wall Plate with Receptacle

•3 contacts
•Screws included

Fig.	Order #	Mfr. #	Type	Reg.	VIP
A	101-067	J3FS	Female	$15.80	$14.89
B	101-068	K3FS	Female	23.49	19.99

3.5mm In-Line Adapters

Fig.	Order #	Description	Type	Reg.	VIP
Plastic Case					
A	27-865	3.5mm female to 2.5mm male	Mono-mono	$1.19	$0.69
A	27-870	3.5mm female to 2.5mm male	Stereo-mono	1.29	0.79
A	27-875	3.5mm female to 2.5mm male	Stereo-stereo	3.19	1.99
A	27-320	3.5mm female to 3.5mm male	Stereo-mono	1.59	0.69
A	27-1290	2.5mm female to 3.5mm male	Mono-mono	1.80	0.69
A	27-795	¼" female to 3.5mm male	Mono-mono	1.49	0.69
B	27-5050	3.5mm right angle adapter	Stereo-stereo	2.49	0.99
Metal Case					
C	27-880	¼" female to 3.5mm male	Mono-mono	1.89	1.49
C	27-1410	¼" stereo female to 3.5mm mono male	Stereo-mono	1.69	0.89
C	27-835	¼" stereo female to 3.5mm stereo male	Stereo-stereo	2.39	1.39



XLR Adapters

Fig.	Order #	Description	Finish	Reg.	VIP
A	27-4085	¼" mono female to male XLR	Nickel	$2.99	$2.89
A	27-4090	¼" mono female to male XLR	Gold	3.79	3.59
B	27-4095	¼" mono male to male XLR	Nickel	2.79	2.69
B	27-4100	¼" mono male to male XLR	Gold	3.39	3.19
C	27-4105	¼" mono female to female XLR	Nickel	4.49	4.29
C	27-4110	¼" mono female to female XLR	Gold	4.59	4.49
D	27-4115	¼" mono male to female XLR	Nickel	3.29	3.19
D	27-4120	¼" mono male to female XLR	Gold	4.29	4.19
E	27-4125	¼" stereo male to male XLR	Nickel	3.39	3.29
E	27-4130	¼" stereo male to male XLR	Gold	3.69	3.59
F	27-4135	¼" stereo male to female XLR	Nickel	2.99	2.89
F	27-4140	¼" stereo male to female XLR	Gold	4.89	4.79
G	27-4145	RCA male to male XLR	Nickel	2.39	2.29
G	27-4150	RCA male to male XLR	Gold	3.09	2.99
H	27-4155	RCA female to male XLR	Nickel	2.79	2.69
H	27-4160	RCA female to male XLR	Gold	3.49	3.39
J	27-4165	RCA male to female XLR	Nickel	3.19	2.89
J	27-4170	RCA male to female XLR	Gold	4.09	3.89
K	27-4175	RCA female to female XLR	Nickel	3.09	2.99
K	27-4180	RCA female to female XLR	Gold	4.29	4.19



¼" Phone Plugs

Fig.	Order #	Type	Description	Reg.	VIP
Metal Case					
A	**27-040**	Mono	Solder, internal strain relief	$2.29	**$0.99**
B	**27-572**	Mono	Solder, right angle	1.79	**0.79**
Plastic Case					
C	**27-050**	Mono	Solder, internal strain relief	1.59	**0.79**
D	**27-1010**	Mono	Screw, right angle	1.39	**0.59**
E	**27-030**	Stereo	Solder, internal strain relief	1.99	**0.99**
Gold Plated Case					
A	**27-1045**	Mono	Solder, spring strain relief	3.39	**1.59**
A	**27-1050**	Stereo	Solder, spring	6.19	**2.99**

REAN ¼" Phone Jack

Commercial open frame phone jack for maximum panel thickness of 5.5mm, includes washer and nut.

Order #	Description	VIP
NYS229	2 conductor	**$0.99**
NYS230	3 conductor	**0.99**

REAN ¼" Phone Plug

¼" phone plug with long barrel and turned brass handle.

Order #	Description	VIP
NYS224	2 conductor	**$1.49**
NYS228	3 conductor	**2.29**

NEW LOWER PRICING!!!

NEUTRIK Locking ¼" Cable Jack

Mates with mono or stereo plugs providing secure lockable interconnection with latch release.

Order #	Description	VIP
NJ3FC6	In-line	**$6.99**
NJ3FP6C	Panel mount	**5.49**



3.5mm

•Solder type •Minimum ten except #27-650, 27-655 and 27-4930

Fig.	Order #	Case	Type	Description	Reg.	VIP
A	**27-070**	Plastic	Mono	In-line male	$1.49	**$0.49**
A	**27-060**	Plastic	Stereo	In-line male	2.09	**0.89**
B	**27-075**	Plastic	Mono	In-line female	1.09	**0.49**
B	**27-885**	Metal	Mono	In-line female	1.79	**0.79**
C	**27-650**	Plastic	Mono	Chassis mount female	0.99	**0.49**
C	**27-655**	Plastic	Stereo	Chassis	0.69	**0.39**
D	**27-4930**	Plastic	Stereo	PCB mount female	1.09	**0.49**

Switchcraft® "Littel-Plug" ¼" Phone Plugs



•Solder terminals with built-in clamp •Handles are black durable molded plastic or nickel-plated brass

Fig.	Order #	Mfr. #	Handle	Reg.	VIP
Mono					
A	**101-034**	250	Black	$3.19	**$2.59**
A	**101-035**	280	Metal	5.05	**3.19**
Stereo					
B	**101-036**	267	Black	3.79	**2.99**
B	**101-037**	297	Metal	6.39	**5.29**

NEUTRIK ¼" Professional Right-Angle Phone Plugs

Designed for professional sound and stage, these heavy-duty, right angle 2-pole and 3-pole phone plugs feature a slimline shell, a thin ¼" plug, and a unique Neutrik chuck-type strain relief. Take advantage of higher reliability, improved contact integrity, and easy assembly.

Order #	Description	Contacts/Shell	VIP
Mono			
NP2RX	2-pole	Nickel/nickel	**$4.09**
NP2RX-B	2-pole	Gold/black	**4.09**
NP2RX-BAG	2-pole	Nickel/black	**4.09**
Stereo			
NP3RX	3-pole	Nickel/nickel	**5.69**
NP3RX-B	3-pole	Gold/black	**6.39**
NP3RX-BAG	3-pole	Nickel/black	**6.19**

NEW LOWER PRICING!!!

NEUTRIK ¼" Jack Plus Speakon® Plug Combo Receptical

Unique combination of a Speakon® plug and a ¼" jack receptacle, mating with all 2 and 4 pole Speakons and ¼" phone jacks. Compatible with the NL4MD-V regarding PCB layout and panel cutout. PA-wiring: 1+ is connected to tip; 1- to sleeve.

Order #	VIP
NLJ2MD-V	**$2.39**

Jack Plugs 3.5mm

High quality, shielded mono and stereo 3.5mm jack plugs with metal housings and strain reliefs. **CN00565:** Mono. Nickel plated housing and contacts. **CN00568:** Mono. Gold plated housing and contacts. **CN00567:** Stereo. Black housings and nickel contacts. **CN00566:** Stereo. Gold plated housings and contacts. **27-3154:** Stereo. Nickel plated housing.

Order #	Reg.	VIP
CN00565	$1.89	**$0.79**
CN00568	1.89	**1.09**
CN00567	1.89	**1.09**
CN00566	1.89	**1.09**
27-3154	1.39	**1.29**



NEW LOWER PRICING!!!

NEUTRIK Speakon

Speakon loudspeaker amplifier connectors are reliable and extremely rugged. All contacts on both connectors are touchproof meeting safety requirements both IEC 65 and IEC 348, and are UL recognized and CSA listed. Cable connectors have solid contacts and can be solderless making the connectors field serviceable. Speakon connectors are extremely rugged, step-on proof, multi-contact for highest connecting integrity. Contacts are designed to prevent any damage from arcing when disconnected under load. Unique chuck type strain relief. Easy handling of the release mechanism with a locking lever.

Fig.	Order #	Description	VIP
2 Pole			
A	**NL2FC**	Connector with latch lock	**$2.69**
B	**NL2MP**	Chassis D-size flange	**2.09**
4 Pole			
A	**NL4FC**	Connector with latch lock	**4.99**
B	**NL4MP**	Chassis D-size flange	**2.99**
C	**NL4MPR**	Chassis round flange	**2.99**
-	**NL4MMX**	Lockable coupler	**4.59**
8 Pole			
A	**NL8FC**	Connector with latch lock	**8.99**
B	**NL8MPR**	Chassis with nickel flange	**5.99**
-	**NL8MM**	Lockable coupler	**16.59**

NEW LOWER PRICING!!!

NEUTRIK Speakon® to ¼" Jack

Convert four pole Speakon® plug to ¼" monaural jack.

Order #	VIP
NA4LJX	**$6.79**



Switchcraft® ¼" Right Angle

Fig.	Order #	Mfr. #	Handle/Type	Reg.	VIP
A	**101-038**	227	Black/mono	$3.29	**$2.69**
B	**101-012**	228	Metal/mono	4.79	**3.59**
C	**101-079**	236	Metal/stereo	7.29	**6.79**
C	**101-078**	226	Metal/mono	8.54	**4.19**

¼" Jacks

•Solder type

Fig.	Order #	Description	Type	Reg.	VIP
Plastic Case					
A	**27-170**	Stereo Chassis mount,	Open circuit	$1.29	**$0.69**
B	**27-1400**	Mono In-line, open circuit In-line,	Open circuit	1.29	**0.69**
B	**27-1360**	StereoIn-line,	Open circuit	1.29	**0.69**
Open					
C	**27-180**	Mono Chassis mount,	Open circuit	1.59	**0.69**
C	**27-935**	Stereo Chassis mount,	Open circuit	1.79	**0.89**
C	**27-940**	Stereo Chassis mount,	Closed circuit	2.39	**0.89**



Connectors

Simplify your projects with solderless connectors.

Terminal Strips

•10A current rating
•Made of black thermoplastic

Order #	Terminals	Length	VIP
28-710	4	2¼"	$0.69
28-715	8	3⅝"	1.49
28-720	12	5¼"	1.89
28-725	16	6⅝"	2.39
28-730	20	8⅜"	3.19

European Barrier Strips

•Molded plastic terminal blocks •Recessed set screws to prevent accidental contact •Great for alarm system installations •600V, 10A per circuit

Order #	Ternminals	AMP	VIP
28-990	8 position	10A	$1.49
28-995	12 position	10A	1.99



CINCH Lug-Type Terminal Strips

Cadmium-plated steel lugs with 0.140 diameter mounting holes. XPC insulation material, rated UL 94 HB. Color: Chocolate brown. 0.375 density.

Order #	Type	Description	Mounting Centers	Reg.	VIP
27-3890	51	1 lug		~~$0.70~~	$0.59
27-3895	51A	2 lugs; 1 ground		~~0.60~~	0.49
27-3905	52	2 lugs		~~0.60~~	0.49
27-3910	52A	3 lugs; 1 ground		~~0.60~~	0.49
27-3915	53	3 lugs	1.500	~~1.25~~	0.99
27-3920	53E	3 lugs		~~0.89~~	0.69
27-3930	54	4 lugs	1.875	~~0.99~~	0.79
27-3935	54A	6 lugs; 2 ground	1.875	~~1.09~~	0.89
27-3940	54B	4 lugs		~~0.89~~	0.69
27-3945	54C	5 lugs; 1 ground		~~1.41~~	0.99
27-3950	56	6 lugs	2.625	~~1.29~~	0.99
27-3955	56A	8 lugs; 2 ground	2.625	~~1.29~~	0.99
27-3960	56C	8 lugs; 2 ground	1.875	~~1.29~~	0.99

waldom molex .093" Connectors

2 pin plug mates with Wells Gardner and Happ Controls monitors. Uses standard 0.93" terminals.

Order #	Mfr. #	Description	Reg.	VIP
28-9465	19-09-1029	2 pin male housing	~~$0.89~~	$0.59
28-9470	19-09-2029	2 pin female housing	~~0.89~~	0.59
28-9270	19-09-2068	6 pin male housing	~~1.49~~	1.19
28-9275	19-09-1069	6 pin female housing	~~1.49~~	1.19



waldom molex Solderless Connectors

Commonly used for maintenance on all types of equipment. Natural nylon color. Housings available in 0.093" and 0.062" sizes. Pins not included.

Fig.	Order #	Mfr. #	Description	Reg.	VIP
.093" Male Housings (use pins #28-9405)					
A	28-9220	03-09-2022	2 pin inline	~~$0.89~~	$0.59
H	28-9230	03-09-2032	3 pin inline	~~1.09~~	0.79
-	28-9240	03-09-2040	4 pin square panel mount	~~1.29~~	0.99
J	28-9250	03-09-2042	4 pin vertical inline	~~1.29~~	0.99
-	28-9260	03-09-2049	4 pin square inline	~~1.39~~	1.09
-	28-9270	19-09-2068	6 pin square panel mount	~~1.49~~	1.19
K	28-9280	03-09-2062	6 pin square inline	~~1.49~~	1.19
L	28-9290	03-09-2092	9 pin square inline	~~1.69~~	1.39
F	28-9300	03-09-2122	12 pin square panel mount	~~1.79~~	1.49
G	28-9310	03-09-2158	15 pin square inline	~~1.99~~	1.59
.093" Female Housings (use pins #28-9410)					
A	28-9225	03-09-1022	2 pin vertical inline	~~0.89~~	0.59
H	28-9235	03-09-1032	3 pin vertical inline	~~1.09~~	0.79
-	28-9245	03-09-1040	4 pin square panel mount	~~1.29~~	0.99
J	28-9255	03-09-1042	4 pin vertical inline	~~1.29~~	0.99
-	28-9265	03-09-1049	4 pin square inline	~~1.39~~	1.09
-	28-9275	19-09-1069	6 pin square inline	~~1.49~~	1.19
K	28-9285	03-09-1064	6 pin square inline	~~1.49~~	1.19
L	28-9295	03-09-1094	9 pin square inline	~~1.69~~	1.39
F	28-9305	03-09-1121	12 pin square panel mount	~~1.79~~	1.49
G	28-9315	03-09-1154	15 pin square panel mount	~~1.99~~	1.59
.062" Male Housings (use pins #28-9415)					
A	28-9320	03-06-2023	2 pin vertical inline	~~0.70~~	0.49
B	28-9330	03-06-2032	3 pin vertical inline	~~0.89~~	0.59
C	28-9340	03-06-2042	4 pin vertical inline	~~1.29~~	0.99
-	28-9350	03-06-2044	4 pin square inline	~~1.29~~	0.99
D	28-9360	03-06-2062	6 pin square panel mount	~~1.49~~	1.19
E	28-9370	03-06-2092	9 pin square inline	~~1.39~~	1.09
F	28-9380	03-06-2122	12 pin square inline	~~1.39~~	0.99
	28-9400	03-06-2151	15 pin square panel mount	~~1.69~~	1.39
.062" Female Housings (use pins #28-9420)					
A	28-9325	03-06-1023	2 pin vertical inline	~~0.70~~	0.49
B	28-9335	03-06-1032	3 pin vertical inline	~~0.89~~	0.59
C	28-9345	03-06-1042	4 pin vertical inline	~~1.29~~	0.99
-	28-9355	03-06-1044	4 pin square inline	~~1.29~~	0.99
D	28-9365	03-06-1062	6 pin square inline	~~1.49~~	1.19
E	28-9375	03-06-1092	9 pin square inline	~~1.39~~	1.09
F	28-9385	03-06-1122	12 pinsquareinline	~~1.39~~	0.99

waldom molex Solderless Connector Pins

Terminal pins used in Molex soft shell connectors. Snap-in design for ease of assembly.

Order #	Mfr. #	Description	Reg,	VIP
28-9405	02-09-2118	.093" male pin	~~$0.19~~	$0.09
28-9410	02-09-1119	.093" female pin	~~0.19~~	0.09
28-9415	02-06-2103	.062" male pin	~~0.19~~	0.09
28-9420	02-06-1103	.062" female pin	~~0.19~~	0.09

multicomp Closed End Connector

Quickly join two wires with these reliable closed end crimp connectors in a variety of sizes.
•Rated for 300V; 105°C
•Semi-clear color •**Minimum ten**

Order #	AWG	VIP
27-5715	22~18	$0.02
27-5716	22~14	0.03
27-5717	22~10	0.04
27-5718	16~10	0.05

Solderless Terminal Kits

175 piece solderless terminal kits contains a complete assortment of insulated ring, spade, butt and disconnects.

Order #	VIP
28-6295	$7.99



MCM Non-Insulated Solderless Connectors

Non-insulated solderless connectors and vinyl sleeves for clean custom connections. 100 per package.

Fig.	Order #	Description	VIP
A	28-6073	.250 flag disconnect	$6.09
B	28-6080	.080 male disconnect	6.99
C	28-6081	.250 male disconnect	6.89
D	28-6082	.080 female disconnect	5.39
E	28-6083	.250 female disconnect	6.29
F	28-6084	4mm male bullet	3.89
G	28-6085	4mm female bullet	3.89
H	28-6086	Male bullet sleeve	3.29
J	28-6087	Female bullet sleeve	3.09
K	28-6088	.250 female sleeve	3.39
L	28-6089	.187 female sleeve	2.99
M	28-6090	.080 female sleeve	5.19
N	28-6091	Male disconnect sleeve	5.19
P	28-6092	Female flag sleeve	5.19

MCM Bullet Connectors

Fully vinyl insulated. .156 diameter. 100 per package.

Order #	Description	VIP
28-6060	Red male opaque	$8.39
28-6061	Blue male opaque	9.29
28-6062	Red female opaque	9.29
28-6063	Blue female opaque	9.29

Closed End Connector

Order #	Color	Wire Gauge AWG	Qty Per Box	VIP
28-858	Red	22~18	100	$3.99
28-860	Blue	16~14	50	2.29
28-862	Yellow	12~10	50	2.29

Replace your worn out or broken laptop power jacks and adapter plugs.







MCM Spade Terminals

Vinyl insulation. 100 per package.

Fig.	Order #	Stud Size	Reg.	VIP
Red 22~16 AWG				
A	28-5979	#4	$10.70	$8.99
B	28-5981	#6	9.49	7.89
C	28-5983	#8	9.59	8.29
D	28-5987	¼"	10.19	8.49
Blue 16~14 AWG				
E	28-5988	#4	10.19	8.09
F	28-5990	#6	9.69	8.69
G	28-5992	#8	9.39	8.29
H	28-5995	#10	8.39	6.89
J	28-5997	¼"	15.29	9.99
Yellow 12~10 AWG				
K	28-5998	#6	11.29	8.99
L	28-6000	#8	11.79	9.49
M	28-6001	#10	9.49	7.09
N	28-6003	¼"	24.99	19.99

MCM DC Barrel Jacks

Solder type in-line DC jacks.

Order #	Dimension	Reg.	VIP
27-4360	2.1mm	$1.09	$0.99
27-4365	2.5mm	1.29	1.19





MCM Disconnects

Available partially or fully nylon insulated. 100 per package.

Fig.	Order #	Description	Price Per Package Reg.	VIP
Red 22~16AWG				
A	28-6004	.110 female	$12.89	$9.99
B	28-6005	.187 female	10.19	8.49
C	28-6006	.205 female	8.69	7.19
D	28-6007	.250 female	9.59	8.39
Yellow 12~10AWG				
E	28-6008	.250 female	12.29	9.99
F	28-6009	.375 female	10.70	9.29
Blue 16~14AWG				
G	28-6010	.110 female	13.79	10.99
H	28-6011	.187 female	8.59	7.49
J	28-6012	.205 female	7.19	6.39
K	28-6013	.250 female	7.09	5.99
-	28-6014	.312 female	6.59	5.59
L	28-6015	.375 female	16.99	11.59
Red 22~16AWG				
M	28-6017	.187 male	6.69	5.99
N	28-6018	.250 male	9.99	8.49
Blue 22~16AWG				
P	28-6020	.250 male	12.29	9.99
Fully Insulated Red 22~16AWG				
Q	28-6022	.187 female	9.59	7.89
R	28-6023	.250 female	6.49	3.79
Blue 16~14AWG				
S	28-6024	.187 female	9.89	8.19
T	28-6025	.250 female	6.69	5.69
Yellow 12~10AWG				
U	28-6026	.250 female	7.59	6.29
V	28-6027	.375 female	26.00	19.99

DC Power Jacks

•Replaces most DC power jacks

Fig.	Order #	Type	VIP
Non-sheilded			
A	27-5010	1.3mm	$2.49
B	27-4450	1.45mm	2.49
C	27-750	2.1mm	2.49
D	27-4920	2.1mm	2.49
E	27-1970	2.1mm	2.49
F	27-2000	2.1mm	2.49
G	27-755	2.5mm	2.49
E	27-1975	2.5mm	2.49
D	27-2001	2.5mm	2.49
H	27-4925	3.0mm	2.49
Shielded			
J	27-5505	1.65mm	2.49
K	27-5510	1.65mm	2.49
L	27-5515	1.65mm	2.49
M	27-5465	1.65mm	2.49
N	27-5025	2.5mm	2.49
P	27-5150	2.5mm	2.49
Q	27-5455	2.5mm	2.49
R	27-5345	2.5mm	2.49
S	27-5340	2.5mm	2.49
T	27-5355	2.5mm	2.49
U	27-5535	2.5mm	2.49
V	27-5525	5-pin	2.49

MCM Fully Insulated Disconnects

Opaque nylon insulated disconnects. 100 per package.

Fig.	Order #	Description	Reg.	VIP
Red 22~16 AWG				
A	28-6028	.250 female	$9.19	$7.99
B	28-6031	.250 female	9.19	7.99
C	28-6034	.250 male	9.19	7.99
D	28-6037	.250 male	9.19	7.99

Fig.	Order #	Description	Reg.	VIP
Blue 16~14 AWG				
E	28-6029	.250 female	$9.19	$7.99
F	28-6032	.250 female	9.99	7.99
G	28-6035	.250 male	9.19	7.99
H	28-6038	.250 male	9.19	7.99

Fig.	Order #	Description	Reg.	VIP
Yellow 12~10 AWG				
J	28-6030	.250 female	$9.19	$7.99
K	28-6033	.250 female	9.19	7.99
L	28-6036	.250 male	9.19	7.99
M	28-6039	.250 male	9.19	7.99



MCM Ring Terminals

•Vinyl insulation •100 per package

Fig.	Order #	Stud Size	Reg.	VIP
Red 22~16 AWG				
A	28-5950	#4	$8.29	$6.69
B	28-5952	#6	8.19	6.29
C	28-5955	#8	7.79	6.09
D	28-5956	#10	5.70	4.69
E	28-5957	¼"	7.79	6.39
F	28-5958	5/16"	9.89	7.99

Fig.	Order #	Stud Size	Reg.	VIP
Blue 16~14 AWG				
G	28-5960	#4	$7.99	$5.99
H	28-5962	#6	5.19	4.09
J	28-5965	#8	9.59	6.29
K	28-5967	#10	5.80	4.79
-	28-5974	3/8"	10.99	7.99
L	28-5968	¼"	6.49	5.49
M	28-5969	5/16"	8.89	7.59

Fig.	Order #	Stud Size	Reg.	VIP
Yellow 12~10 AWG				
N	28-5970	#6	$7.59	$6.69
P	28-5972	#8	7.39	6.19
Q	28-5973	#10	12.29	10.59
-	28-5976	5/16"	12.29	9.49
-	28-5978	½"	13.00	9.99



MCM Butt Connectors

•100 per package

Fig.	Order #	Description	VIP
Red 22~16 AWG			
A	28-6051	Red vinyl insulation	$7.99
D	28-6054	Red see thru	8.99
F	28-6057	Red, window	19.99
Blue 16~14 AWG			
B	28-6052	Blue vinyl insulation	7.59
E	28-6055	Blue see thru	9.99
G	28-6058	Blue, window	24.99
Yellow 12~10 AWG			
C	28-6053	Yellow vinyl insulation	7.69
-	28-6056	Yellow see thru	12.39
H	28-6059	Yellow, window	32.99

Home Audio

Choose your price and performance, Stellar Labs® in-wall/ceiling speakers.

Contractor Series In-Wall and Ceiling Speakers

This cost effective series of architectural speaker systems are designed to provide very good sound performance for the cost. Despite their "entry level" position in the Stellar Labs line-up, these speakers match performance of others mid level and even some premium installed systems. **Features:** •Polypropylene cone woofer with butyl rubber surround •Pivoting silk dome tweeter •6dB/octave crossover •Detachable phoenix style connector

6½" In-Wall Speaker Pair

Features: •6½" poly cone woofer with rubber surround •1" pivoting silk dome tweeter •Cloth backed micro-perforated aluminum grill **Specifications:** •Power capacity: 40W/60W RMS/peak •Frequency response: 65Hz~20KHz (±3dB) •Impedance: 8ohm •Required cutout: 10.25" (H) x 6.5" (W) •Depth: 3" **•Speaker system is sold in pairs**

Order #	MSRP	Reg.	VIP
50-10500	$119.00	~~$61.19~~	$49.95

8" In-Wall Speaker Pair

Features: •8" poly cone woofer with rubber surround •1" pivoting silk dome tweeter •Cloth backed micro-perforated aluminum grill **Specifications:** •Power capacity: 55W/80W RMS/peak •Frequency response: 60Hz~20KHz (±3dB) •Sensitivity: 89dB (W/M) •Impedance: 8ohm •Required cutout: 12.25" (H) x 8.75" (W) •Depth: 3.5" **•Speaker system is sold in pairs**

Order #	MSRP	Reg.	VIP
50-10501	$159.00	~~$81.59~~	$59.95

6½" Ceiling Speaker Pair

The mounting frame has a 15° offset, allowing proper aim when mounted close to walls and corners. **Features:** •6½" poly cone woofer with rubber surround •1" pivoting silk dome tweeter •Cloth backed micro-perforated aluminum grill **Specifications:** •Power capacity: 40W/60W RMS/peak •Frequency response: 65Hz~20KHz (±3dB) •Impedance: 8ohm •Required cutout: 8.10" (dia) •Depth: 5" **•Speaker system is sold in pairs**

Order #	MSRP	Reg.	VIP
50-10510	$119.00	~~$61.19~~	$49.95

8" Ceiling Speaker Pair

The mounting frame has a 15° offset, allowing proper aim when mounted close to walls and corners. **Features:** •8" poly cone woofer with rubber surround •1" pivoting silk dome tweeter •Micro-perforated aluminum grill **Specifications:** •Power capacity: 80W/55W RMS/peak •Frequency response: 60Hz~20KHz (±3dB) •Impedance: 8ohm •Depth: 5.25" **•Speaker system is sold in pairs**

Order #	MSRP	Reg.	VIP
50-10511	$159.00	~~$81.59~~	$59.95

Dual 5¼" In-Wall Center Channel Speaker

Intended for use in home theater installations as a horizontal center channel speaker, this dual woofer system is also perfectly suitable in vertical arrangement as a front or rear speaker in the home theater, as well as whole house distributed audio. **Features:** •Dual 5¼" poly cone woofers with rubber surrounds •1" pivoting silk dome tweeter •Treble compensation selector +/0/–3dB •Bass compensation selector +/0/–3dB •Micro-perforated aluminum grill **Specifications:** •Power capacity: 55W/80W RMS/peak •Frequency response: 60Hz~22KHz (±3dB) •Impedance: 8ohm •Required cutout: 5½" (H) x 15" (W) •Depth: 3½" **•Sold individually**

Order #	MSRP	Reg.	VIP
50-10520	$99.00	~~$50.99~~	$39.95

Premium Series In-Wall and Ceiling Speakers

High end architectural speaker systems require specific components and features in order to provide superior quality sound performance. While these components carry a higher cost, the difference need not be on an order of magnitude. The Stellar Labs® Premium Speaker Series is designed to provide optimum sound quality, without surpassing the point of diminishing return on expense. **Features:** •Aluminum cone woofer with butyl rubber surround •Pivoting aluminum dome tweeter •12dB/octave crossover •High and low frequency compensation selectors •Large vented woofer magnet •Detachable phoenix style connector

6½" Premium In-Wall Speaker Pair

Features: •6½" aluminum cone woofer with rubber surround •1" aluminum dome tweeter •Cloth backed micro-perforated aluminum grill •12dB/octave crossover •Selectable bass and treble compensation +3/0/–3dB **Specifications:** •Power capacity: 70W/100W RMS/peak •Frequency response: 45Hz~22KHz (±3dB) •Impedance: 8ohm •Required cutout: 12¼" (H) x 8¾" (W) •Depth: 3½" **•Sold in pairs**

Order #	MSRP	Reg.	VIP
50-10550	$179.00	~~$102.00~~	$79.95

6½" Premium Ceiling Speaker Pair

The mounting frame features a 15° offset, allowing proper aim when mounted close to walls and corners. **Features:** •6½" aluminum cone woofer with rubber surround •1" aluminum dome tweeter •Cloth backed micro-perforated aluminum grill •12dB/octave crossover •Selectable bass and treble compensation +3/0/–3dB **Specifications:** •Power capacity: 55W/80W RMS/peak •Frequency response: 50Hz~22KHz (±3dB) •Impedance: 8ohm. •Required cutout: 7⅝" (dia) •Depth: 5" **•Sold in pairs**

Order #	MSRP	Reg.	VIP
50-10560	$179.00	~~$102.00~~	$79.95

8" Premium In-Wall Speaker Pair

Features: •8" aluminum cone woofer with rubber surround •1" aluminum dome tweeter •Cloth backed micro-perforated aluminum grill •12dB/octave crossover •Selectable bass and treble compensation +3/0/–3dB **Specifications:** •Power capacity: 70W/100W RMS/peak •Frequency response: 45Hz~22KHz (±3dB) •Sensitivity: 89dB (W/M) •Impedance: 8ohm •Required cutout: 12¼" (H) x 8¾" (W) •Depth: 3½" **•Sold in pairs**

Order #	MSRP	Reg.	VIP
50-10551	$199.00	~~$122.00~~	$89.95

8" Premium Ceiling Speaker Pair

The mounting frame features a 15° offset, allowing proper aim when mounted close to walls and corners. **Features:** •8" aluminum cone woofer with rubber surround •1" aluminum dome tweeter •Cloth backed micro-perforated aluminum grill •12dB/octave crossover •Selectable bass and treble compensation +3/0/–3dB **Specifications:** •Power capacity: 70W/100W RMS/peak •Frequency response: 45Hz~22KHz (±3dB) •Sensitivity: 89dB (W/M) •Impedance: 8ohm •Required cutout: 10" (dia) •Depth: 5¼" **•Sold in pairs**

Order #	MSRP	Reg.	VIP
50-10561	$199.00	~~$122.00~~	$89.95

Dual 6½" Premium In-Wall Center Channel Speaker

Intended for use in home theater installations as a horizontal center channel speaker, this dual woofer system is also perfectly suitable in vertical arrangement as a front or rear speaker in the home theater, as well as whole house distributed audio. **Features:** •Dual 6.5" poly cone woofers with rubber surrounds •1" pivoting aluminum dome tweeter •Treble compensation selector +3/0/–3dB •Bass compensation selector +/0/–3dB •Cloth backed micro-perforated aluminum grill **Specifications:** •Power capacity: 55W/80W RMS/peak •Frequency response: 60Hz~22KHz (±3dB) •Impedance: 8ohm •Required cutout: 6.5" (H) x 17" (W) •Depth: 3.75" **•Speaker system is sold individually**

Order #	MSRP	Reg.	VIP
50-10570	$135.00	~~$71.39~~	$59.95

MCM CUSTOM AUDIO

Ceiling Mount Speaker Pair

✔Efficient dual cone design ✔Round ceiling mount

Low cost dual cone speaker pair is ideal for background music, paging and general audio applications. White plastic frame and painted steel grill compliments any decor. Attached mounting brackets easily mount in ceiling or wall board without additional hardware. 8ohm. **Sold in pairs.**

Order #	Speaker Size	Power Capacity RMS/Peak	Frequency Response	SPL	Overall Frame Diameter	Cutout Hole	Mounting Depth	MSRP	Reg.	VIP
50-6240	5¼"	15W/30W	110Hz~20KHz	90dB	8"	6½"	2½"	$44.95	~~$30.59~~	$24.95
50-6241	6½"	15W/30W	100Hz~18KHz	90dB	9"	7½"	2⅝"	59.95	~~40.79~~	29.95
50-6242	8"	20W/40W	80Hz~20KHz	91dB	10¾"	9⅜"	3⅜"	74.95	~~50.99~~	39.95

Stellar Labs™

8" Single Point Stereo Ceiling Speaker

•Provides both left and right audio channels •Dual ¾" pivoting silk dome tweeters •Power capacity: 40W/60W RMS/peak per channel •Frequency response: 50Hz~22KHz (±3dB) •Impedance: 8ohm per channel **•Sold individually**

Order #	MSRP	Reg.	VIP
50-10580	$119.00	~~$61.19~~	$49.95

Stellar Labs™

Dual 8" In–Wall Subwoofer

This Stellar Labs® architectural speaker system provides outstanding bass response in any listening environment, without occupying valuable floor space. Two hefty 8" woofers are fed from a passive 12dB/octave 200Hz low pass filter, allowing simple addition to existing speakers **Features:** •8" poly treated cone woofers, each with 30 oz. vented magnet •Treated foam surrounds •Dual channel 12dB/octve low pass filter •White steel grill •Detachable phoenix style connectors **Specifications:** •Power capacity: 100W/200W RMS/peak per channel •Frequency response: 45Hz~200Hz •Impedance: 8ohm per channel •Sensitivity: 91dB (W/M) •Dimensions (overall): 20¾" (H) x 11⅜" (W) •Required cutout: 19¼" (H) x 8¾" (W) •Mounting depth 3¾" **•Sold individually**

Order #	MSRP	Reg.	VIP
50-10575	$179.00	~~$102.00~~	$79.95

MCM CUSTOM AUDIO

Eight Position Speaker Selector

Compact table top selector provides cost effective selection of up to eight pairs of speakers, from one location. Provides a perfect solution to the need for low cost distributed audio in residential audio or commercial sound applications. Internal switching uses a combination of series and parallel wiring, ensuring that the connected amplifier sees a minimum of a 4ohm load (when 8ohm speakers are used). Any conventional amplifier or stereo receiver can drive multiple sets of speakers, without the need for external impedance matching devices. **Features:** •Rugged metal enclosure •Non skid rubber feet •Color coded push terminals for all speaker connections •Heavy-duty rocker switches •Attractive sloped top panel •Power capacity: 50W RMS per channel •Frequency response: 10Hz~50KHz •Dimensions: 2½" (H) x 12" (W) x 4¼" (L)

Order #	VIP
50-6225	$29.95

Stellar Labs™

6½" Single Point Stereo Ceiling Speaker

Intended for small areas that do not justify installation of two speakers, this single stereo speaker provides both left and right audio channels, from a single point. Two independent crossover channels, two separately mounted tweeters, and a dual voice coile subwoofer provide an outlet for both left and right channels, from one 6½" speaker. This speaker is an excellent solution for distributed audio or home theater applications. **Features:** •6½" poly cone woofer with rubber surround •Dual ¾" pivoting silk dome tweeters •Dual 6dB/octave crossovers •Cloth backed micro perforated grill **Specifications:** •Power capacity: 35W/50W RMS/peak per channel •Frequency response: 55Hz~22KHz (±3dB) •Sensitivity •87dB (W/M) •Impedance: 8ohm per channel **Mounting:** •Overall frame: 9.4" (dia.) •Required cutout: 8.1" (dia.) •Depth: 5.25" **•Sold individually**

Order #	MSRP	VIP
50-10581	$89.99	$44.69

SpeakerCraft

Automatic A/B Speaker Level Switch

This switching device automatically selects between two stereo amplifiers to a single pair of speakers. It is perfect in situations where installed speakers are used with both a local stereo or home theater system, and a distributed audio system. Default input-A is selected when no signal is present. When a signal is sensed at input-B, the selector automatically switches to that input. A separate 12VDC, 100mA signal is also provided to trigger other external devices. Trigger sensitivity is fully adjustable from 30~300mV. Off delay (from B back to A after absence of signal) is adjustable in eight steps from 0.5 seconds to 10 minutes. Relay contacts are 4PDT, with isolated L/R ground paths. Music power capacity is 100W. This unit requires 12VDC. Optional AC adapter available (#50-8362).

Order #	Reg.	VIP
50-8390	~~$90.49~~	$49.99

MCM CUSTOM AUDIO

Multi Room Speaker Distribution Strip

•Impedance protection circuit: allows up to eight sets of 8ohm speakers to be connected to a stereo amplifier, and appear as a 4ohm load •19" rack mountable •Power capacity: 120W per channel •Frequency response: 20Hz~20KHz

Order #	MSRP	Reg.	VIP
50-2202	$139.95	~~$91.79~~	$79.95

SpeakerCraft

Impedance Matching Volume Control



These stereo in-wall volume controls are designed for use in distributed audio systems, primarily with in-wall and ceiling speakers. Impedance matching design enables up to 8 pairs of 8ohm speakers to be connected to a stereo amplifier, and appear as a 4ohm load. Decora style face plate is compatible with standard decora single and multi gang covers. Single gang cover is included. Unit is shipped as white color, hardware and knobs are included for conversion to bone or almond. **Features:** •Detachable terminal strip, greatly easing installation •Fits standard electrical boxes and low voltage brackets •Ten step attenuation **Specifications:** •Power capacity: 45W RMS •Frequency response: 20Hz~20KHz •Overall depth: 2½"

Order #	Reg.	VIP
50-8220	~~$31.49~~	$24.95

Stellar Labs™

Impedance Matching Volume Controls

•These in-wall volume controls utilize high quality multitap audio transformers and feature a smooth 12 position rotary switch •Designed for use in distributed audio systems, the impedance matching feature of these volume controls allow for the connection of up to 16 pairs of speakers to a single amplifier, and appear as a 4ohm load **Features:** •Detachable terminal strips accept up to 14AWG wire •May be mounted in a single gang box or low voltage bracket •Matching decora wall plates included **Specifications:** •Frequency response: 35Hz~20KHz •Attenuation: -34~0dB, in 12 steps •Impedance matching: x2, x4 and x 8ohm

Order #	Color	Power Capacity (RMS/Max)	VIP
50-7820	White	25W/100W	$26.99
50-7821	Ivory	25W/100W	26.99
50-7822	Almond	25W/100W	26.99
50-7823	Black	25W/100W	26.99
50-7840	White	100W/300W	31.99
50-7841	Ivory	100W/300W	31.99
50-7842	Almond	100W/300W	31.99
50-7843	Black	100W/300W	31.99

MCM CUSTOM AUDIO

Multi Room Speaker Distribution Strip

•Power capacity: 200W RMS per channel •Dimensions: 2" (H) x 2.25" (W) x 10.5" (L), including binding posts

Order #	MSRP	VIP
50-2204	$59.95	$36.79

Home Audio

Indoors or out, find the speaker you need for your environment.

MCM CUSTOM AUDIO

Indoor/Outdoor, Foreground/Background Speaker Pairs

Rugged weatherproof speaker pairs are designed to meet the needs of virtually any indoor or outdoor situation, in both residential whole-house systems and distributed commercial sound environments. Rear mounted rotary switch selects multiple taps on the internal 70V transformer **Features:** •Polypropylene cone woofers with rubber surrounds •Soft dome tweeters with dispersion lens •UV resistant ABS resin composite enclosures

They are the ideal choice for:

- ✔*Monitoring in the studio or small stage venues.*
- ✔*Large scale commercial systems including, retail commercial, industrial, public transportation and school environments*
- ✔*High fidelity sound distribution in clubs, sports bars, health spas, community centers*
- ✔*Outdoor sound distribution in residential distributed systems*

5¼" Indoor/Outdoor Speaker Pair

•5¼" woofers with rubber surround •1" soft dome tweeters •Power capacity: 50W/100W RMS/peak •Sensitivity: 86dB (W/M) •Nominal impedance: 8ohm •Frequency response: 60Hz~20KHz •Transformer taps: 2.5W, 5W, 10W, 20W, 30W •8ohm bypass •Dimensions: 10.75" (H) x 7" (W) x 6" (D) •**Sold in pairs**

Order #	Color	VIP
50-8880	White	$86.69
50-8881	Black	86.69

6½" Indoor/Outdoor Speaker Pair

•6½" woofers with rubber surround •1" soft dome tweeters •Power capacity: 60W/120W RMS/peak •Sensitivity: 88dB (W/M) •Nominal impedance: 8ohm •Frequency response: 55Hz~20KHz •Transformer taps: 5W, 10W, 20W, 30W, 40W •8ohm bypass •Dimensions: 13" (H) x 8¾" (W) x 7½" (D) •**Sold in pairs**

Order #	Color	VIP
50-8885	White	$99.99
50-8886	Black	99.99

8" Indoor/Outdoor Speaker Pair

•8" woofers with rubber surround •1" soft dome tweeters •Power capacity: 80W/160W RMS/peak •Sensitivity: 88dB (W/M) •Nominal impedance: 8ohm •Frequency response: 45Hz~20KHz •Transformer taps: 10W, 20W, 30W, 40W, 50W •8ohm bypass •Dimensions: 17" (H) x 11½" (W) x 10" (D) •**Sold in pairs**

Order #	Color	VIP
50-8890	White	$119.00
50-8891	Black	119.00

MCM CUSTOM AUDIO

5¼" Two Way Outdoor "Rock" Speaker

These simulated rocks will add a distinctive look to any outdoor landscaping arrangement, while providing outstanding music fidelity. Fully sealed enclosures are designed to provide years of trouble free service, and may be permanently installed and exposed to weather year round. **Features:** •50W RMS power capacity •5¼" injected polypropylene cone woofer •13mm mylar tweeter •75Hz~20KHz frequency response •87dB sensitivity •8ohm impedance •Dimensions: 9.64" x 10.25" x 9.05"

Order #	MSRP	VIP
50-10530	$59.95	$39.99

MCM CUSTOM AUDIO

6½" Two Way Outdoor "Rock" Speaker

These simulated rocks will add a distinctive look to any outdoor landscaping arrangement, while providing outstanding music fidelity. Fully sealed enclosures are designed to provide years of trouble free service, and may be permanently installed and exposed to weather year round. **Features:** •60W RMS power capacity •6½" injected polypropylene cone woofer •13mm mylar tweeter •High-quality 6dB crossover •60Hz~20KHz frequency response •87dB Sensitivity •8ohm impedance •Dimensions: 11.02" x 10.63" x 12.60"

Order #	MSRP	VIP
50-10535	$89.95	$54.99

Don't See The Part You Need?
Call our Quotes Team
1-800-543-4330
email quotes@mcmelectronics.com

MCM CUSTOM AUDIO

8" Two Way Outdoor "Rock" Speaker

These simulated rocks will add a distinctive look to any outdoor landscaping arrangement, while providing outstanding music fidelity. Fully sealed enclosures are designed to provide years of trouble free service, and may be permanently installed and exposed to weather year round. **Features:** •70W RMS power capacity •8" injected polypropylene cone woofer •25mm mylar tweeter •High-quality 12dB crossover •55Hz~20KHz frequency response •88dB sensitivity •8ohm impedance •Dimensions: 13.39" x 11.03" x 12.21"

Order #	MSRP	VIP
50-10540	$109.00	$64.99

MCM CUSTOM AUDIO

Outdoor Volume Control

Specifically designed for outdoor applications, this volume control features a specially designed gasketed PVC enclosure, and is ideally suited for use with landscaping "rock" speaker and other outdoor systems. The housing attaches to standard ¾" PVC conduit for simplified watertight installation. Internal jumpers are provided for x1, x2, x4, x8 and x16 impedance multipliers, allowing compatibility in standard and impedance matched installations. **Features** •Detachable screw terminal strips accept up to 14AWG speaker cable •12 step attenuation •May be anchored by PVC conduit alone or with the four attached wall mount tabs •Gray PVC enclosure with matching knob **Specifications** •Power capacity: 100W RMS •Frequency response: 35Hz~20KHz •Enclosure dimensions: 4¾" (H) x 3" (W) x 3¼" (D)

Order #	MSRP	Reg.	VIP
50-7885	$74.95	~~$43.89~~	$32.99



speco technologies

8ohm/70 Volt/25 Volt Switchable Outdoor Rock Speaker

With a realistic rock design, this fully weatherproof speaker converges strong specifications and installer-friendly features to bring sound seamlessly into a commercial outdoor environment without sacrificing any aesthetic beauty. **Features:** •Selectable transformer •Security loops for securing speakers •Coaxial design with 6.5" polypropylene woofer •Fully weatherproof •Frequency response: 100Hz~20KHz •Power capacity: 50W/75W (RMS/peak) •70V taps: 30W, 15W, 7.5W, 3.75W •**Sold individually**

Order #	Color	VIP
50-10525	Brown	$81.99
50-10526	Gray	81.99

MCM CUSTOM AUDIO

Three-Way Indoor/ Outdoor Speaker Pair

These versatile speakers are designed to be used either indoors or outdoors. Wide frequency response makes these suitable in main, satellite or monitor speaker situations. **Features:** •Fully weatherproof design •Includes mounting brackets •4" polypropylene cone woofer •2" polycarbonate dome midrange •¾" mylar dome piezoelectric tweeter **Specifications:** • Power capacity: 20W/40W RMS/peak at 8ohm •Frequency response: 90Hz~20KHz •Dimensions: 7⅜" x 4⅝" x 4⅜"

Order #	Color	MSRP	VIP
50-10545	Black	$39.99	$19.99
50-10546	White	39.99	19.99

MCM CUSTOM AUDIO

Full Tilt and Swivel Speaker Mount Pair

✔*Supports up to 33lbs.*

Heavy-duty wall or ceiling mount speaker bracket is capable of supporting up to 33lbs. Bracket securely attaches to speakers with standard threaded 2¼"~3¼" spaced mounting holes. Offers full 180° tilt as well as 360° rotation. **Specifications:** •7¾" overall length •Wall mounting bracket is 4" x 4", and the speaker mounting bracket is 3¾" x 1½" **•Note:** For commercial installations, it is recommended that you consult local codes before installing **•Sold in pairs**

Order #	MSRP	VIP
50-10895	$59.99	$19.99

MCM CUSTOM AUDIO

Center Channel Speaker System

✔*Stunning high gloss finish*
✔*1" soft dome tweeter*
✔*Dual 5¼" woofers*

Beautifully crafted speaker system intended to be a perfect match to Model #50-9075 bookshelf speakers, this speaker will blend beautifully with any existing system. **Features:** •1" soft dome tweeter •Rear ported enclosure **Specifications:** •Power capacity: 125W/275W RMS/peak •Frequency response: 70Hz~20KHz •Sensitivity: 87dB (W/M) •Impedance: 8ohm •Dimensions: 6.3" (H) x 16.5" (W) x 7.9" (D) **•Sold individually**

Order #	MSRP	Reg.	VIP
50-9070	$199.00	~~$102.00~~	$79.95

MCM CUSTOM AUDIO

Center Channel Speaker System

✔*Simulated black ash vinyl veneer*
✔*½" mylar dome tweeter*
✔*Dual 4" woofers*

Attractive center channel speaker intended to be a perfect match to model #50-9085 bookshelf speakers, this speaker will blend beautifully with any existing system. **Specifications:** •Power capacity: 80W/120W RMS/peak •Frequency response: 50Hz~20KHz •Sensitivity: 88dB (W/M) •Impedance: 8ohm •Dimensions: 6" (H) x 17.75" (W) x 6.5" (D) **•Sold individually**

Order #	MSRP	Reg.	VIP
50-9080	$39.95	~~$30.59~~	$24.95

Stellar Labs™

Active 2.1 Speaker System

A simple way to upgrade the audio of your television, gaming system, or computer, this 2.1 speaker system from Stellar Labs® delivers excellent performance at an affordable price. **Features:** •Black ash veneer with piano black trim •Rear ported satellite speakers •Ported subwoofer •Magnetically shielded drivers •Volume, bass and treble controls L/R RCA line level inputs **Specifications:** •Power output: 60W peak (subwoofer), 20W peak (satellites) •Frequency response: 35Hz~20KHz •Subwoofer dimensions: 10" x 7" x 9.5" •Satellite dimensions: 7" x 4.25" x 3.75" (H x W x D)

Order #	MSRP	VIP
50-10650	$119.99	$59.99

MCM CUSTOM AUDIO

Bookshelf Speaker Pair

✔*Stunning high gloss finish*
✔*1" soft dome tweeter*
✔*5¼" woofer with phase plug*

Beautifully crafted speaker pair features a high gloss piano black finish that is sure to compliment any décor. Intended to be a perfect match to model #50-9070 center channel speaker, they are perfectly suitable as front or rear speakers in any home theater environment. **Features:** •5¼" poly cone woofer, with rubber surround and steel phase plug •1" soft dome tweeter •Rear ported enclosure **Specifications:** •Power capacity: 75W/225W RMS/peak •Frequency response: 49Hz~20KHz •Sensitivity: 88dB (W/M) •Impedance: 8ohm •Dimensions: 9.9" (H) x 6.3" (W) x 7.9" (D) **•Sold in pairs**

Order #	MSRP	Reg.	VIP
50-9075	$249.00	~~$122.00~~	$99.00

MCM CUSTOM AUDIO

Clamp Style Speaker Mount Pair

✔*Supports up to 33lbs.*
✔*Universal clamp mount design*

Heavy-duty wall or ceiling mount speaker bracket is capable of supporting up to 33lbs. Clamp design securely attaches to speakers with a depth of 5¾"~9¾". Offers 180° tilt as well as 360° swivel. **Specifications:** •14" overall length •Wall mounting bracket is 5" x 3" **•Note:** For commercial installations, it is recommended that you consult local codes before installing **•Sold in pairs**

Order #	MSRP	VIP
50-10885	$59.99	$24.99

Stellar Labs™

Active Monitor Speaker System

Ideal for use in a studio environment, as a sound upgrade over built-in television speakers, or as a high-quality computer speaker system. **Features:** •Cherry veneer finish •Ported •Magnetically shielded drivers •Volume, bass and treble controls •RCA inputs •3.5mm headphone output **Specifications:** •Power capacity: 40W peak •Frequency response: 40Hz~20KHz •Sensitivity: 75dB •Impedance: 8ohm •Dimensions: 12.25" x 6" x 9.25" (H x W x D)

Order #	MSRP	VIP
50-10655	$109.99	$49.99

MCM CUSTOM AUDIO

Dipolar Rear Channel Speaker

Dual woofers and dual tweeters, arranged in a di-polar configuration, make this speaker perfect for surround channel applications. Positioned at the rear, directly at the left and right of the listening position, these speakers provide the outstanding imaging intended for 5.1, THX and Dolby Digital systems. They are also great for compact systems in conventional two channel stereo environments. **Features:** •Dual 5¼" woofers •Dual ½" mylar dome tweeters with specially designed dispersion lens •Dual front ports •Attractive simulated black ash vinyl veneer enclosure with removable black grills •Wall mount hanger •Color coded push terminals which accept up to 16AWG wire **Specifications:** •Power capacity: 50W/100W RMS/peak •Frequency response: 80Hz~20KHz •Impedance: 8ohm •Dimensions: 11" (H) x 11" (W) x 6¾" (D) **•Sold individually**

Order #	MSRP	Reg.	VIP
50-6855	$69.95	~~$33.69~~	$25.99

MCM CUSTOM AUDIO

Bookshelf Speaker Pair

✔*Simulated black ash vinyl veneer*
✔*½" mylar dome tweeter*
✔*4" woofer*

Attractive speaker pair features simulated black ash vinyl veneer, and a partially transparent, removable black grill. Intended to be a perfect match to model #50-9080 center channel speaker, they are perfectly suitable as front or rear speakers in any home theater environment. **Features:** •Poly cone 4" woofer, with single piece concave cone, and rubber surround •½" mylar dome tweeter •Rear ported enclosure **Specifications:** •Power capacity: 60W/120W RMS/peak •Frequency response: 60Hz~20KHz •Sensitivity: 87dB (W/M) •Impedance: 8ohm •Dimensions: 9.5" (H) x 6" (W) x 6.5" (D) **•Sold in pairs**

Order #	MSRP	Reg.	VIP
50-9085	$49.95	~~$37.79~~	$29.95

MCM welcomes your product suggestions! Tell your account representative or visit our website.

Home Audio

Get more for your money when you buy from MCM.

RATED ★★★★★

PYLE® Compact Stereo Amplifier

This small amplifier is perfect when multiple line level sources such as a CD, DVD or portable MP3 players need to be connected directly to a pair of speakers. **Features:** •Very compact size •Rotary input selector for CD, Aux1 and Aux2 inputs •L/R RCA line inputs •L/R RCA tape output •¼" mic input •Volume, balance, bass and treble controls •Independent mic level control •Selectable "pager" or "mixer" mode for mic input •Selectable 110/220VAC power **Specifications:** •Power output: 8W RMS x 2 channels, 40W x 2 channels max (4ohm) •THD: 1% •Frequency response: 20Hz~20KHz •Dimensions: 2.75" (H) x 7.5" (W) x 5.4" (D) •Mfr. #PTA2

Order #	Reg.	VIP
555-3192	~~$63.95~~	$59.99

PYLE PRO® Compact Stereo Amplifier

Small amplifier is perfect when a line level source, such as a CD or DVD player, or portable MP3 player needs to be connected directly to a pair of speakers. It is perfect when an extra set of remote speakers, such as in-wall, in ceiling or outdoor, needs to be connected to an existing sound system. **Features:** •Very compact size •Independent bass and treble controls •L/R RCA female input connections •Push terminal speaker connections •110/220VAC selectable **Specifications:** •Power output: 8W RMS x 2 channels, 40W x 2 channels max (4ohm) •THD: 1% •Frequency response: 20Hz~40KHz •Dimensions: 2.5" (H) x 6.25" (W) x 4.75" (D) x Mfr. #PCA2

Order #	Reg.	VIP
555-9975	~~$43.95~~	$39.99

PYLE PRO® Compact Stereo Amplifier

Small amplifier is perfect when a line level source, such as a CD or DVD player, or portable MP3 player needs to be connected directly to a pair of speakers. It also ideal when an extra set of in-wall, in-ceiling or outdoor speakers, need to be connected to an existing sound system. **Features:** •Very compact size with relatively high output power •Five LED bargraph output indicator for each channel •Independent bass and treble controls •L/R RCA female input connections •Push terminal speaker connections •110/220VAC selectable **Specifications:** •Power output: 15W RMS x 2 channels, 75W x 2 channels max (4ohm) •THD: 1% •Frequency response: 20Hz~40KHz •Dimensions: 2.5" (H) x 7.5" (W) x 5.5" (D) •Mfr. #PCA3

Order #	Reg.	VIP
555-9980	~~$61.95~~	$59.99

PYLE® Compact Stereo Amplifier

This small amplifier is perfect when a line level source, such as a CD or DVD player, or portable MP3 player needs to be connected directly to a pair of speakers. Attached input cable is terminated with male L/R RCA connectors for connection to most devices. Optional RCA to 3.5mm adapter (#24-4590) allows easy connection to headphone output of iPods and similar devices. **Features:** •Very compact size •Push terminal speaker connections •110/220VAC selectable **Specifications:** •Power output: 3W RMS two channels, 15W two channels max (4ohm) •THD: 1% •Frequency response: 40Hz~20KHz •Dimensions: 2.2" (H) x 5.6" (W) x 4.2" (D) •Mfr. #PCA1

Order #	Reg.	VIP
555-3194	~~$31.99~~	$29.99

DJPRE-II Phono Preamplifier

Since newer receivers typically do not include magnetic phono connection, this pre–amplifier is required to connect a turntable to a conventional line level input. It is also necessary if playing LPs through a computer sound card, mixing console, or other professional equipment. In addition to providing the required gain, this unit also adds necessary RIAA equalization to compensate for the industry standard EQ curve utilized on LPs. **Features:** •L/R RCA inputs and outputs •Adjustable ±10dB gain •Selectable 100pF/200pF input capacitance •Switchable 3dB low cut at 22Hz •Signal clip indicator •Turntable ground lug •Power requirements: 7~12VDC or 9~12VAC •AC adaptor included •Dimensions: 1.75" (H) x 4.2" (W) x 3.5" (D)

Order #	VIP
555-2716	$39.99

MCM CUSTOM AUDIO Eight Position Input Selector

Compact table top selector provides cost effective selection of up to eight stereo sources into the line level input of an amplifier. Ideal when multiple sources are present, such as television, computer, portable media players, CD or DVD players, and similar devices, and all need to be switched into a single sound system **Features:** •Rugged metal enclosure •Non skid rubber feet •Color coded R/L RCA female input connections •Individual pushbuttons for each input •Dimensions: 2½" (H) x 12" (W) x 4¼" (W)

Order #	VIP
50-6202	$19.95

Five-Way Speaker Switch Box

- ✔*On/off control for five zones*
- ✔*Headphone jack*
- ✔*Compact size*

Maintains 8ohm load when up to five sets of 8ohm speakersare used. Places 100ohm load when all speakers are switched off. Front panel ¼" headphone jack allows monitoring of the source. 200W maximum power capacity. Metal case has non-skid rubber feet and stays securely in place. Dimensions: 8⅛" (W) x 2¼" (H) x 3⅜" (D). Sloped front, black color.

Order #	Reg.	VIP
50-6200	~~$24.99~~	$19.95

PYLE PRO® Compact Stereo Amplifier With Mic Input

Small amplifier is perfect when multiple line level sources, such as a CD or DVD players, or portable MP3 players need to be connected directly to a pair of speakers. **Features:** •Very compact size •Front panel selector for CD and AUX input •¼" microphone input with mic level control •Selectable mic "mix" or mic "page" modes •Two sets of L/R RCA female input connections •¼" front panel headphone jack •Push terminal speaker connections •110/220VAC selectable **Specifications:** •Power output: 3W RMS x 2 channels, 15W x 2 channels max (4ohm) •THD: 1% •Frequency response: 30Hz~20KHz •Dimensions: 2.5" (H) x 7.5" (W) x 5.25" (D) •Mfr. #PTA1

Order #	Reg.	VIP
555-9990	~~$49.00~~	$39.99

PYLE PRO® Compact Stereo Amplifier With Mic Input

Small amplifier is perfect when multiple line level sources, such as a CD or DVD players, or portable MP3 players need to be connected directly to a pair of speakers. It also ideal when an extra set of in-wall, in-ceiling or outdoor speakers, need to be connected to an existing sound system. **Features:** •Very compact size with relatively high output power •Five LED bargraph output indicator for each channel •Independent bass and treble controls •¼" microphone input with mic level control •Selectable mic "mix" or mic "page" modes •Three sets of L/R RCA female input connections •L/R RCA female line level record output (fixed level) •¼" front panel headphone jack •Push terminal speaker connections •110/220VAC selectable **Specifications:** •Power output: 15W RMS x 2 channels, 75W x 2 channels max (4ohm) •THD: 1% •Frequency response: 20Hz~40KHz •Dimensions: 2.5" (H) x 7.5" (W) x 5.5" (D) •Mfr. #PCA3

Order #	Reg.	VIP
555-9995	~~$79.00~~	$74.99

EZ Series Stereo Phono Preamp

The EZ series stereo phono preamplifier allows for a turntable with magnetic cartridge to be played through a conventional line level amplifier. **Features:** •Gold-plated RCA jacks •Front-panel gain trimmer for each channel •Dual LED VU meter for each channel •RIAA equalization •Turntable grounding screw **Specifications:** •Frequency response: 20~20KHz •Noise:< -74dB (36dB gain, 1KHz) •Requires 24VDC, 45mA (AC adapter included) •Dimensions: 2.9" (W) x 3" (D) •⅛ rack width

Order #	VIP
555-0684	$89.99

Stellar Labs™

Compact Stereo Amplifier with USB Input

•USB input allows connection to a desktop or laptop PC •20W RMS, 40W peak at 8ohm •Stereo 3.5mm line level input •Subwoofer output

Order #	MSRP	VIP
50-4606	$149.99	$79.99

Stellar Labs™

Compact Stereo Amplifier with Auto On/Off

•20W RMS/40W peak at 8ohm •Automatic on/off with adjustable sensitivity •Off delay: 10~11 minutes •Bass, treble, and left/right controls •Line level RCA input

Order #	MSRP	Reg.	VIP
50-4609	$129.99	~~$79.99~~	$69.99

Stellar Labs™

SLA 150 Stereo Power Amplifier

Designed specifically for use in distributed audio installations, where high reliability and premium sound quality are a must. Remote on/off triggering and signal sensing allows these units to be set up in equipment racks, with no further contact required. Rear mounted master level controls keep installation safe from future tampering. Two auto-switching inputs allow automatic operation when used with more than one system. **Features:** •Front panel controls for level, balance and A/B speaker selection •Two sets of L/R inputs, each may be switched to accept line level speaker level signal •Auto-switching between inputs, with adjustable delay •Manual or auto-sensing power control •12V trigger input •12V trigger output •Power output (#50-4610): 75W RMS x 2CH @4ohm, 150W RMS bridged •Power output (#50-4620): 125W RMS x 2CH @4ohm, 250W RMS bridged

Order #	MSRP	VIP
50-4610	$449.00	$169.00
50-4620	599.00	205.00

NETMEDIA

Ultra Compact 40W Stereo Amplifier

Weighing in at less than 6 oz., this miniature stereo amplifier is smaller than a deck of cards, yet delivers an incredible 20W RMS per channel. It is perfect for driving a pair of speakers directly from a portable MP3 player or PC, flat panel TV or any other line or headphone level source. 92% efficient digital amplifier circuit is housed in a rugged extruded aluminum enclosure and is convection cooled, ensuring whisper quiet operation. **Features:** •3.5mm input •Included 3.5mm male/male cable •Detachable Phoenix style speaker connections •LED power indicator •Includes AC adapter **Specifications:** •Output: 20W x 2CH @ 8ohm •THD 0.11% at 50% rated power •S/N ratio: >99dB •Requires 24VDC, 2A •Dimensions: 1.0" (H) x 2.2" (W) x 2.78" (D).

Order #	VIP
50-4600	$81.59

Stellar Labs™

Compact Stereo Amplifier

•20W RMS x2 channels •8ohm stereo, bridgeable to 40W RMS mono •Fanless cooling for silent operation •Bass and treble controls •RCA line level inputs

Order #	MSRP	VIP
50-4608	$129.99	$69.99

PYLE PRO

Rack Mount Stereo Amplifiers

✔*Dual microphone inputs*
✔*Four line level inputs*

Added features and exceptionally high power output allow these amplifiers to be used for sound reinforcement applications as well as multiple zone whole-house audio systems. **Features:** •Four line level inputs for tuner/CD/DVD/tape sources •I.R. remote control •Dual front panel microphone inputs with level, echo, bass and treble control for paging and karaoke use •A/B speaker selection •Attractive blue fluorescent display •Front panel control of input selection, master volume, bass and treble levels •Two models to suit a variety of output power requirements •Rating shown is max output, both channels combined, see MCMelectronics.com for complete details

Order #	Mfr. #	Output Power	VIP
555-9410	PT1100	1000W	$89.99
555-9420	PT3300	3000W	115.00

knoll

Illusion 2 Compact Two Channel Stereo Amplifier

•Extremely compact in design: 4 ½" (L) x 1 ¾" (D) x 4" (H) •Power output: 15W/20W (RMS/peak) @ 8ohm •Adjustable bass, treble, and balance •2ohm stable •Inputs: One gold plated RCA

Order #	Reg.	VIP
50-13225	~~$189.00~~	$139.99

Sherwood

Distributed Audio Stereo Receiver

•Up to four pair of speakers may be driven directly from this unit •Independent selection of any or all pairs •IR remote control •Power output: 70W RMS x 4 (8ohm), 100W RMS x 4 (4ohm) •Mfr. #RX-5502

Order #	Reg.	VIP
50-4640	~~$158.00~~	$149.00

MCM CUSTOM AUDIO

Phono Input Attenuator

Device allows standard line level items to be played through magnetic phono inputs, commonly found on older home audio receivers and mixing consoles. CD/DVD/ MP3 players, tape decks, VCRs, computer sound cards and tuners may now be connected to unused phono inputs. In addition to providing the required signal attenuation, this unit provides passive equalization to compensate for the RIAA curve that is present on magnetic phono inputs. Inputs are RCA female, outputs are male RCA connections on a 7" pigtail. Passive device requires no power. Dimensions: 1" (H) x 2.25" (W) x 3" (D)

Order #	MSRP	Reg.	VIP
50-7240	$14.59	~~$10.99~~	$7.99

knoll

Illusion 1 Compact Two Channel Stereo Amplifier

Ideal for use in a kiosk, for upgrading the sound of a television, in a whole house audio system, or for amplifying speakers for a computer, this amplifier provides terrific sound quality and is extremely compact in design. Features: •Power output: 15W/20W (RMS/peak) @ 8ohm •Frequency response: 10Hz~40KHz •2ohm stable •Inputs: x1 gold plated RCA •Outputs: Detachable phoenix style •Required power: 15VDC, 2.4A (power supply included) •Dimensions: 4 ½" (L) x 1 ¾" (D) x 4" (H)

Order #	VIP
50-13220	$124.99

knoll

Wall Mount Stereo Amplifier

•Extremely compact in design: 6 ½" (L) x 2 ½" (D) x 2 ½" (H) •Power output: 15W/24W (RMS/peak) @ 8ohm •Inputs: One gold plated RCA •Adjustable bass, treble, and balance •Mfr. #MA215

Order #	Reg.	VIP
50-13230	~~$179.00~~	129.99

Home Audio

Vinyl to digital recording made easy with Audio Technica USB turntables

audio-technica

Belt-Driven Professional Turntable

•33⅓ and 45RPM speed selectable •Dual magnet phono cartridge •Available as a standard turntable or as a USB turntable Both feature switchable phono preamp with RCA output •Mfr. #AT-LP60

Order #	Description	VIP
555-10650	Turntable	$74.99
555-10655	USB turntable	109.00

audio-technica

USB Direct-Drive Professional Turntable

•Switchable phono preamp with RCA output •USB output •33⅓, 45 and 78RPM speed selectable •Dual magnet phono cartridge •Mfr. #AT-LP120USB

Order #	Reg.	VIP
555-10660	~~$305.00~~	$249.00

SONY 7.1 Channel A/V Receiver

•110-watt power amplifier •3D pass-through •7 HD inputs (4 HDMI, 3 component) •Dolby® TrueHD and DTS® HD enhanced audio codecs •Wireless 2nd zone audio

Order #	VIP
STR-DN1010	$492.00

SONY BRAVIA Blu-ray Player

✔ *BD Live Compatible*

✔ *3d Blu-ray Capable*

•Plays Blu-ray Disc™ movies in Full HD 1080p and up-converts DVDs to 1080p •BRAVIA® Internet Video: Access movies, music, videos & more •Quick start/load to watch movies faster than ever •Access detailed movie information with Gracenote™ •DLNA® streaming of photos, videos and music •Wi-Fi adapter ready •Enjoy music, photos and video via front USB slot •Video outputs: HDMI, component and composite •Audio outputs: Coaxial digital, TOSLINK optical digital and stereo RCA

Order #	VIP
BDP-S470	$179.99

SONY BRAVIA BX300 Series 720p LCD Televisions

Experience HD picture quality and sharp, vibrant images in a compact design with the Sony® BRAVIA® BX300-Series HDTV. These compact HDTVs are perfect for smaller size rooms, such as a dorm or kitchen and offer ample HD connections. **Features:** •HD 720p resolution @ 60Hz •Contrast ratio: 60,000:1 •BRAVIA Engine™ 2 fully digital video processor •BRAVIA® Sync™ compatible •Five HD inputs (2 HDMI, 2 component, 1 PC)

Order #	Size	VIP
KDL22BX300	22"	$269.99
KDL32BX300	32"	409.99

Sherwood Stereo Receiver

Straight-forward AM/FM receiver features outstanding tuner sensitivity, multiple component inputs, and a solid, discrete output, 100W RMS x two channel stereo amplifier. Additionally, the included remote control operates the relay switching for the A/B speaker outputs. **Features:** •AM/FM stereo tuning with 30 station presets •Large fluorescent display •Included 25 key IR remote control •Four line level inputs (plus tuner) •Digital encoder volume control •Headphone jack •Sleep timer **Specifications:** •THD: <0.08%, 20Hz~20KHz @ 8ohm •S/N ratio: >90dB •IHF FM tuner sensitivity: 17.2dBf •FM frequency response: 40Hz~12KHz •AM tuner sensitivity: 800µV/M •AM frequency response: 100Hz~2.3KHz • Dimensions: 4⅞" (H) x 17⅜" (W) x 14" (D)

Order #	Mfr. #	VIP
50-7805	RX-4105	$89.99

Sherwood Stereo Receiver

Straight-forward AM/FM receiver features outstanding tuner sensitivity, multiple component inputs, and a solid, discrete output, 100W RMS x two channel stereo amplifier. **Features:** •AM/FM stereo tuning with 30 station presets •Large fluorescent display •Included IR remote control •Four line level inputs (plus tuner) •Digital encoder volume control •Headphone jack •Sleep timer •Mfr. #RD-4109

Order #	VIP
50-7806	$99.99

SONY Progressive Scan DVD Player

Sony's DVP-SR200P is a versatile DVD player with many features at an affordable price. It delivers excellent picture and sound quality so you get the most out of your movies. The "Precision Drive 3" system allows you to playback some DVDs that may have been damaged or warped without a degradation of picture quality. •**Features:** •Mp3 playback •12 bit/108MHz video DAC •Multi disc resume (six discs) •Multi brand TV remote control

Order #	VIP
DVP-SR200P/B	$36.99

Sherwood Dolby® Digital 5.1 Receiver

•100W x 5CH receiver •2 x 1 HDMI repeater/switcher •Dolby Digital EX, DPLII •Dolby Digital EX Decoding •5.1 channel direct input •2 composite video outputs •Inputs: 2x HDMI component, 3x composite, 3 digital

Order #	Reg.	VIP
50-5395	~~$234.00~~	$199.00

Sherwood Five Disc Carousel CD Changer

Front loading multi–disc player features a one–bit twin D/A convertor, random sequential play, and bright fluorescent display with music calendar. **Other features include:** •Coaxial digital output •8x oversampling •Three beam laser pick-up •Headphone output with volume control •Compatibility with Sherwood Digi–Link remote control system •Mfr. #CDC-5090R

Order #	VIP
50-6321	$146.70

SONY

•5.1-Channel •High-Definition A/V Receiver •5.1-channel, 100 watts per channel •Five HD inputs (three HDMI, two component) •HDMI™ repeater •Blu-ray Disc™ audio decoding •HDMI standby pass-through

Order #	Reg.	VIP
STR-DH510	~~$199.00~~	$199.00

SONY BRAVIA Blu-ray Player

✔ *BD Live Compatible*

•Plays Blu-ray Disc™ movies in Full HD 1080p and up-converts DVDs to 1080p •BRAVIA® Internet Video: Access movies, music, videos & more •Quick start/load to watch movies faster than ever •Access detailed movie information with Gracenote™ •DLNA® streaming of photos, videos and music •Wi-Fi adapter ready •Enjoy music, photos and video via front USB slot •Video outputs: HDMI, component and composite •Audio outputs: Coaxial digital, TOSLINK optical digital and stereo RCA

Order #	VIP
BDP-S370	$169.99

Optoma

HD65 720P DLP Projector with Backpack and Speakers

✔*720p resolution*
✔*1600 Lumens*
✔*HDMI and VGA*
✔*Includes backpack and speakers*

The Optoma HD65 is a 720p home theater projector that brings accessibility to high-definition, big-screen video content, and with the included backpack and speakers, it is even easier to view that content anywhere. At 1600 lumens and the latest color processing technologies, the HD65 delivers subtle and incredible image quality and contrast. With a variety of connectivity options, including HDMI v.1.3, the Optoma HD65 reproduces the realism that high-definition offers. **Features:** •Native 720p (1280 x 720) resolution •1600 lumens and sleek 4 lbs. pound form factor •Multiple HD inputs, including: HDMI v1.3 •Latest color processing technologies from Texas Instruments for amazing colors •Kit includes backpack and 10W 2.1 channel speakers **Inputs:** HDMI, component, VGA, composite, S-video, USB, 12V trigger

Order #	VIP
HD65PLUS	$699.00

Optoma

EH1020 1080P DLP Projector

✔*3000 Lumens*
✔*1080p*
✔*HDMI and VGA*

The native 1080p EH1020 DLP projector unleashes the power of your presentation to engage your audience with stunning graphics, high-resolution images and razor-sharp presentations. Lightweight at 6.4 lbs. and bright at 3000 ANSI lumens, the EH1020 is loaded with a wide range of convenient connectivity options, including HDMI. The EH1020 transcends the ordinary to deliver extraordinary projection performance. **Features:** •Native 1080p DLP® by Texas Instruments with BrilliantColor™ Technology •3000 ANSI lumens •2200:1 contrast ratio (full on/full off) •Control panel lock and password protection allow you to customize security settings **Inputs:** •HDMI, VGA, S-video, composite video, stereo audio-in/out, RS-232, USB and 12V trigger

Order #	VIP
EH1020	$1499.00

COBY® Compact DVD Player

For optimal performance in a compact package, the DVD player is unbeatable. This progressive scan DVD player offers the best available features in a streamlined design, with Dolby® Digital decoding, AV outputs for home theater connection, and multi-function onscreen display that lets you customize the player to fit your needs. **Features:** •Progressive scan DVD player •Compact and slim design •DVD, DVD±R/RW, CD, CD-R/RW, and jpeg compatible •Dolby® Digital decoder •Digital and analog AV outputs for home theater use •NTSC/PAL compatible •Convenient on-screen display •Multiple language, subtitle, and camera angle support •Picture zoom function •Parental lock control •100~240VAC automatic power switching •FCC approved and ETL listed **Included accessories:** •Remote control •Two "AAA" batteries •AV cable

Order #	VIP
80-7190	$29.99

Optoma

GT700 DLP Gaming Projector

✔*1280 x 800 WXGA resolution*
✔*2300 Lumens*
✔*3D compatible with PC content*
✔*HDMI and VGA*

The GT700 provides the ultimate widescreen experience for gamers, sports enthusiasts, and movie buffs. Designed for quick connection to computers, game consoles, Blu-ray players, and television tuners, the GT700 accommodates on-the-go entertainment and can also impress as the centerpiece of your home theater. Whether your passion is sports, gaming, the internet, or movies, Optoma transforms your free time into game time. **Features:** •DLP® display technology by Texas Instruments •Digital and analog connections for gaming and video sources •Projects a 120" diagonal image from an approximate throw distance of 6' •Supports high-definition 1080p signals •Bright enough for use in large rooms with ambient lighting •3D compatible with PC based gaming and content **Inputs:** HDMI, VGA-In, S-video, composite video, stereo audio-in/out and RS-232

Order #	VIP
GT700	$749.00

Optoma

HD20 1080P DLP Home Theater Projector

•1080p •2 x HDMI •1700 lumens •1080p resolution, the HD20 delivers excellent color saturation and subtle details for superior image quality •1700 ANSI lumens and contrast ratio of 4000:1 •Inputs: Two HDMI, component, composite video, VGA • +12V trigger

Order #	VIP
HD20	$1025.00

Optoma

PRO150S Portable Series DLP Multimedia Projector

•800 x 600 resolution •2W speaker •VGA input •Inputs: VGA, S-video, composite video, audio

Order #	VIP
PRO150S	$549.00

COBY® Widescreen HDTV LCD Televisions

•Widescreen TFT LCD (720p) •DTV-ready with dual ATSC/NTSC tuners •Accepts DTV signals up to 1080i •AV input jacks for use with media players, DVR/VCRs, video games, and more •Wall-mountable design (VESA 100mm x 100mm)

Order #	Screen size	VIP
80-7680	19"	$189.00
80-7685	22"	$285.00

COBY® Widescreen HDTV LCD Televisions

•Widescreen TFT LCD (720p) •DTV-ready with dual ATSC/NTSC tuners •Accepts DTV signals up to 1080i •AV input jacks for use with media players, DVR/VCRs, video games, and more •Wall-mountable design

Order #	Screen size	VIP
80-7690	26"	$399.00
80-7695	32"	475.00

Professional Audio

See the latest products from Behringer.

Super-X Pro Stereo 2-Way/Mono 3-Way Crossover

•High-quality Linkwitz-Riley filters with 24 db/octave •Individual output gain controls for all bands •Separate subwoofer section with independent frequency control adjustable from 10Hz to 235Hz •Gold-plated XLR inputs and outputs

Order #	VIP
555-11085	$79.99

Super-X Pro Stereo Crossover

•Operates as a stereo two-way, stereo three-way, and a mono four-way crossover •Individual output gain controls •Switchable 25Hz low cut filter• XLR connectors for all inputs and outputs •Mfr. #CX3400

Order #	VIP
555-11090	$129.99

Ultra High-Precision Digital Loudspeaker Crossover

The ULTRADRIVE PRO DCX2496 is an indispensable tool for the precise set-up of multiple loudspeaker systems or arrays. **Features:** •Three analog inputs (one suitable as digital stereo AES/EBU input) and six analog outputs for maximum flexibility •High-end AKM® 24 bit/96KHz A/D and D/A converters •Integrated sample rate converter for easy connection of external digital signals with sampling rates from 32~96KHz •Precise dynamic EQs for level-dependent equalization and extremely musical parametric EQs, selectable for all inputs and outputs •Gold-plated XLR connectors for all inputs and outputs •See MCMelectronics.com for more information

Order #	VIP
555-10970	$299.99

Ultra-Compact Four Channel Stereo Headphone Amplifier

✔*Connect up to four headphones*

•Four channel stereo headphone amplifier for use with all types of headphones •Four high-power stereo amplifiers •Output level control for each channel •Ultra low-noise 4580 operational amplifiers for outstanding audio performance •12VDC adapter included •Mfr. #HA400

Order #	VIP
555-11040	$21.99

Back

Professional Light Weight Stereo Power Amplifiers with ATR Technology

•ATR (accelerated transient response) technology for ultimate punch and clarity •Independent limiters for each channel offer maximum output level with reliable overload protection •Gain controls for precise setting and matching of sensitivity •Precise power, signal and clip LEDs to monitor performance •XLR, ¼" and RCA inputs •Binding post and Speakon outputs •Built-in subwoofer/satellite crossover •Independent DC and thermal overload protection on each channel •See MCMelectronics.com for more information

Order #	Mfr. #	Stereo output (@4ohm)	Bridged output (@4ohm)	VIP
555-10900	EPX3000	900W x 2	3000W x 1	$399.00
555-10905	EPX2000	650W x 2	2000W x 1	349.99

Professional Stereo Power Amplifiers with ATR Technology

•Precise power, signal and clip LEDs to monitor performance •XLR and ¼" inputs •Speakon and binding post speaker outputs •Selectable low frequency filters (30Hz or 50Hz) •Independent limiters per channel protect against overload and distortion •Independent DC and thermal overload protection on each channel •See MCMelectronics.com for more information.

Order #	Mfr. #	Stereo output (@4ohm)	Bridged output (@4ohm)	VIP
555-10910	EP4000	1400W x 2	4000W x 1	$349.99
555-10915	EP2000	750W x 2	2000W x 1	299.99

Multigate Pro Four Channel Frequency Selective Expander/Gate

The XR4400 gives you four frequency-selective UTR expanders/noise gates in a single rack space without compromising on functionality. The side chains parametric filters allow you to fine-tune control signals so that the gate reacts only when you want it to. Separate hold and release controls and our unique FlexLink system offers additional flexibility. **Features:** •Four separate expander/gate circuits •IRC expander/UTR gate circuitries •Extremely short attack time (<10 µsec.) •Parametric side chain filter with monitor function •Independent hold and release controls for flexible envelope shaping •Maximum attenuation 80dB •FlexLink system for flexible master/slave configurations •"Traffic light" display for threshold working point and gain reduction display

Order #	VIP
555-10935	$99.99

UltraLink Pro Eight Channel Splitter/Mixer

The UltraLink functions as a splitter, line mixer or level conditioner. Regardless of your application, the MX882 keeps your signal paths short and clean. **Features:** •Eight in/two out line mixer, two in/eight out line splitter •Each channel can operate independently in mixer or splitter mode •Usable as six in/six out level matching amplifier or direct inject box •Converts levels between -10dBV and +4dBu •Extremely wide bandwidth from 5Hz~200KHz for audio purity •Six mono in, six mono out, two main inputs and two outputs •Four/eight-segment input/output level meters for all channels

Order #	VIP
555-10720	$99.99

EuroRack Pro 12 Input Mic/Line Rack Mixer

The EuroRack Pro RX1202FX 12 channel mic/line mixer comes loaded with a 24 bit multi-FX processor and eight built-in studio-grade IMP "invisible" mic preamps. **Features:** •130dB dynamic range for 24 bit, 192KHz sampling rate inputs •Ultra-wide 60dB gain range •Integrated 24 bit digital stereo FX processor •Two band EQ and clip LED on all channels •Four balanced high-headroom line inputs •Two aux sends per channel •CD/tape inputs assignable to main mix or control room/phones outputs •Separate control room, phones and stereo CD/tape outputs •Balanced main mix XLR outputs •Switchable +48V phantom power for condenser microphones

Order #	VIP
555-10715	$199.99

16-Input Ultra Low-Noise Line Mixer

The RX1602 is an incredibly versatile 16-channel line mixer that works perfectly for monitoring multi-track recording projects, submixing multiple keyboards, sub-mixing samplers or mixing a small live set-up. **Features:** •Dedicated balance and level controls plus +4/-10 level selection per channel •Monitor/FX send control per section with global master send control for flexible monitoring, recording or effects applications •Two seven-digit LED level meters and individual level control for left and right main mix signal •¼' TRS main mix outputs plus easily headphone with dedicated level control •Mfr. #RX1602

Order #	VIP
555-10710	$129.99

Need Larger Quantities?
Contact Our Quotes Team:
1-800-543-4330
quotes@MCMelectronics.com

Feedback Destroyer Pro Feedback Suppressor/ Parametric EQ

Using an ultra-fast feedback detection algorithm, the FBQ2496 automatically and "intelligently" locates up to 20 feedback frequencies per channel. **Features:** •24 bit/96KHz feedback suppressor/ parametric EQ •Locates and destroys up to 20 critical frequencies per channel •Up for 40 fully parametric filters •Ultra-narrow notch filters •Open MIDI architecture for future software updates •Balanced inputs and servo-balanced outputs with XLR and ¼" connectors •Mfr. #FBQ2496 •See MCMelectronics.com for more information

Order #	VIP
555-10985	$149.00

Composer Pro XL Dynamic Processor

Whether you're recording, mixing or mastering, the COMPOSER PRO-XL MDX2600 gives you total dynamic control. It includes all of the features you would expect from a reference class compressor—plus a voice-adaptive de-esser, a new dynamic enhancer, authentic tube emulation and much more. **Features:** •Switchable IKA (interactive knee adaptation) program-adaptive compression circuitry combines the advantages of hard-knee and soft-knee characteristics •Integrated de-esser •Interactive gain control •Switchable dynamic enhancer •Interactive ratio control expander/gate circuitry •Ultra low-noise •Input/output level LEDs •Servo-balanced inputs and outputs with ¼" TRS and gold-plated XLR connectors

Order #	VIP
555-10925	$99.99

EuroRack Pro 12 Input Mic/Line Rack Mixer

The EuroRack Pro RX1202FX 12 channel mic/line mixer comes loaded with a 24 bit multi-FX processor and eight built-in studio-grade IMP "invisible" mic preamps. **Features:** •130dB dynamic range for 24 bit, 192KHz sampling rate inputs •Ultra-wide 60dB gain range •Integrated 24 bit digital stereo FX processor •Two band EQ and clip LED on all channels •Four balanced high-headroom line inputs •Two aux sends per channel •CD/tape inputs assignable to main mix or control room/phones outputs •Separate control room, phones and stereo CD/tape outputs •Balanced main mix XLR outputs •Switchable +48V phantom power for condenser microphones

Order #	VIP
555-10715	$199.99

Digital Stereo 31-Band Equalizer/Feedback Destroyer/Dynamics Processor

•Ultra high-resolution 24 bit/96KHz processor for all EQ, RTA and dynamic applications •Unique true curve function, what you see on the faders is what you get as frequency response •FBQ feedback detection system instantly reveals critical frequencies and can also be used as an audio analyzer •Automatic feedback destroyer module plus feedback indication via fader LEDs •Inaudible noise gate/peak limiter function plus amazing stereo imager •Digital AES/EBU and S/PDIF interface and selectable sample rates (44.1, 48, 96KHz) •Mfr. #DEQ1024 •See MCMelectronics.com for more information

Order #	VIP
555-10945	$199.99

Digital Multifunction Signal Processor

Whether you use it with microphones, acoustic instruments, or even as a delay line for large venue loudspeaker systems, the SHARK DSP110 is a remarkable addition to your live and studio toolkit. **Features:** •Discrete mic/line input stage with gain control and +48V phantom power •Automatic feedback destroyer with learn function •Delay line with up to 2.5 seconds of delay, adjustable in meters, feet and millisecond •Noise gate with automatic and manual parameter adjustments •Super-musical compressor with variable density •Level conversion from line to mic level and vice versa •Subsonic filter with adjustable cutoff frequency

Order #	VIP
555-10990	$87.99

Virtualizer Pro Digital Multi-Engine 24 Bit Multi-Effects Processor

•High performance 24 bit multi-engine effects processor •71 breathtaking new algorithms, most in true stereo •Wave adaptive virtual room reverb algorithms for ultra natural reverb and delay •Awesome modulation, dynamic, psycho-acoustic and EQ algorithms plus innovative amp simulation, distortion and special effects •11 effect combinations with selectable serial/parallel routing •Up to seven adjustable parameters plus high and low EQ per effect •Mfr. #DSP2024P •See MCMelectronics.com for more information

Order #	VIP
555-10975	$99.99

15 Band Stereo Graphic Equalizer

•FBQ feedback detection system instantly reveals critical frequencies •Dedicated mono subwoofer output with adjustable crossover frequency

Order #	VIP
555-10960	$99.99

31 Band Stereo Graphic Equalizer

•FBQ feedback detection system instantly reveals critical frequencies •Dedicated mono subwoofer output with adjustable crossover frequency

Order #	VIP
555-10955	$129.99

Two Channel DI-Box/Splitter

•Professional active two channel DI-box/splitter •Converts two separate unbalanced ¼" line inputs into two balanced XLR outputs •Mono, two channel or stereo DI box operation •Additional split mode •Phantom or 9V battery powered •Switchable input attenuation allows connection to outputs with up to 3,000W •Ground life switch •Mfr. #DI20 •See MCMelectronics.com for more information

Order #	VIP
555-11015	$21.99

Ultra Low-Latency USB Audio Interface with Digital Output

The UCA202 provides two analog mono inputs and outputs (for monitoring), USB connectivity and an additional S/PDIF optical output for direct analog-to-digital conversion. The stereo headphone output features a dedicated level control and lets you listen to both the input and output. **Features:** •High-resolution 48KHz A/D and D/A converters for high-end audio quality •Works with your PC or Mac computer •Additional S/PDIF optical output for direct digital conversion •Powered via USB bus •Free recording and editing software available at Behringer.com

Order #	VIP
555-11050	$29.99

Ultra-Compact Nine Band Graphic Equalizer

Ultra compact graphic equalizer for studio and stage applications •FBQ feedback detection system instantly reveals critical frequencies and can also be used as an audio analyzer •Additional low cut filter removes unwanted frequencies •Accurate six segment LED input/output meters and level control for precise level indication •Ultra low noise audio operational amplifiers offer outstanding sound performance •Mfr. #FBQ800 •See MCMelectronics.com for more information

Order #	VIP
555-10965	$49.99

Professional Audio

Rack amplifiers for all of your sound reinforcement needs.

SAMSON Servo Series Power Amplifiers

- ✔ *Dual temperature-sensitive variable fans*
- ✔ *Compact two rack unit height*
- ✔ *Up to 600W bridged output at 8ohm*

The Servo Series of power amplifiers is ideal for stage or studio monitor use. The efficient, whisper quiet fan cooling ensures non–intrusive operation. All models are 4ohm stable and bridgeable at 8ohm, perfect for bi–amping and subwoofer applications. **Features:** •Wide linear frequency response from 20Hz~20KHz •Independent L/R level controls with 41 detents •10 segment, three color LED level meters •Overheat, overload output protection •¼" and binging post speaker outputs •¼" (+4dBu) line level inputs •RCA (-10dBv) line level inputs •Compact two rack–space design •Output ratings are RMS, both channels driven at 4ohm •Bridged output is RMS, at 8ohm

Order #	Mfr. #	Stereo Output	Bridged Output	VIP
555-8050	Servo 200	100W x 2	200W x 1	$165.00
555-8051	Servo 300	150W x 2	300W x 1	229.00
555-8052	Servo 600	300W x 2	600W x 1	259.00

TUBE-MP Microphone Preamplifier

Considered the world's most popular external microphone preamp, the TUBE-MP utilizes a hand picked 12AX7 preamplifier tube, to add warmth and fatness to a signal while maintaining exceptionally low noise and high quality. Designed for use with a microphone, the TUBE-MP also functions as an exceptional direct box, impedance matching, amplifying and improving the sound of any device plugged into it. **Features:** •48V Phantom power output •Phase reverse •Variable input and output gain controls •Balanced XLR and ¼" inputs and outputs •Portable, all steel construction **Specifications:** •Frequency response: 10Hz~20KHz •Dynamic range: >100dB (20Hz ~ 20KHz) •THD: <0.1% •Dimensions: 2" (H) x 5.5" (W) x 5" (D) •Power requirements: 9VAC, AC adapter included

Order #	Reg.	VIP
555-3160	~~$48.00~~	$44.95

SLA-1 Studio Linear Amplifier

- ✔ *Temperature sensitive variable fan*
- ✔ *Ultra slim single rack unit height*
- ✔ *Bridged output stable to 4ohm*

Compact size and solid performance make this single rack space amplifier an ideal choice in any of the following applications: •Residential distributed audio •Studio monitoring •Small live venues •Churches •Broadcast radio/TV **Features:** •Toroidal power transformer •Temperature controlled fan •Extremely wide frequency response •Balanced TRS ¼" and XLR inputs •Heavy-duty binding post outputs •All steel 1RU rack-mount chassis **Specifications:** •Power output: 100W RMS x 2 channels @ 8ohm, 130W RMS x 2 channels @ 4ohm, 260W RMS bridged mono @ 8ohm •Frequency response: 10Hz~40KHz ±1.0dB •THD: <0.05% •Power requirements: 120VAC, 60Hz •Dimensions: 1.75" (H) x 19.0" (W) x 9.5" (D)

Order #	VIP
555-7660	$269.00

SAMSON Slim 1RU Servo Series Power Amplifiers

- ✔ *Quiet convection cooling*
- ✔ *Ultra slim single rack unit height*
- ✔ *120W bridged output at 8ohm*

Ideal for powering monitors in the studio, or multiple speaker pairs in a distributed sound installation, Servo amplifiers provide "reference-class" performance in a compact package. Toroidal power transformer, bipolar design and convection cooling (variable speed fan in Servo 201a) ensure reliability and quiet performance. Low cost and compact 1RU size invites installation of multiple units in the equipment rack. **Features:** •Balanced TRS ¼" inputs •Unbalanced RCA inputs •Individual left and right level control •Five-segment, three-color LED meters •Headphone jack •Speaker output mute •Power output rated RMS at 4ohm •Detailed specifications available on MCMelectronics.com

Order #	Model #	Power Output	VIP
555-7990	Servo 120a	50W x 2CH	$199.00
555-8045	Servo 201a	100W x 2CH	249.00

#555-2126

SAMSON SX Series Rack Mount Stereo Amplifiers

Exceptionally rugged and reliable, the Samson XS Series includes four models, from 1200W~2800W RMS, to fit seamlessly into a variety of sound reinforcement applications. Endowed with comprehensive control capability and protection features, these amplifiers provide extensive features and stable performance in continuous duty situations. Designed for maximum power and efficiency, these power amplifiers are ideal for sound reinforcement situations, commercial installations and for powering PA systems. **Features:** •Bridgeable operation •Dual temperature–sensitive, speed–controlled fans •Compact 2RU size •Efficient class AB design (SX1200 and SX1800) •High power rail switching design (SX2400 and SX2800) •2ohm stability •Front panel input level controls with 42 detents •Three–segment output LED meters •Relay–controlled outputs •Binding post outputs •Speakon™ outputs •XLR and locking TRS balanced inputs •Output ratings are RMS, both channels driven at 4ohm. Bridged output is RMS, at 4ohm.

Order #	Model #	Stereo Output	Bridged Output	VIP
555-2121	SX1200	450W x 2	1200W x 1	$349.00
555-2126	SX1800	600W x 2	1800W x 1	449.00
555-2131	SX2400	750W x 2	2400W x 1	549.00
555-2136	SX2800	900W x 2	2800W x 1	599.00

RATED ★★★★★

MCM CUSTOM AUDIO Dual Channel Ground Loop Isolator

Ground loop problems in A/V systems normally appear as a hum in speakers or horizontal bars on video monitors. These problems typically occur when multiple components receive AC power from different locations, or because CATV, satellite or antenna systems provide a separate ground point. This isolator solves that problem by providing ground path isolation between components, while maintaining full frequency response. **Features:** •Rugged steel enclosure •RCA input and output connections •Fully independent L/R channels **Specifications:** •Frequency response: 10Hz~50KHz •THD: 0.01% •Dimensions: 1.50" (H) x 3.50" (W) x 2.50" (D) •Passive device, requires no power

Order #	MSRP	Reg.	VIP
50-9040	$49.95	~~$32.69~~	$27.99

BEHRINGER Ultra-Rugged DI Box

•Professional active direct injection box •Converts unbalanced line inputs to balanced outputs •Ground lift switch •Internal battery automatically shuts off when phantom power is connected •Direct connection of amplifier outputs with ratings of up to 3,000W •Switchable input attenuation allows input levels up to +50dB •Mfr. #DI100 •See MCMelectronics.com for more information

Order #	VIP
555-11010	$33.99

A R T Z-Direct Passive Direct Box

High-quality passive interface lets you connect instrument, line, or speaker level signals to a mixer or other balanced input. High impedance, single-ended (unbalanced) ¼" input is converted into an isolated, balanced low impedance signal source. The ground-lift switch separates input and output signal grounds to isolate two systems, reducing hum and ground-loop noise. **Additional features:** •Switchable 30KHz low-pass bessel filter to cut out high frequency RF and electrical interference •Phase invert switch •Compact black anodized aluminum case **Specifications:** •Frequency response: 10Hz~50KHz •THD: 0.01% •Input and input-thru connection: ¼" unbalanced, 50Kohm •Output connection: XLR male, 600ohm •Dimensions: 1.75" (H) x 4.2" (W) x 3.5" (D)

Order #	Model	Reg.	VIP
555-7675	Z-Direct	~~$25.00~~	$20.81

A R T DTI Dual Channel Ground Loop Isolator

The DTI™ is a high quality, passive solution to ground loop hum. Dual, high quality isolation transformers provide ground path isolation between components, while maintaining full frequency response. **Features:** •Virtually indestructible, extruded aluminum enclosure •¼" TRS, XLR and RCA input and output connection pairs, supporting balanced or unbalanced lines •Two independent channels for correcting two ground loops, or for processing a stereo signal **Specifications:** •Frequency response: 10Hz~50KHz, ±0.5dB @ +4dBu •THD: 0.01% typical @ 1KHz, +18dBu •Insertion loss: 0.4dB @ 100Kohm load, 5.5dB @ 600ohm load •Dimensions: 1.75" (H) x 4.2" (W) x 3.5" (D) •Passive device, requires no power

Order #	Model	Reg.	VIP
555-7685	DTI	~~$60.00~~	$49.95

Stellar Labs™ SLP Professional Series Stereo Amplifiers

Manufactured with the professional DJ in mind, as well as anyone installing a quality audio system in a bowling alley, house of worship, restaurant or bar, these amplifiers are manufactured with high-quality components and offer extreme reliability. With power outputs ranging from 200W all the way up to 900W RMS, the Stellar Labs Professional Series amplifiers are well suited for most venues, large or small, and are priced to fit any budget. **Features:** •Front panel input level controls •Dual temperature controlled cooling fans •Inputs: Balanced XLR and unbalanced RCA line level •Outputs: Twist lock (compatible with Speakon) and binding posts •Compact 2RU size •Stereo/bridge switchable •Ground/lift switch •Switchable limiter •Frequency response: 10Hz~50KHz ±1.5dB

Order #	Mfr. #	Stereo output (RMS @ 4ohms)	Bridged output	MSRP	Reg.	VIP
555-11450	SLP-200	100W x 2	200W x 1	$169.99	~~$122.00~~	$97.60
555-11452	SLP-300	150W x 2	300W x 1	195.99	~~148.00~~	118.40
555-11454	SLP-600	300W x 2	600W x 1	$229.99	~~$183.00~~	$146.40
555-11456	SLP-900	450W x 2	900W x 1	279.99	~~224.00~~	179.20

Stellar Labs™ SLP Three Channel Amplifier with Subwoofer Output

This Professional Series amplifier from Stellar Labs® features two main speaker outputs, as well as a low-pass subwoofer output. Integrated crossover keeps the highs separate from the lows, and produces spectacular sound quality. **Features:** •2ohm stability •35Hz~250Hz subwoofer crossover •Three individual level controls •Inputs: XLR, ¼" and RCA •Outputs: Binding post and twist-lock •Dual temperature controlled fans •Ground/lift switch •Short circuit protection •Removable rack ears •Compact 2RU size **Specifications:** •Main's power output: 100W RMS x 2 channels @ 8ohm, 160W RMS x 2 channels @ 4ohm, 240W RMS x 2 channels @ 2ohm •Subwoofer power output: 300W @ 8ohm, 480W @ 4ohm •Overall frequency response: 10Hz~50KHz •Dimensions: 4" (H) x 19" (W) x 15.5" (D) •Mfr. #SLP-800S

Order #	MSRP	Reg.	VIP
555-11470	$429.00	~~$356.00~~	$284.80

Stellar Labs™ SLP Professional Series Compact Stereo Amplifiers

Occupying only a single rack space, these professional series stereo amplifiers are an ideal solution for powering monitor speakers in a studio environment, or as a distributed audio amplifier. They are manufactured with reliability and sound quality in mind. **Features:** •SLP-140 features fan-less convection cooling for quiet operation •SLP-320 features dual temperature controlled cooling fans •Inputs: Balanced XLR and ¼" •Outputs: Twist lock (Speakon compatible) and binding posts •Compact 1RU size •Stereo/bridge/parallel switchable •Ground/lift switch •Switchable limiter •Frequency response: 10Hz~50KHz ±1.5dB

Order #	Mfr. #	Stereo output (RMS @ 4ohms)	Bridged output	MSRP	Reg.	VIP
555-11458	SLP-140	70W x 2	140W	$179.99	~~$122.00~~	$97.60
555-11460	SLP-320	160W x 2	320W	229.00	~~169.00~~	135.20

gemini GVX Series Powered PA/DJ Subwoofers

The GVX series subwoofers from Gemini offer an unmatched design and terrific sound quality. Constructed with lightweight MDF, they are extremely portable on the road and can easily be installed in any environment. Powerful internal amplifiers allow simplified direct connection to mixers and source gear. **Features:** •1⅜" pole mountable •Balanced XLR and ¼" combo input •Built-in amplifier with limiter circuit •Balanced XLR full range output and high pass output •Electronic crossover with adjustable frequency control (55Hz~200Hz) •Phase inverter switch •Max SPL: 129dB •Optional eyebolts available for fly mounting •See MCMelectronics.com for more information •**Sold Individually**

Order #	Woofer Size	Power capacity (RMS/peak)	Frequency Response	Dimensions (H) x (W) x (D)	Reg.	VIP
555-11245	12"	300W/1200W	47Hz~250Hz	19" x 15.5" x 19.75"	~~$329.99~~	$309.99
555-11250	15"	400W/1600W	40Hz~250Hz	19.75" x 15.5" x 19"	~~379.99~~	355.99
Eye bolts for suspended installation (three pack)						
555-11335	-	-	-	-	~~12.99~~	9.99

PYLE PRO Rack Mount Stereo Amplifiers

✔*Balanced and unbalanced inputs*
✔*Stereo and bridged mono operation*

Solid and powerful amplifiers are suitable in equipment racks or on a shelf, and are perfect for a variety of sound reinforcement and distributed audio applications. **Features:** •Unbalanced line level RCA inputs •Balanced combo inputs jacks accept TRS ¼" or XLR plugs •Stereo or bridged mono operation •LED bargraph display output meters •Heavy-duty binding post outputs •110V/220V selectable operation •Attractive blue LED display **Specifications:** •THD: <0.1% •Frequency response: 10Hz~50KHz •S/N ratio: 100dB •Dimensions: 3½" (H) x 19" (W) x 10¼" (D) •Three models to suit a variety of output power requirements •Rating shown is max output, both channels combined. See MCMelectronics.com for complete details

Order #	Mfr. #	Output Power	Reg.	VIP
555-9610	PPA200	2,000W	~~$163.00~~	$149.00
555-9620	PPA300	3,000W	~~183.00~~	169.00
555-9630	PPA400	4,500W	~~234.00~~	219.00

gemini Rackmount CD/Mp3/USB Player

The CDMP-1400 is a perfect piece for someone wanting to playback digital music files, and still have the capability to play CDs. **Features:** •Audio CD, CD-R and mp3 compatible •Plays mp3 and WAV files from USB storage device •Balanced XLR outputs, RCA output, record output •¼" front MIC input, rear combo XLR MIC input •BPM (TAP) read out •IR remote control •Anti-shock using RAM buffer memory •Multifunction scroll knob for mp3 folder navigation •Instant-start and cue with preview •Single and continuous play modes •Seamless loop with re-loop •Pitch bend buttons •Variable pitch control with three settings

Order #	VIP
555-11215	$249.99

gemini GROOVE Professional PC Mixing Software

Groove is a complete, easy-to-use and reliable professional mixing software that allows you to professionally mix, organize and navigate through your MP3, WMA, OGG Vorbis and WAV files to create the ultimate playlists, technical mixes and flexible background music. **Features:** •MIDI and keyboard controller support •Full featured mixer with 3 band EQ •Instant-start and cue with preview •Looping with dedicated loop times •Vinyl scratch emulation •Delay, flanger, phaser and reverb •High-quality mix session recorder **System requirements:** •Windows XP/Vista/7 •1.6GHz, 256Mb RAM

Order #	VIP
555-11230	$69.99

Professional Audio

Stage and monitor speakers for every application.

Back

MCM CUSTOM AUDIO Passive Two-Way ABS PA/DJ Speaker

This rugged speaker is ideal for DJ and stage applications where durability, high power capacity and solid sound performance are required. ABS plastic housing provides durability and an integrated carrying handle. **Features:** •High-quality titanium dome tweeter •Treated cone woofer •1⅜" pole mountable •Twist-lock (Speakon compatible) input and output •Heavy-duty integrated carrying handle **•Sold individually**

Order #	Size	Power Capacity (RMS/Peak)	Frequency Response	Dimensions (H) x (W) x (D)	MSRP	Reg.	VIP
555-11600	10"	200W/400W	40Hz~20KHz	20.5" x 13.5" x 12.25"	$149.00	~~$89.99~~	$73.49
555-11601	12"	300W/600W	30Hz~20KHz	24.5" x 17" x 13.4"	159.00	~~99.99~~	81.69
555-11602	15"	350W/700W	20Hz~20KHz	27.5" x 19" x 15.4"	189.00	~~139.00~~	115.00

Back

MCM CUSTOM AUDIO Powered ABS PA/DJ Speaker

A terrific solution for a traveling DJ, a karaoke system, or for a permanent installation in a bar, restaurant, bowling alley or club, these powered speakers feature an integrated mixer, durable ABS plastic box, and high-quality treated cone woofers and titanium dome tweeters. **Features:** •XLR or ¼" microphone inputs •Unbalanced RCA or balanced XLR line level inputs •XLR or ¼" line out (for connection of multiple speakers to one source) •Microphone volume adjustment, line level volume adjustment, overall volume adjustment, bass level control and treble level control •1⅜" pole mountable •Heavy-duty integrated carrying handle **•Sold individually**

Order #	Size	Power output (RMS)	Frequency response	Dimensions (H) x (W) x (D)	MSRP	Reg.	VIP
555-11605	10"	80W	40Hz~20KHz	20.5" x 13.5" x 12.25"	$229.00	~~$149.00~~	$125.00
555-11606	12"	120W	30Hz~20KHz	24.5" x 17" x 13.4"	259.00	~~179.00~~	145.00
555-11607	15"	140W	20Hz~20KHz	27.5" x 19" x 15.4"	279.00	~~199.00~~	165.00

MCM CUSTOM AUDIO Two-Way PA/DJ Speaker Systems

These rugged carpeted speaker systems are ideal for DJ and stage situations where durability, high power capacity and solid sound performance are required on a tight budget. **Features:** •Piezo horn tweeters •Metal corner protectors •Recessed handles •1⅜" diameter pole mount •Metal grills •Heavy-duty MDF cabinets **Inputs:** ¼" input connections as well as binding posts **•Sold individually**

Order #	Woofer Size	Power capacity (peak)	Frequency Response	SPL	Dimensions (H) x (W) x (D)	MSRP	Reg.	VIP
555-10300	8"	300W	35Hz~20KHz	89dB	17.5" x 11.5" x 10"	$69.00	~~$29.95~~	$24.49
555-10305	10"	400W	30Hz~20KHz	90dB	20" x 15" x 12"	89.00	~~39.95~~	32.69
555-10310	12"	500W	25Hz~20KHz	91dB	23" x 15.5" x 14"	119.00	~~54.95~~	44.89
555-10315	15"	600W	20Hz~20KHz	92dB	25" x 18" x 16"	139.00	~~69.95~~	57.09

MCM CUSTOM AUDIO Two Way PA/DJ Floor Monitor Speakers

Floor monitor DJ and stage speakers provide versatility and solid sound performance on a tight budget. Angled cabinet places speaker at optimum position for near field monitoring, or stand on end for standard use. **Features:** •Piezo horn tweeters •ABS corner protectors •Recessed handles •Metal grills •Heavy-duty MDF cabinets **Inputs:** ¼" input connections as well as binding posts

Order #	Woofer Size	Power capacity (peak)	Frequency Response	SPL	Dimensions (H) x (W) x (D)	MSRP	Reg.	VIP
555-10330	10"	400W	30Hz~20KHz	90dB	13" x 23" x 14"	$99.00	~~$44.95~~	$36.79
555-10335	12"	500W	25Hz~20KHz	91dB	15" x 25" x 15.75"	119.00	~~54.95~~	44.89
555-10340	15"	600W	20Hz~20KHz	92dB	18.5" x 29.5" x 17"	138.00	~~69.95~~	57.09

MCM CUSTOM AUDIO Sound Reinforcement Subwoofers

Ideal for use in a larger scale venue, these subwoofer systems provide high SPL level and low frequency levels. **Features:** •Recessed handles •1⅜" diameter pole mount on top of cabinet •Metal grills •Heavy-duty MDF cabinet **Inputs:** ¼" input connection as well as binding posts **•Sold individually**

Order #	Size	Power capacity (peak)	Frequency Response	MSRP	Reg.	VIP
555-10317	12"	600W	25Hz~800Hz	$119.00	~~$44.99~~	$36.79
555-10320	15"	700W	20Hz~500Hz	129.00	~~59.95~~	48.99
555-10325	18"	1000W	20Hz~500Hz	159.00	~~99.99~~	81.69

MCM CUSTOM AUDIO Mid/High Frequency Cabinet

Featuring four piezo horn tweeters and a compression horn, this cabinet delivers outstanding midrange and high frequency response and is an ideal addition to any PA speaker system. **Specifications:** •Power capacity: 300W RMS, 600W peak •Frequency response: 1KHz~20KHz •SPL: 95dB (W/M) •Nominal impedance: 8ohm •Dimensions: 11" (H) x 17" (W) x 13.75" (D)

Order #	MSRP	Reg.	VIP
555-10350	$49.99	~~$29.99~~	$24.49

MCM CUSTOM AUDIO High Frequency Tweeter Array

Outstanding high frequency response, wide dispersion and very high immunity to burnout make this an ideal addition to any existing PA speaker system. Six-sided enclosure places six piezoelectric tweeters at five different angles for ultra wide dispersion. Because piezo tweeters have very high impedance at low frequencies, no crossover is required, and they may be connected directly in parallel with the existing speaker system. **Specifications:** •Power capacity: 100W RMS •Frequency response: 1KHz~16KHz •SPL: 89dB •Dimensions: 5.5" (H) x 19.5" (W) x 10" (D) **Inputs:** ¼" input connection as well as binding posts •Mfr. #PT04 **•Sold individually**

Order #	MSRP	Reg.	VIP
555-10345	$55.00	~~$14.95~~	$9.99

RATED

MCM CUSTOM AUDIO Four Output Headphone Amplifier

Perfect in small studio recording, education, home theater applications, or anywhere that multiple headphones must be driven. Single ¼" stereo input accepts signal from line level source or headphone jack. Four ¼" headphone outputs each have individual level controls. Includes AC adapter. Dimensions: 1⅛" (H) x 4½" (W) x 2⅞" (D).

Order #	MSRP	Reg.	VIP
555-8480	$59.95	~~$43.89~~	$34.99

RATED

MCM CUSTOM AUDIO Balanced/Unbalanced Line Level Convertor

Two-way, stereo convertor provides total flexibility when interfacing consumer and professional audio equipment. **Stereo Channel 1:** L/R balanced female XLR inputs to L/R unbalanced RCA female outputs. **Stereo Channel 2:** L/R unbalanced RCA female inputs to L/R balanced male XLR outputs. Each stereo channel has its own level adjustment to compensate for line level differences between pro and consumer gear. AC adapter included. Dimensions: 1¼" (H) x 5⅛" (W) x 3⅛" (D).

Order #	MSRP	Reg.	VIP
555-8485	$59.95	~~$43.89~~	$34.99

PYLE Compact PA System

✔*High efficiency full range speaker*
✔*300W peak power output*

Fully portable, self contained unit combines a powerful amplifier with four input mixer, an efficient full range speaker system, and a full function iPod® dock, all in a rugged transportable package. Unit may be powered via 120VAC, 12VDC or internal rechargeable battery. Top mounted handle enables easy carrying, retractable handle allows easy "luggage style" transport via built in casters. **Features:** •Included VHF wireless mic •Two wired mic inputs •Guitar/instrument input •Line level audio inputs •Each input is ¼" jack and has its own level control •Top mounted iPod® dock •Built-in adjustable echo •Front panel bass and treble controls •8" full range speaker in a ported enclosure •Pole mount for standard 1⅜" speaker stands **General:** •Battery life: Five hours approximate •Wireless mic range: 100' •Power output (per manufacturers rating): 250W/500W RMS/peak •Dimensions: 17" (H) x 10½" (W) x 10½" (D), including casters and handles •Weight: 25 lbs. •Mfr. #PWMA-330

Order #	Reg.	VIP
555-9915	~~$159.00~~	$135.65

PYLE Portable PA System

#555-9930 #555-9935

✔*Available with or without iPod® dock*
✔*High fidelity ported three-way speaker*
✔*800W peak power output*

Fully portable, self contained unit combines a powerful amplifier with four input mixer, an efficient three-way speaker system, and a full function iPod® dock, all in a rugged transportable package. Unit may be powered via 120VAC, 12VDC or internal rechargeable battery. Top mounted handle enables easy carrying, retractable handle allows easy "luggage style" transport via built-in casters. **Features:** •Included VHF wireless mic •Two wired mic inputs •Guitar/instrument input •Two line level audio inputs •Each input is ¼" jack and has its own level control •Top mounted iPod® dock •Built-in adjustable echo •Front panel bass and treble controls Pole mount for standard 1⅜" speaker stands **Speaker:** •Ported enclosure •10" woofer •4" midrange •1" soft dome tweeter **iPod® dock:** •Compatible with Classic and Nano •Provides charge function •Pushbutton control of play, pause, stop, next and previous track **General:** •Battery life: Five hours approximate •Wireless mic range: 100' •Power output (per manufacturers rating): 400W/800W RMS/peak •Dimensions: 25" (H) x 12" (W) x 11½" (D), including casters and handles •Weight: 38 lbs.

Order #	Model #	Description	Reg.	VIP
555-9930	PWMA-1050	Without iPod dock	~~$245.00~~	$229.00
555-9935	PWMA-1080I	With iPod dock	~~285.00~~	249.00

PYLE Compact PA System

✔*Built-in iPod® dock*
✔*High fidelity ported two-way speaker*
✔*500W peak power output*

Fully portable, self contained unit combines a powerful amplifier with four input mixer, an efficient full range speaker system, and a full function iPod® dock, all in a rugged transportable package. Unit may be powered via 120VAC, 12VDC or internal rechargeable battery. Top mounted handle enables easy carrying, retractable handle allows easy "luggage style" transport via built-in casters. **Features:** •Included VHF wireless mic •Two wired mic inputs •Guitar/instrument input •Line level audio inputs •Each input is ¼" jack and has its own level control •Top mounted iPod® dock •Built-in adjustable echo •Front panel bass and treble controls •Pole mount for standard 1⅜" speaker stands **iPod® dock:** •Compatible with Classic and Nano •Provides charge function pushbutton control of play, pause, stop, next and previous track **Speaker:** •8" woofer •1" soft dome tweeter •Ported enclosure **General:** •Battery life: Five hours approximate •Wireless mic range: 100' •Power output (per manufacturers rating): 250W/500W RMS/peak •Dimensions: 20" (H) x 10½" (W) x 10½" (D), including casters and handles •Weight: 26 lbs. •Mfr. #PWMA-860I

Order #	Reg.	VIP
555-9920	~~$234.00~~	$209.00

PYLE Compact PA System

✔*Built-in iPod® dock*
✔*High efficiency full range speaker*
✔*600W peak power output*

Fully portable, self contained unit combines a powerful amplifier with four input mixer, an efficient full range speaker system, and a full function iPod® dock, all in a rugged transportable package. Unit may be powered via 120VAC, 12VDC or internal rechargeable battery. Top mounted handle enables easy carrying, retractable handle allows easy "luggage style" transport via built-in casters. **Features:** •Included VHF wireless mic •Two wired mic inputs •Guitar/instrument input •Line level audio inputs •Each input is ¼" jack and has its own level control •Top mounted iPod® dock •Built-in adjustable echo •Front panel bass and treble controls •8" full range speaker in a ported enclosure •Pole mount for standard 1⅜" speaker stands **iPod® dock:** •Compatible with Classic and Nano •Provides charge function Pushbutton control of play, pause, stop, next and previous track **General:** •Battery life: Five hours approximate •Wireless mic range: 100' •Power output (per manufacturers rating): 300W/600W RMS/peak •Dimensions: 17" (H) x 10½" (W) x 10½" (D), including casters and handles •Weight: 26 lbs. •Mfr. #PWMA-930I

Order #	Reg.	VIP
555-9925	~~$193.00~~	$175.00

Stellar Labs™ Portable PA System with USB and Flash Reader

•Perfect for presentations, small music venues and lectures •Reads from USB drive or SD flash memory card •Four microphone inputs •Power output: 75W RMS x 2Ch •Overall dimensions: 28" x 15" x 11" (H x W x D) •**Note:** ¼" speaker cables required (not included)

Order #	MSRP	Reg.	VIP
555-11440	$349.99	~~$295.00~~	$219.00

#555-9710

MCM CUSTOM AUDIO Box Top Mixer Amplifiers

✔*USB/MP3 reader*
✔*100W RMS output*
✔*Five-band equalizer plus effects*

What sets these apart is the built-in USB port which accepts standard thumb drives, and directly reads MP3 and WMA audio files. **MP3 features:** •Backlit LCD display of file being played •Pushbutton control for play/pause, stop, repeat, track forward and reverse **Features:** •Bass, treble and reverb controls on each mic input •15V phantom power on all mic inputs •Master five band equalizer •L/R RCA style tape inputs with separate level control •Fixed L/R line level record output •Built-in echo effects •Rear panel effects send and returns **Specifications:** •Power output: 100W RMS •Mic inputs: ¼" unbalanced, XLR balanced •Speaker outputs: Dual (parallel) ¼", minimum impedance 4ohm total •Effects send and return: ¼" each •EQ controls: ±12dB at 60Hz, 250Hz, 800Hz, 2KHz and 8KHz

Order #	Mic Inputs	Dimensions (H) x (W) x (D)	MSRP	Reg.	VIP
555-9700	Four	8" x 15.5" x 12"	$199.00	~~$153.00~~	$99.99
555-9710	Six	8" x 17.5"x 12"	219.00	~~174.00~~	115.00
555-9720	Eight	8" x 20.25" x 12"	249.00	~~194.00~~	135.00

NEW!

Closed

BEHRINGER EUROPORT 150W Compact Portable PA System

This ultra-compact two 75W, 5-channel portable PA system can be folded up to look like a briefcase and is perfect for entertainment, multi-media presentations, and board meetings. **Features:** •24 bit stereo FX processor with 100 presets •Two mic preamps with phantom power for condenser microphones, one mic/instrument channel and one stereo channel with separate CD input •Seven band graphic EQ •**Includes:** Microphone, mic clip and cable •Compact speakers contain powerful 4" woofers and a 1" tweeter, 17mm stand insert suitable for use with standard microphone stand and come with 12' cables •Integrated storage compartment for microphone, cables, and accessories •Mfr. #EPA150

Order #	VIP
555-11095	$299.99

BEHRINGER EUROPORT 300W Compact Portable PA System

The EPA300 from BEHRINGER sets up in less than five minutes and delivers articulate, high fidelity performance. With its twin 150-Watt amplifiers and custom-designed, 2-way loudspeakers, the EPA300 can fill a small- to medium-sized room and project your voice for an incredible distance outdoors. **Features:** •Ultra-compact 300-Watt, 6-channel portable PA system •Extremely powerful 8" woofers and 1.35" compression drivers • 24-bit stereo FX processor •6-channel mixer section •2 mono and 2 stereo channels plus separate CD inputs •Two mic preamps with switchable +48 V phantom power •Stereo 5-band graphic EQ •Voice Canceller function removes singer's voice from recordings for karaoke applications •Includes: Microphone, mic clip and 20' cables •Integrated storage compartment

Order #	VIP
555-11100	$429.99

Professional Audio

Whatever your requirements,
MCM has the amplifier to meet your needs.

MCM CUSTOM AUDIO

Six Input PA Mixer Amplifiers

These amplifiers are suitable for background music and paging use in small, medium or large retail, commercial and industrial environments. Up to three microphones, and three additional line level sources may be simultaneously connected, with all six being mixed together into a single amplifier channel. **Features:** •Three ¼" microphone inputs •Three pairs of RCA style line level inputs •Compatible with 4ohm, 8ohm, 25V and 70V speaker systems •115VAC and 24VDC supply •RCA line level record output •Front panel master volume, bass and treble controls **Specifications:** •Power requirements: 115VAC or 24VDC •Dimensions: 3.5" (H) x 16.75" (W) x 10.8" (D)

Order #	Power Output	MSRP	Reg.	VIP
555-4925	60W RMS	$219.00	~~$183.00~~	$139.00
555-4935	120W RMS	269.00	~~234.00~~	169.00

PYLE PRO

100 Watt PA Mixer/Amplifier

✔*5 input mixer-amplifier*
✔*8ohm and 70V use*
✔*Shelf top or rack mount*

This rack mount professional public address amplifier provides 100W RMS output, into an 8ohm load. Internal five channel mixer accepts the following inputs: •(3) microphone •(1) microphone/phono switchable •(1) line level for CD, tape, tuner, etc. All microphone inputs accept XLR type or ¼" connections. Phono input is L/R RCA type phono jacks (combined mono), CD/aux input, EQ in/out and mixing bus are single RCA type phone jacks. **Other features include:** •Notch type feedback filter •Front panel master gain control •Lighted analog VU meter •LED clipping indicator •Rack mount chassis with handles •Heavy-duty aluminum heatsinks •Switchable 110/220V operation. Push type connections provide 4, 8 and 16ohm speaker output, plus 70V speaker line output for multiple speaker installations. Front panel dimensions: 19" (W) x 4" (H). Chassis dimensions: 16½" (W) x 3½" (H) x 10¾" (D). Mfr. #PT610.

Order #	Reg.	VIP
555-7050	~~$183.00~~	$169.00

PYRAMID®

200 Watt PA Amplifier

✔*5 input mixer-amplifier*
✔*8ohm and 70V use*
✔*Shelf top or rack mount*

Rack mount professional amplifier provides 100W RMS output, into an 8ohm load. Internal five channel mixer accepts the following inputs: •(3) microphone •(1) microphone/phono switchable •(1) line level for CD, tape, tuner, etc. All microphone inputs accept XLR type or ¼" connections. Phono input is L/R RCA type phono jacks (combined mono), CD/aux input, EQ in/out and mixing bus are single RCA type phone jacks. **Other features include:** •Notch type feedback filter •Front panel master gain control •Lighted analog VU meter •LED clipping indicator •Rack mount chassis with handles •Heavy-duty aluminum heatsinks •Switchable 110/220V operation. •Push type connections provide 4, 8 and 16ohm speaker output, plus 70V speaker line output for multiple speaker installations. **Front panel dimensions:** •19" (W) x 4" (H) **Chassis dimensions:** •16½" (W) x 3½" (H) x 10¾" (D) •Mfr. #PA-305

Order #	Reg.	VIP
555-3185	~~$177.00~~	$161.26

PYRAMID®

40 Watt PA Amplifier

✔*3 input mixer-amplifier*
✔*Ceramic/magnetic selectable phono input*
✔*8ohm and 70V use*

•Master three band equalizer •Rear panel phono/aux selector for line level, or magnetic phono level sources •Master level control •12 segment LED bar graph output meter **Specifications:** •Power output: 40W/120W RMS/max •THD: 1% •Frequency response: 80Hz~20KHz •Equalizer frequencies: 100Hz, 1KHz and 8KHz •Input sensitivity: 2.5mV (mic), 150mV (aux), 3.5mV (phono) •Power requirements: 120/240VAC, 50/50Hz •Dimensions: 3.3" (H) x 12.75" (W) x 8.9" (D)

Order #	Model #	Reg.	VIP
555-3188	PA205	~~$108.00~~	$94.99

BOGEN COMMUNICATIONS, INC.

Wall Mount FM Tuner

Economical wall mount FM radio/receiver is designed to provide background music over a PA system, or music-on-hold to a telephone system. Includes 1W and line-level outputs to facilitate compatibility with a variety of paging/telephone systems. Built–in speaker makes tuning easy. LED indicator illuminates when the signal is strongest, and AFC prevents signal drift. Tone and output volume controls are screwdriver adjustable. Screw terminals are provided for outputs, antenna and 24V power source. Also has attached telescopic antenna. **Specifications:** •Tuning range: 87.5~108.5MHz •Sensitivity: 8mV •Power requirements: 12VDC or 24VDC, 250mA •Dimensions: 5 15/16" (H) x 3⅜" (W) x 1½" (D)

Order #	Model #	Description	VIP
555-3630	FMR	FM tuner	$79.99
555-3645	PRS40C	Power supply	19.99

speco technologies

Compact 40 Watt PA Mixer Amplifier

Solid amplifier is ideal for applications in schools, houses of worship and other smaller sound distribution environments. Compact unit includes two ¼" mic inputs, and one ¼" line level AUX input, each with their own level control. Master bass and treble controls are provided for sound enhancement. •8Ω, 25V and 70V outputs •Dimensions: 3.3" (H) x 7.3" (W) x 8.7" (D) •Mfr. #P40A

Order #	Reg.	VIP
555-9520	~~$91.79~~	$79.99

speco technologies

PBM Series PA Amplifiers

Three channel mixer/amplifiers are available in 15W and 30W RMS configurations to suit a number of paging, background music and telephone interface requirements. Channel one accepts microphone input and provides VOX muting of the channel two aux/mic input. A third balanced input allows connection to a telephone system interface for phone paging. Separate music-on-hold output is provided, with its own independent output level control. Rear panel control allows paging level to be preset. Front panel controls include: •Power •Bass •Treble •Channel one level •Channel two level. Speaker outputs include 4/8/16ohm taps, plus 25V/70V line outputs for multiple speaker applications. Channel two aux input is two RCA type phono jacks (tied together internally). All other input/output connections are screw terminal. **Specifications:** •Frequency response: 50Hz~15KHz •THD: <1.0% •Input sensitivity/impedance: TEL: 100mV/600ohm, MIC-1/2: 1.0mV/600ohm, Aux: 200mV/50Kohm •Power requirement: 120VAC, 50/60Hz •Dimensions: 3.5" (H) x 10.7" (W) x 9.4" (D)

Order #	Mfr. #	Wattage	Reg.	VIP
555-6300	PBM-30	30W RMS	~~$178.00~~	$159.00
555-6310	PBM-15	15W RMS	~~155.00~~	136.29

PYRAMID®

Portable PA Amplifier

✔*3 input mixer-amplifier*
✔*Ceramic/magnetic selectable phono input*
✔*8ohm and 70V use*
✔*110VAC/120VDC operation*

Three channel mixer/amplifier accepts two mic and one auxiliary/phono input, provides 80W max output and will drive 4/8/16ohm and 70V loads. **Features:** •Rear panel phono/aux selector for line level, or magnetic phono level sources •Master level control •Master tone control •12 segment LED bar graph output meter **Specifications:** •Power output: 20W/80W RMS/max •THD: 1% •Frequency response: 80Hz~20KHz •Input sensitivity: 2.5mV (mic), 150mV (aux), 3.5mV (phono) •Power requirements: 120/240VAC, 50/50Hz or 12VDC @ 4A •Dimensions: 3.3" (H) x 12.75" (W) x 8.9" (D)

Order #	Model #	Reg.	VIP
555-3187	PA105	~~$86.69~~	$74.99

BOGEN COMMUNICATIONS, INC. Classic Series Compact Amplifiers

- ✔2 input mixer-amplifiers
- ✔VOX and contact muting
- ✔Front panel treble control

Compact rugged PA amplifiers are perfect for small paging and background music applications. Units provide outputs for conventional 4/8/16ohm speakers, as well as distributed 25V and 70V systems. **Features:** •Lo–Z balanced MIC-1 input •Switchable MIC-2/Aux input •Transformer isolated 600ohm telephone input •Front panel controls for MIC-1, MIC-2 and treble level •Discrete complimentary output transistors for reliability •Dimensions: 2⅞" (H) x 11⅞" (W) x 7⅞" (D)

Order #	Model #	Power Output	Reg.	VIP
80-1310	C10	10W RMS	~~$155.00~~	$139.00
80-1315	C20	20W RMS	~~205.00~~	189.00

BOGEN COMMUNICATIONS, INC. Classic Series Amplifiers

- ✔4 input mixer-amplifiers
- ✔VOX and contact muting
- ✔Bass and treble controls

This rugged PA amplifier series is perfect for paging and background music applications in public areas including offices and retail space. Units provide outputs for conventional 4/8/16ohm speakers, as well as distributed 25V and 70V systems. **Features:** •Lo–Z balanced MIC input •Hi–Z AUX input •Telephone input •Switchable MIC/Aux input •Transformer isolated 600ohm telephone input •Line level output for recording or external booster amplifier •Front panel controls for MIC-1, AUX/MIC-2, AUX, bass and treble level •Discrete complimentary output transistors for reliability **Specifications:** •THD (4ohm output): <0.5% at rated power •THD (others): <1% at rated power •Frequency response (4ohm output): 20Hz~20KHz •Frequency response (others): 70Hz~16KHz •Output connections: Screw terminal •Input connections: Screw terminal, RCA female for AUX •Dimensions: 3¾" (H) x 14½" (W) x 11" (D)

Order #	Model #	Power Output	Reg.	VIP
80-1320	C35	35W RMS	~~$285.00~~	$249.00
80-1325	C60	60W RMS	~~369.00~~	329.00
80-1330	C100	100W RMS	~~429.00~~	399.00

BG TOA Series Compact Mixer/Amplifiers

UL c UL 5 YEAR LIMITED WARRANTY

This series is ideal for small scale paging, music distribution and message–on–hold (MOH) applications. Each model includes one paging input for microphone or telephone, and two auxiliary inputs for music or other line level sources. Mute function operates automatically or may be switched manually, and allows the mic/telephone input to override the aux input, without affecting the MOH output. Aux input sensitivity is adjustable from line level to 1W @ 8ohm, allowing compatibility with a variety of telephone paging outputs and existing sound sources. Optional rack mount hardware allow single, or two side–by–side units to be mounted in standard 19" rack. •UL and cUL listed •Five year limited warranty

Order #	Mfr. #	Power Output	Reg.	VIP
555-8135	BG–235	35W RMS	~~$159.00~~	$139.00
555-8140	BG–130	30W RMS	~~179.00~~	159.00
555-8141	MB–25B–BK	Single rack kit	~~17.99~~	17.99
555-8142	MB–25B–J	Double rack kit	~~19.49~~	19.49

Single Input Power Amplifier

Perfect when a background music system does not require additional functionality of paging inputs or muting. It is also perfect when zones need to be added to an existing system. This single input amplifier accepts either balanced or unbalanced line level inputs and provides 100V, 70V and 4ohm speaker output. **Features:** •Screw terminal balanced inputs •L/R RCA unbalanced inputs (summed mono) •Switchable loudness contour •Power, peak and signal LED indicators **Specifications:** •Power output: 60W RMS •THD 0.5% at rated power •Dimensions: 3.66" (H) x 8.27" (W) x 14" (D)

Order #	Model	VIP
555-9260	PA601	$199.00
555-9265	Rack mount kit	21.65

Strategy Series 35 Watt Mixer/Amplifier

Compact amplifier is designed for distributed business paging and background music systems, small to medium speech privacy systems. A dip switch selectable matrix allows the creation of a zone to mix from any or all of the input sources for music or messaging on hold (MOW) applications. 25V, 70V and 8ohm speaker outputs are provided to accommodate a variety of distributed systems. **Input #1:** •Balanced screw terminals •Selectable mic, line or telephone level •Switchable phantom power **Input #2:** •L/R RCA female (summed mono) line level **Input #3:** •L/R RCA female (summed mono) line level **Features:** •Front panel bass and treble controls •Vox mute with adjustable sensitivity •N/O contact mute •1W/8ohm and 600ohm MOH outputs with adjustable level •Switchable 400Hz high pass filter for use with paging horns •Power, peak and signal LED indicators **Specifications:** •Power output: 35W RMS •THD 0.5% at rated power •Dimensions: 3.66" (H) x 8.27" (W) x 10.87" (D)

Order	Model	VIP
555-9230	AA35	$143.38
Optional Accessories		
555-9235	600ohm input isolation transformer	25.16
555-9268	Volume control security cover	2.93
555-9265	Rack mount kit	21.65

Strategy Series Mixer/Amplifiers

These AA120 and AA240 amplifiers were engineered with unique features to assist the contractor in today's commercial business audio environment. Six-input units feature extensive muting and output options along with a very unique bridge in/out feature to allow combining of multiple amplifiers. VCA input allows remote level adjustment of either the BGM input or the entire amplifier. **Input #1:** •Balanced screw terminals •Selectable mic, line or telephone level •Switchable phantom power **Input #2~5:** •Balanced screw terminals •Selectable mic or line level •Switchable phantom power **Input #6:** •L/R RCA female (summed mono) line level **Features:** •Front panel bass and treble controls •VOX mute with adjustable sensitivity •N/O contact mute •1W/8ohm and 600ohm MOH outputs with adjustable level •Power, peak and signal LED indicators **Specifications:** •THD 0.5% at rated power •Dimensions: 4.22" (H) x 16.54" (W) x 14.02" (D)

Order	Model	Output Power	VIP
555-9240	AA120	120W RMS	$369.00
555-9250	AA240	240W RMS	539.00
Optional Accessories			
555-9235	600ohm input isolation transformer		25.16
555-9255	Rack mount kit		18.15
555-9268	Volume control security cover		2.93
555-9266	Remote volume control (white)		18.15

#555-9245

Strategy Series Mixer/Amplifiers

This AA120M amplifier is identical to the popular AA120 model from Atlas Sound, with the addition of a module bay for a selection of three input modules, listed below. This allows a single amplifier model to be configured with exactly the features needed for a particular installation. All other optional accessories for the AA120 are compatible with the AA120M. Complete information on various input modules and accessories may be found on MCMelectronics.com.

Order	Model	Description	VIP
555-9245	AA120M	120W RMS output power	$399.00
Modules			
555-9246	AA-ML	Mic/line input	46.82
555-9247	AA-TG	Three tone chime generator	42.72
555-9248	AA-SMG	Sound masking generator	69.95
Optional Accessories			
555-9235		600ohm input isolation transformer	25.16
555-9255		Rack mount kit	18.15
555-9268		Volume control security cover	2.93
555-9266		Remote volume control (white)	18.15

BG-M Series Mixer/Amplifiers

TOA

- ✔5 input mixer-amplifiers
- ✔Automatic VOX muting
- ✔Accepts 900 Series TOA modules

5 YEAR LIMITED WARRANTY

Five input channels include microphone and telephone paging, program and auxiliary music inputs plus a flexible module slot, which is compatible with industry standard 900 Series modules. Outputs include 25V, 70V and 4ohm speaker connections, line level, music–on–hold (MOH), and a 1W output for driving separate 8ohm speaker zone.

Order #	Mfr. #	Power Output	Reg.	VIP
555-8125	BG–1060	60W RMS	~~$349.00~~	$329.00

Professional Audio

Pump up the volume with products from MCM.



Speaker Line Matching Transformers

Line transformers adapt conventional 8ohm speakers for use with multi speaker commercial systems. High efficiency design provides insertion loss of less than 0.6dB, with frequency range of 50Hz~15KHz. A single unit is compatible with both 70.7V and 25V systems, for greater flexibility, and models are available with 10W and 30W RMS capacity. Secondary impedance is 8ohm. **Primary taps:** •10W model: 0.63W, 1.25W, 2.5W, 5W and 10W •30W model: 5W, 10W, 15W, 20W and 30W

Order #	Capacity	Reg.	VIP
555-7120	10W RMS	~~$4.79~~	$3.63
555-7125	30W RMS	~~14.29~~	9.87

MCM CUSTOM AUDIO

In–Wall 70V Volume Controls

11-position rotary monaural control provides local volume adjustment in multi speaker applications, where speakers utilize 70V line transformers. **Features:** •Terminal strip accepts up to 14AWG wire •Mounts in a single gang box or low voltage bracket •Variety of power capacities suit a wide range if installations **Specifications:** •Frequency response: 35Hz~20KHz •Attenuation: -34~0dB, in ten steps •Full counterclockwise position is off

Order #	Power Capacity	Color	Reg.	VIP
Standard Plate				
555-138	10W	Stainless	~~$18.39~~	$13.39
555-140	35W	Stainless	~~20.39~~	15.09
555-144	100W	Stainless	~~25.49~~	18.19
Decora Style				
555-0200	35W	White	~~20.39~~	14.39
555-0201	35W	Ivory	~~20.39~~	14.39
555-0202	35W	Almond	~~20.39~~	14.39

speco technologies

Ceiling Tile Speaker

This speaker/baffle combination is designed to install quickly and easily in standard drop ceilings. It will drop directly into standard 2' x 2' ceiling grids, plus a 2' crossbar rail is included for installation in 2' x 4' grids. Smooth–vent façade blends seamlessly with any commercial drop ceiling environment. **Features:** •8" poly cone woofer with rubber surround •¼" mylar dome tweeter •8ohm/25V/70V compatibility •Rotary transformer tap selector •Easy push terminal connection **Specifications:** •Power capacity: 30W/60W RMS/peak •Frequency response: 50Hz~20KHz •Sensitivity: 90dB (W/M) •Transformer settings: 1.25W, 2.5W, 5W, 10W, 20W and 8ohm •Dimensions: 23¼" x 23¼" x 6" •Weight: 7.1lbs. •Mfr. #SP-CT8/T **•Sold individually**

Order #	Reg.	VIP
555-5615	~~$89.79~~	$75.42

Compact 70 Volt Speaker Line Transformer

Adapts conventional 8ohm speaker for use with commercial 70V distributed systems. High efficiency design provides very low insertion loss and frequency response of 50Hz~15KHz. Small 2W size is ideal when power requirements are low and space is limited. •Primary taps: 1W, 2W •Output: 8ohm •Dimensions: 1" (H) x 1¼" (W) x 1" (D) •Mounting holes: 1½" centers

Order #	Reg.	VIP
555-7117	~~$3.39~~	$2.50



100 Watt Speaker Matching Transformer

Single coil autoformer allows high power matching of 8ohm or 16ohm speakers to 70V or 100V distributed commercial systems. It may also be used to convert 8ohm speakers to 16ohm, allowing larger numbers of speakers to be used in a conventional 8ohm installation. Wide frequency response makes this ideal in situations where sonic quality is critical. Color-coded 22AWG connections are 12" in length. **Specifications:** •Power capacity: 100W RMS •Frequency response: 35Hz~19KHz (±1dB) •Taps (ohms): 8, 16, 50, 100, 200, 400, 800, 1600, 3200 •Taps (70V): 100W, 50W, 25W, 12.5W, 6.25W, 3.13W, 1.56W •Taps (100V): 100W, 50W, 25W, 12.5W, 6.25W, 3.13W •Dimensions: 2.80" (H) x 2.31" (W) x 1.15" (D) •Weight: 1.7 lbs.

Order #	Reg.	VIP
555-7127	~~$39.99~~	$29.99

BOGEN COMMUNICATIONS, INC.

Desktop Paging Microphone

Rugged desktop microphone is designed for all commercial public address and paging applications. Its molded Cycolac® housing stands up to demanding industrial environments. **Features:** •Omnidirectional pick-up pattern •Locking push–to–talk or lift–to–talk operation •Attached 7' four conductor cable •Switchable hi/lo impedance **Specifications:** •Element type: Dynamic •Impedance: 400ohm/12Kohm selectable •Frequency response: 50Hz~12KHz •Sensitivity: -72dB •Dimensions: 9⅜" (H) x 4⅜" (W) 5⅞" (D) •Finish: Matte black

Order #	Mfr. #	Reg.	VIP
80-1345	MBS1000	~~$152.00~~	$149.00



MCM CUSTOM AUDIO

Compact On-Wall Speaker System

Single piece speaker is perfect for general purpose paging and background use. Open back enclosure simply hangs on the wall surface, much like a picture. No holes in the wall are needed other than to route the speaker wire. Lightweight construction enable unit to be supported by commonly available drywall anchors. **Features:** •Dual cone speaker for enhanced high frequency response •70V transformer for use with distributed systems •Speaker is easily bypassed for conventional 8ohm use •Screw terminal strip accepts up to 16AWG wire **Specifications:** •Power capacity: 10W/20W RMS/peak •Frequency response: 80Hz~20KHz •SPL: 88dB (W/M) •Transformer taps: 1.5W, 3W, 6W •Dimensions: 11" (H) x 8⅛" (W) x 3½" **•Sold individually**

Order #	MSRP	Reg.	VIP
555-8575	$29.95	~~$20.39~~	$12.48

ASTATIC

Omnidirectional Desk Microphone

Dynamic microphone provides modern styling and features in a rugged Cycolac housing for all industrial and commercial public address and paging applications. Very smooth frequency response includes a slight rise above 2KHz for improved speech intelligibility. Long life DPDT leaf switch provides choice of push-to-talk (with lock capability) or lift to talk operation. It is manufactured to take normal abuse and retain its performance over a long life. **Features:** •Molded non skid feet •Rugged die-cast base •Attached 7' cable •Selectable high or low impedance operation **Specifications:** •Frequency response: 50Hz~12KHz •Impedance: 40Kohm (high), 400ohm (low) •Dimensions: 9⅜" (H) x 4⅜" (W) x 5⅞" (D) •Attached 4' cable is unterminated, with stripped and tinned leads •May be wired for NO or NC triggering •Mfr. #878HL-2

Order #	Reg.	VIP
35-2525	~~$81.59~~	$69.99

ASTATIC

Dynamic Hand Held Microphone

Omnidirectional dynamic microphone is especially tailored for voice communications, providing crisp, clear, highly intelligible sound. Modern tear–drop styling offers extreme reliability, convenient handling, rugged construction and high performance for years of dependable service. Polyester diaphragm resists moisture and temperature extremes, most acids, alkalis and solvents. **Features:** •Permanently attached, heavy-duty, four conductor, two shielded, coil cord •DPDT long life switch •Low impedance output •Factory wired NO •May be rewired in the field for line shorting **Specifications:** •Frequency response: 100Hz~7.5KHz •Impedance: 400ohm (compatible with 150~1Kohm) •Attached coiled cable is unterminated, with stripped and tinned leads •Mfr. #611L

Order #	Reg.	VIP
35-2530	~~$35.69~~	$29.99

ASTATIC

Gooseneck Microphone with Push–to–Talk

This omnidirectional microphone is the gold standard for fast food restaurants, drive-in banks, supermarkets, restaurants, paging and dispatching stations or any other application where a fixed mount is required. Extremely rugged and reliable construction will stand up under the most strenuous handling conditions. Smooth wide frequency response, with slight boost at 2000Hz provides natural, crisp, highly intelligible sound. **Features:** •Side mounted, sealed push–button NO DPST switch •19" gooseneck with attached mounting flange •Rugged 7' synthetic jacketed four conductor shielded cable •Chrome plated screen and black cycolac cap and housing **Specifications:** •Frequency response: 50Hz~13KHz •Impedance: 400ohm (compatible with 150~600ohm) •Attached coiled cable is unterminated, with stripped and tinned leads •Mfr. #AMC-105SNO-19

Order #	Reg.	VIP
35-2535	~~$61.19~~	$49.99

8" Weatherproof Aluminum PA Horn

Ideal for commercial paging and general public address applications in indoor or outdoor situations, these rugged aluminum horn assemblies include heavy-duty mounting brackets and front rubber gaskets. Multiple screw connections provide access to available 70V taps, and separate input leads are provided for 8ohm use, allowing compatibility with standard and large multi speaker systems. Both models are dark gray color. **Specifications:** •Power capacity: 15W/30W RMS/peak •Frequency response: 250Hz~15KHz •Dimensions: 8¼" (dia.) x 11" (D) •70V taps: 5W, 7.5W, 10W and 15W

Order #	Reg.	VIP
555-6570	~~$39.79~~	$28.04

5" Aluminum Weatherproof PA Horn

Ideal for paging and general public address situations, including automotive applications. Aluminum horn assembly and weatherproof construction ensure long term reliability. Mounting bracket included. **Specifications:** •Power capacity: 10W/20W RMS/peak •Frequency response: 400Hz~7KHz •Dimensions: 5" (dia.) x 5" (L) •Impedance: 8ohm •Color: Black •Call for larger quantity pricing

Order #	Reg.	VIP
555-6566	~~$9.69~~	$6.44

Weather Resistant PA Horns

Weather resistant, double re-entrant loudspeakers are available in 15W and 30W versions for medium and high–powered sound distribution. They are perfect in any paging application in warehouses, outdoor lots, and public facilities. Screwdriver tap adjustment allows easy selection of multiple taps on the built–in 25V/70.7V/100V transformer, allowing compatibility with all multi speaker and signaling applications. Included bracket allows easy vertical or horizontal mounting to I-beams and pillars. Rugged metal housing is finished in baked epoxy gray finish. **Specifications #555-6635:** •Power capacity: 15W program •Frequency response: 400Hz~14KHz •Sensitivity: 106dB (1W/1M) •Dimensions: 8¾" (H) x 7⅞" (W) x 9⅜" (D) •Transformer taps: 1W, 2W, 3.8W, 7.5W and 15W **#555-6636:** •Power capacity: 30W program •Frequency response: 300Hz~12KHz •Sensitivity: 109dB (1W/1M) •Dimensions: 10" (H) x 10" (W) x 10½" (D) •Transformer taps: 2W, 3.8W, 7.5W, 15W and 30W

Order #	Mfr. #	Size	Reg.	VIP
555-6635	AP15T	7"	~~$82.50~~	$75.11
555-6636	AP30T	10"	~~109.50~~	93.05

Universal Horn Drivers

Compatible with standard 1⅜" x 18 TPI threaded horns, these universal drivers are ideal for all sound reinforcement and PA applications. Available in 50W and 100W versions, with or without an integral 70V transformer, a model is available to suit most needs. Non transformer models are 16ohm. Measures 6" (dia.) x 7" (H).

Order #	Power Capacity	Frequency Response	Sensitivity	Reg.	VIP
555-8905	50W	280Hz~5KHz	110dB	~~$40.79~~	$34.07
555-6426	100W	300Hz~6KHz	113dB	~~31.69~~	22.84
555-8910	100W	300Hz~6KHz	113dB	~~45.89~~	37.72

CS-304U Constant Directivity TOA Paging Horn

Perfect for music or voice paging, this compact speaker provides excellent sound reproduction when compared to conventional paging horns. **Features:** •4.72" diameter full range moisture resistant speaker component •Cable strain relief •Meets UL 1480 (UEAY for outdoor use) •IEC IP-64 standards compliant for dust and moisture resistance •Wide temperature range from -4°F~131°F •Includes stainless steel mounting bracket **Specifications:** •Power capacity: 30W RMS •Frequency response: 120Hz~15KHz •Sensitivity: 98dB (W/M) •70V transformer taps: 30W, 15W, 10W and 5W •Dispersion: Constant directivity, 100° (H) x 85° (V) •Dimensions: 14.40" (W) x 9.06" (H) x 10.71" (D) •Mfr. #CS-304U

Order #	Reg.	VIP
555-8355	~~$109.56~~	$98.62

Weatherproof Horn

Weatherproof horn complete with all purpose mounting bracket. Impedance selector for 25V or 70V line, 15W. Dimensions: 9" (dia) x 9¼" (D). Weight: 4.5 lbs. Mfr. #SPT15A.

Order #	VIP
80-1335	$85.63

Weather Proof 25/70V PA Horn

Perfect for signaling and paging, this high efficiency horn features 250Hz~16KHz frequency response, 30W/60W nominal/max power capacity, and 120dB/4V/1M sensitivity. Compatible with 25V or 70V line input, built-in rotary switch selects the following transformer taps: •70V: 1W, 3W, 5W, 10W, 15W and 30W •25V: 0.1W, 0.4W, 0.6W, 1.3W, 1.9W, 3.7W, 10W, 15W and 30W. **Note:** Not for 8ohm use. Dimensions: 8" (H) x 11" (W) x 10¼" (D).

Order #	Reg.	VIP
555-6305	~~$61.19~~	$53.06

15" x 9" Aluminum Weatherproof Projection Horn

Used with universal horn drivers. **Specifications:** •Depth: 20.25" •Dispersion: 120° x 60° •Low end cutoff: 250Hz

Order #	Reg.	VIP
555-1020	~~$59.99~~	$49.99

20" Aluminum Weatherproof Projection Horn

Used with universal horn drivers. **Specifications:** •Diameter: 20" •Depth: 20.25" •Dispersion: 80° •Low end cutoff: 250Hz

Order #	Reg.	VIP
555-1015	~~$62.99~~	$49.95

Weatherproof 6½" x 11" PA Horn

Ideal for commercial paging and general public address applications in indoor or outdoor situations. Large ABS rectangular horn includes all mounting hardware, plus the front mounting flange for flush wall installation. Rear rotary switch selects multiple 25V/70V wattage taps, and separate input leads are provided for 8ohm use, allowing compatibility with standard and large multi speaker systems. **Specifications:** •Power capacity: 30W/50W RMS/peak •Frequency response: 250Hz~15KHz •Sensitivity 120dB •Dimensions: 6⅞" (H) x 11" (W) x 9½" (D) •25V taps: 1W, 2W, 8W and 16W •70V taps: 2W, 4W, 8W, 16W and 32W •Color: White •Call for larger quantity pricing

Order #	Reg.	VIP
555-6565	~~$40.79~~	$26.63

8" x 5" Paging Horn

•Low profile design for easy installation in tight areas •Weather-resistant •Swivel type mounting bracket •300Hz~5KHz response •30W power handling •8ohm

Order #	Reg.	VIP
55-240	~~$16.39~~	$11.85

Weatherproof 8" Aluminum PA Horn

Ideal for commercial paging and general public address applications indoor or outdoors, this rugged aluminum horn features increased power capacity and a fully adjustable mounting base. Roatary switch provide access to available 70V and 25V taps, and a bypass switch allows 8ohm use. **Specifications:** •Power capacity: 32W/60W RMS/peak •Frequency response: 350Hz~14KHz •Dimensions: 8" (dia.) x 10" (D) •70V taps: 2W, 4W, 8W, 16W and 32W •25V taps: 2W, 4W, 7.5W and 15W

Order #	Reg.	VIP
555-6575	~~$54.09~~	$39.48

Professional Audio

MCM is the leader in background music and paging speakers.



MCM CUSTOM AUDIO
Drop Ceiling Speaker/Baffle Combination

MCM has taken the most popular ceiling speaker features, and put them together in a single, pre-assembled package, thus saving the installation time and money. Increased magnet size and power capacity, combined with six transformer taps from ⅛W to 10W, enables one package to work in a wide variety of applications. **Features:** •8" dual cone full range speaker •10 oz. magnet •8ohm impedance (with transformer bypassed) •White ceiling baffle •T-bar support **Specifications:** •Power capacity: 10W/20W RMS/program •Frequency response: 50Hz~16.5KHz •Voice coil diameter: 1" •Sensitivity: 86dB (W/M) •Transformer taps: 0.325W, 0.625W, 1.25W, 2.5W, 5W and 10W

Order #	MSRP	Reg.	VIP
555-9018	$49.95	~~$30.59~~	$24.95

MCM CUSTOM AUDIO
6½" Ceiling/In-Wall Speaker System

- ✔ *Efficient 6½" dual cone design*
- ✔ *8ohm or 70V compatible*
- ✔ *Suitable for ceiling or wall mount*
- ✔ *Open back design*

Perfect for background music and paging in office facilities, waiting rooms, restaurants and similar environments, this square frame speaker is suitable for in-wall and ceiling use. Full-range, dual cone speaker is 8ohm and includes a 70V transformer for multi-speaker installations. White ABS frame includes perforated steel grill and rotating mounting clips, which allow direct attachment to existing drywall or ceiling board, without the need for additional hardware. **Specifications:** •Power capacity: 30W •Frequency response: 90Hz~18KHz •Sensitivity: 89dB •Impedance: 8ohm •Transformer taps: 5W, 10W, 20W and 30W **Dimensions:** •Overall frame dimensions: 8.67" x 8.67" •Required cutout: 7.25" x 7.25" •Mounting depth: 3.25" •**Sold individually**

Order #	MSRP	Reg.	VIP
555-8570	$29.92	~~$18.39~~	$14.99

Ceiling Speaker

- ✔ *Efficient 8" dual cone design*
- ✔ *Open back design*
- ✔ *Built-in volume control*
- ✔ *For use with 70V systems*

Perfect for background music and paging in office facilities, waiting rooms, restaurants and other public areas. **Specifications:** •Power capacity: 10W/15W RMS/peak •Frequency response: 50Hz~16.5KHz •Impedance 8ohm •Magnet: 10 oz. ceramic •Voice coil: 1" •Transformer taps: 0.63W, 1.25W, 2.5W, 5W and 10W

Order #	Reg.	VIP
55-500A	~~$30.59~~	$23.41

Ceiling and Wall Grill for 8" Speakers

•Hardware included •White

Order #	Reg.	VIP
50-150	~~$7.19~~	$4.99

MCM CUSTOM AUDIO
Enclosed 8" Two-Way Ceiling Speaker

Versatile ceiling speaker is uniquely compatible in high fidelity and commercial sound applications. Two-way coaxial design provides wide frequency response, and a multi-tap transformer allows compatibility with both 8ohm and 70V commercial systems. Fully enclosed, attached metal back-box ensures uniform sound quality, regardless of mounting location, while protecting the speaker from insulation debris and temperature extremes. Rotating mounting clips allow fast installation in to ceiling tile and drywall with no additional hardware. Optional T-bar supports provide necessary weight loading in drop ceilings. **Specifications:** •Woofer: 8" poly cone with butyl rubber surround •Tweeter: 1" dome •Power capacity: 60W/120W RMS/peak •Frequency response: 47Hz~20KHz •SPL: 92dB (W/M) •Transformer taps: 8ohm, 5W, 10W, 20W, 30W, 40W (rotary switch) •Overall frame diameter: 10¾" •Required cutout: 9¼" •Mounting depth: 8" •**Sold individually**

Order #	MSRP	Reg.	VIP
555-9110	$119.95	~~$71.39~~	$54.88

MCM CUSTOM AUDIO
Two–Way Drop–Ceiling Speaker

Ideal for background music and paging applications in large scale commercial and office environments, this high-quality two-way speaker even provides performance suitable foreground music use. Ceiling tile design allows fast and easy installation. Just make one simple cut to the ceiling tile and drop into place. **Features:** •8" treated cone woofer with foam surround •¾" silk dome tweeter •One piece assembly for perfect integration into 2' x 4' and 2' x 2' tile ceilings •1' x 2' finely perforated grill covers entire speaker front •Integral tile support rail •Fully enclosed, industrial grade steel construction, suitable for plenum use •Integral electrical box with cover •Seismic attachment point •70V/100V transformer with 8ohm bypass position **Specifications:** •Frequency response: 55Hz~20KHz •SPL: 92dB (W/M) •Magnet weight: 10 oz. •Transformer taps: 0.9W, 1.9W, 3.8W, 7.5W and 15W •Dimensions: 4¾" (H) x 12⅞" (W) x 23¾" (D) •**Sold individually**

Order #	MSRP	Reg.	VIP
555-9120	$119.00	~~$71.39~~	$51.99

MCM CUSTOM AUDIO
8" Heavy-Duty Two–Way Speaker

•Power capacity: 30W/60W RMS/peak •Frequency response: 40Hz~20KHz •Magnet weight: 17.7 oz. •Treated cloth surround •Tweeter size: 2" •Voice coil diameter: 1.25" •Sensitivity: 88dB •Optional transformer: 30W •Transformer taps: 10W, 15W, 20W and 30W •**Note:** #555-6391 includes a large backplate mounted transformer which requires additional mounting space. Overall depth: 5⅜"

Order #	Transformer	MSRP	Reg.	VIP
555-6390	No	$31.58	~~$19.39~~	$14.17
555-6391	Yes	44.92	~~27.59~~	21.80

BOGEN COMMUNICATIONS, INC. 8" Speaker Enclosure

Protective steel enclosure for 8" speakers with mounting ring attached. Ring: 12¼" (dia.) Enclosure: 9⅝" (dia.) x 4" (D). Weight: 2 lbs. Mfr. #RE84.

Order #	VIP
80-1340	$12.59

MCM CUSTOM AUDIO
Enclosed 6½" Two-Way Ceiling Speaker

Versatile ceiling speaker is uniquely compatible in high fidelity and commercial sound applications. Two-way coaxial design provides wide frequency response, and a multi-tap transformer allows compatibility with both 8ohm and 70V commercial systems. Fully enclosed, attached metal back-box ensures uniform sound quality, regardless of mounting location, while protecting the speaker from insulation debris and temperature extremes. Rotating mounting clips allow fast installation in to ceiling tile and drywall with no additional hardware. **Optional accessories:** •Pre-construction brackets greatly ease installation in drywall ceilings in new-work environments •T-bar supports provide necessary weight loading in drop ceilings. **Specifications:** •Woofer: 6½" poly cone with foam surround •Tweeter: ¾" mylar dome •Power capacity: 50W/100W RMS/peak •Frequency response: 50Hz~20KHz •SPL: 90dB (W/M) •Transformer taps: 8ohm, 1W, 2W, 4W, 7.5W, 15W (rotary switch) •Overall frame diameter: 8" •Required cutout: 7" •Mounting depth: 4¾" **Note:** •Speakers and T-bar support sold individually •Pre-construction brackets sold in pairs

Order #	MSRP	Reg.	VIP
555-9100	$99.95	~~$61.19~~	$46.78

MCM CUSTOM AUDIO
8" Two-Way Speakers

•Power capacity: 10W/20W RMS/peak •Frequency response: 50Hz~20KHz •Magnet weight: 10 oz. •Tweeter size: 2" •Voice coil diameter: 1" •Sensitivity: 86dB •Transformer taps: 0.63W, 1.25W, 5W and 10W •Transformer

Order #	MSRP	Reg.	VIP
555-6386	$31.58	~~$19.39~~	$14.17

MCM CUSTOM AUDIO
8" Dual Cone Speaker

•Power capacity: 10W/20W RMS/peak •Frequency response: 50Hz~16.5KHz •Magnet weight: 10 oz. •Voice coil diameter: 1" •Sensitivity: 86dB •Optional transformer: 10W •Transformer taps: 0.63W, 1.25W, 5W and 10W •Transformer: Yes

Order #	MSRP	Reg.	VIP
555-6381	$24.65	~~$16.39~~	$13.79



MCM CUSTOM AUDIO
Drop Ceiling Support for Ceiling Speakers

Ceiling support is designed specifically for use with commercial paging and background music speakers when installed in drop ceilings. It places the weight load on the T-bar ceiling grid, instead of the ceiling tile, preventing tiles from sagging over time. It is compatible with virtually all 8" diameter full range and coaxial speakers when used with the MCM #50-150 or similar ceiling baffles. •Overall dimensions: 23¼" x 14½" •**Sold individually**

Order #	MSRP	Reg.	VIP
555-9021	$12.95	~~$10.19~~	$7.00

CAD Large Diaphragm Condenser Microphone

The GXL2200 is inspired cosmetically, mechanically, and electrically by early generations of European masters. It provides superior performance in applications including studio vocals, voice–over, choir, acoustic instrument, strings, piano and percussion. Features include an internal hi-pass filter, elastic shock mount and protective pouch are included. 48Vphantom power is required. **Specifications:** Operating principle: Externally–biased condenser •Polar pattern: Cardioid •Frequency response: 30Hz~20KHz •Sensitivity: -36dBV (16mV) @ 1 Pa •Impedance: 75ohm •Max SPL: 130dB, 1% THD •Self noise: 20dBA •Power requirements: 48V, 3mA •Mfr. #GXL2200

Order #	Reg.	VIP
35-2310	~~$81.59~~	$69.95

CAD Cardioid Condenser Hanging Microphone

Superior low noise microphones provide wide, flat frequency response with unsurpassed naturally transparent sound quality. Cardioid pick-up pattern minimizes feedback while reducing pick-up of unwanted off axis sounds. **Features:** •Electronics externally located in the male XLR connector housing •Includes 30' cable •CM100 is finished in durable black urethane paint •CM100W is finished in a durable white urethane paint with a flexible PVC covering over the gooseneck **Specifications:** •Frequency response: 40Hz~20KHz •Impedance: 500ohm •Self noise: 30dBA •Max SPL: 130dB •Phantom power requirements: 9~52VDC •Mfr. #CM100

Order #	Color	Reg.	VIP
35-2440	Black	~~$91.79~~	$79.99
35-2450	White	~~129.00~~	99.99

CAD Pop Filter

Eliminates vocal "pops" that can be problematic in the studio, especially with large diaphragm microphones. Includes attached 15" gooseneck and stand clamp. Compatible with all mic stands and booms. •Mfr. #EPF15A

Order #	Reg.	VIP
35-2460	~~$20.39~~	$15.61

Heavy-Duty Unidirectional Microphone

- ✔*Low cost die-cast microphone*
- ✔*Vocal and instrument use*
- ✔*15' cable*

•Unidirectional (cardioid) pattern dynamic microphone •Ideal for use with karaoke machines •Impedance: 600ohm •Frequency response: 80Hz~12KHz •Sensitivity: -72dB •Element: Moving coil dynamic •Dimensions: 7" long, 2" head diameter •Cable: 15' with XLR jack to ¼" plug •Weight: 9 oz.

Order #	Reg.	VIP
35-505	~~$20.39~~	$16.95

SHURE® SM57 Instrument Microphone

- ✔*Musical instrument recording*
- ✔*Suitable for drum miking*

The SM57 is ideal for live sound reinforcement and recording. It has an extremely effective cardioid pick-up pattern which isolates the main sound source while minimizing background noise. **Features:** •Contoured frequency response for clean, instrumental reproduction and rich vocal pick-up •Professional-quality reproduction for drum, percussion, and instrument amplifier miking •Frequency response: 40Hz~15KHz •Utilizes detachable XLR type cable, not included

Order #	Model #	VIP
35-1600	SM57-LC	$99.99

SHURE® PG58 Dynamic Vocal Microphone

- ✔*Cost effective unit tailored after the legendary SM58*
- ✔*Lead and back-up vocals*
- ✔*15' cable*

Features: •Cardioid polar pattern is less susceptible to feedback in high volume settings •Dynamic cartridge has a simple, rugged coil •Handles high SPL without distortion •Cartridge includes a neodymium magnet for high output level •Internal shock mount reduces handling noise •Durable metal construction •On/off switch •Frequency response: 60Hz~15KHz •Includes 15' detachable cable

Order #	Model #	Cable	VIP
35-1635	PG58-QTR	XLR-¼"	$59.00
35-1636	PG58-XLR	XLR-XLR	59.00

3 YEAR LIMITED WARRANTY SAMSON® R11 Hypercardioid Vocal Microphone 3–Pack

Ideal for vocal performance, karaoke, public speaking and DJ applications, the R11 is an affordable die cast dynamic microphone, offering professional performance and quality at an entry level price. Hypercardioid polar pattern provides maximum feedback rejection and a neodymium magnet offers higher output required in today's live performances. Transformerless low impedance design produces expanded low frequency response. **Specifications:** •Frequency response: 50Hz~15KHz •Sensitivity: -71dB •Max SPL: 137dB •Output: Male XLR, 600ohm unbalanced •Overall length: 6" •Head diameter: 1.8" •Kit includes three microphones and three stand adaptors •**Note:** Cords not included

Order #	VIP
35-1246	$52.01

Economical Unidirectional Microphone

- ✔*Low cost rugged ABS microphone*
- ✔*Vocal and instrument use*
- ✔*15' cable*

•Unidirectional (cardioid) pattern dynamic microphone •Impedance: 600ohm •Frequency response: 100Hz~10KHz •Sensitivity: -72dB •Element: Moving coil dynamic •Dimensions: 7" long, 2" head diameter •Cable: 15' with XLR jack to ¼" plug •Weight: 7½ oz. •High-impact ABS plastic body

Order #	Reg.	VIP
35-500	~~$15.80~~	$13.95

SHURE® SM58® Cardioid Vocal Microphone

- ✔*Legendary*
- ✔*Lead and back-up vocals*
- ✔*Available with or without slide switch*

Consistently the first choice of performers around the globe, this unidirectional dynamic microphone is designed for live performance, sound reinforcement, and studio recording. Highly effective spherical filter minimizes wind and breath "pop" noise. Cardioid pick-up pattern isolates the main sound source while minimizing unwanted background noise. Rugged construction, a proven shock mount system, and a steel mesh grill ensure that even with rough handling, the SM58 will perform consistently. **Features:** •Frequency response tailored for vocals, with brightened midrange and bass roll off •Pneumatic shock-mount system •Included break-resistant stand adapter •Frequency response: 50Hz~15KHz •Models available with or without switch •Utilizes detachable XLR type cable •#35-1607 includes a high-quality 25' XLR cable

Order #	Model #	Switch	VIP
35-1605	SM58-LC	No	$99.00
35-1606	SM58S	Yes	104.00
35-1607	SM58-CN	No	109.00

3 YEAR LIMITED WARRANTY SAMSON® R21 Cardioid Vocal Microphone 3–Pack

- ✔*Low cost rugged ABS microphone*
- ✔*Vocal, karaoke and DJ applications*

The R21 offers the ideal solution to those seeking professional performance on a budget. Cardioid polar pattern provides very good feedback and ambient noise rejection. **Specifications:** •Frequency response: 80Hz~12KHz •Sensitivity: -51dB •Output: Male XLR, 500ohm unbalanced •Overall length: 6.85" •Head diameter: 2.125" •Kit includes three microphones and three stand adapters •**Note:** Cords not included

Order #	VIP
35-1248	$37.95

1 YEAR LIMITED WARRANTY audio-technica Premium Quality Microphone Cables

Constructed with two conductor, shielded, vinyl jacketed, broadcast type cable, with hand soldered connectors.

Order #	Length	Reg.	VIP
XLR Male to Female Cable			
35-1340	10'	~~$21.99~~	$14.17
35-1341	20'	~~24.49~~	15.53
35-1342	25'	~~25.49~~	16.21
35-1343	30'	~~26.59~~	16.95
35-1344	50'	~~30.59~~	19.67
35-1345	100'	~~42.89~~	27.55
XLR Female to ¼" Cable			
35-1346	10'	~~10.70~~	6.27

Professional Audio

Shure and Audio Technica - Leaders in professional microphones.

audio-technica

Multi–Channel Wireless System

✔*200 user selectable UHF channels*
✔*Improved true-diversity performance*
✔*Use up to 20 units in the same location*

200 PLL synthesized user selectable channels are available, providing unsurpassed flexibility and immunity to outside interference, regardless of the geographical area. Well–shielded rugged metal ½–rack enclosures may be mounted side–by–side in a single 19" rack space with included hardware. **Hand Held System:** Includes the True Diversity receiver and ATW-T341 hand held dynamic microphone. **UniPack™ System:** Includes the True Diversity receiver and ATW-T1310 belt pack transmitter. This ultra compact transmitter measures only 3.43" (H) x 2.60" (W) x 0.94" (D) and accepts all Audio-Technica Wireless Essentials™ mic accessories (not included).

Order #	System	VIP
35-1307	UniPack™ system	$329.00
35-1308	Hand held system	409.00

audio-technica **Wireless Microphone System**

✔*10 user selectable UHF channels*
✔*Improved true-diversity performance*
✔*Use up to 10 units in the same location*

Audio-Technica 2000 Series system features True Diversity reception with two separate RF sections for greater reliability. Rugged metal ½ rack enclosure may be mounted side-by-side in a single 19" rack space and includes all necessary rack mount hardware. **AT-2120 Hand Held System:** Includes the True Diversity receiver and ATW-T220 hand held dynamic microphone. This mic features a cardioid pick-up pattern **ATW-2110 UniPack™ System:** Includes the True Diversity receiver and ATW-T210 belt pack transmitter. This ultra compact transmitter measures only 3.63" (H) x 2.60" (W) x 0.89" (D) and accepts all Audio-Technica Wireless Essentials™ mic accessories (not included).

Order #	System	VIP
35-1840	UniPack™ system	$249.00
35-1845	Hand Held system	299.00



audio-technica

UHF Wireless Systems

✔*8 user selectable UHF channels*
✔*Improved true-diversity performance*
✔*Use up to 8 units in the same location*

Frequency agile wireless microphones utilize the 542~561MHz UHF band for improved performance and reduced interference. All systems include the ATW-R700 receiver and AC adapter. **Headworn System** includes the ATW-T701 UniPak™ transmitter and PRO 8HEcW head worn microphone **Lavaliere System** includes the ATW-T701 UniPak™ transmitter and tie clip microphone. **Hand Held System** includes the ATW-T702 unidirectional dynamic microphone transmitter and quiet-flex stand clamp. **Beltpack Only System** includes the ATW-T701 UniPak™ transmitter only. This must be used with Audio-Technica's Wireless Essentials microphone products. **Guitar System** includes the ATW-T1701 UniPack™ transmitter and AT-GCW guitar/instrument input cable.

Order #	Fig.	System	VIP
35-1950	A+B+C	Head worn system	$241.33
35-1955	A+B+D	Lavaliere system	214.71
35-1960	A+E	Handheld system	$202.07
35-1965	A+B	Beltpack only system	176.81

audio-technica **VHF Wireless Microphone Systems**

Audio-Technica Freeway™ systems cost effective, solid performance microphones that utilize the 169~172MHz VHF band for reliable performance in most environments. **Features:** •Advanced dipole antenna system for extended range •Power, RF and AF peak indicators •Unbalanced ¼" output •Variable guitar/mic trim control (beltpack transmitter models) •Selectable ON/OFF/Standby modes •All systems include the ATW-R20 receiver and AC adaptor. **Headworn System** includes the ATW-T201 UniPak™ transmitter and AT889cW head worn microphone **Lavaliere System** includes the ATW-T201 UniPak™ transmitter and ATW829cW tie clip microphone. **Hand Held System** includes the ATW-T202 unidirectional dynamic microphone transmitter and quiet-flex stand clamp. **Beltpack Only System** includes the ATW-T201 UniPak™ transmitter only. This must be used with Audio-Technica's Wireless Essentials microphone products. **Guitar System** includes the ATW-T1701 UniPack™ transmitter and AT-GCW guitar/instrument input cable. See MCMelectronics.com for additional details.

Order #	Fig.	System	VIP
35-1975	A+B+C	Head worn system	$126.28
35-1980	A+B+D	Lavaliere system	107.32
35-1985	A+E	Hand held system	88.37
35-1990	A+B	Beltpack only system	$85.31
35-1995	A+B+F	Guitar/instrument system	88.37

SHURE®

Performance Gear Series UHF Microphone Systems

•10 user-selectable frequencies •Up to eight systems may be used simultaneously •Microprocessor controlled diversity •Up to 250' operating range •XLR and ¼" outputs

Order #	Fig.	System	VIP
35-2840	A+B	Guitar/instrument system	$299.00
35-2850	A+B+C	Lavaliere	299.00
35-2860	A+B+D	Headset	299.00
35-2870	A+E	Handheld (with Beta 58 mic)	299.00

SHURE®

Performance Gear Dual Channel Wireless Microphone Systems

•10 user-selectable frequencies •Up to eight systems may be used simultaneously •Microprocessor controlled diversity •Up to 250' operating range •XLR and ¼" outputs

Order #	Fig.	System	VIP
35-2880	A+B+C+D	Handheld and lavaliere	$549.00
35-2885	B+C+D+E	Handheld and headset	549.00
35-2890	A+A+C+D	Dual lavaliere	549.00
35-2900	B+B+C	Dual handheld	549.00

audio-technica

Wireless Essentials™ Belt Pack Accessories

AT831cW Lavaliere Microphone: Top performing lapel cardioid condenser microphone also excels in acoustic guitar applications. **ATM75cW Headworn Microphone:** Cardioid condenser microphone combines professional quality vocal pick-up with hands free operation. **XLRW Universal XLR Cable:** Allows use of any hand held Lo-Z microphone with a UniPack™ transmitter. The cables female XLR connector attaches directly to any high quality mic.

Fig.	Order #	System	VIP
A	35-1310	AT831cW lavaliere microphone	$89.99
B	35-1311	ATM75cW headworn microphone	99.99
-	35-1312	XLRW universal cable	19.99

Microphone Desk Stand with Boom

Perfect for conference, desktop and vocal performance use. Cast iron base holds microphone securely in place. Overall height is adjustable from 12"~17", counterweighted boom arm is 17.7" •Overall weight 4.5 lbs. •⅝" x 27 threads •Available in black or chrome

Order #	Finish	Reg.	VIP
35-2030	Black	~~$25.49~~	$19.99



Stellar Labs™ XLR Microphone Goosenecks

Ideal for use as a podium microphone stand, or a panel mount microphone stand, these goosenecks feature a male and female XLR connection and are perfect for custom applications. **Sold individually.**

Order #	Length	Color	MSRP	Reg.	VIP
35-2720	12"	Black	$14.99	~~$8.19~~	$4.99
35-2721	12"	Chrome	14.99	~~8.19~~	4.99
35-2725	16"	Black	16.99	~~9.19~~	4.99
35-2726	16"	Chrome	16.99	~~9.19~~	4.99

Microphone Mounting Flange

#35-2035

#35-2036

Ideal for permanently mounting microphones to countertops, walls, tabletops, podiums and similar surfaces. Perfect for use with flexible gooseneck extensions. •⅛" x 27 threads •Available in black or chrome •Mounting screws not included

Order #	Finish	Reg.	VIP
35-2035	Black	~~$3.29~~	$2.29
35-2036	Chrome	~~3.29~~	2.29

Microphone Desk Stand

Perfect for conference and desktop use. Cast iron base holds microphone securely in place •Overall height: 4.3" •Base diameter: 5" •⅝" x 27 threads •Available in black or chrome

Order #	Finish	Reg.	VIP
35-2025	Black	~~$6.19~~	$5.19
35-2026	Chrome	~~6.19~~	5.19

Matching Transformers

•Allows low impedance microphone to be used with high impedance equipment •500ohm~50Kohm

Fig.	Order #	Type	Reg.	VIP
A	35-590	Female XLR to ¼" phone plug	~~$7.79~~	$5.99
B	35-595	Male XLR to ¼" phone jack.	~~6.79~~	5.99

Microphone Stand with Die-Cast Base

High-quality mic stands are perfect for all stage performance and studio applications. Conventional cast iron base holds stand firmly in place. •Adjustable height 33"~61" •Overall weight: 9 lbs. •⅝" x 27 thread •Available in black or chrome

Order #	Finish	Reg.	VIP
35-2005	Black	~~$26.59~~	$21.33
35-2006	Chrome	~~26.59~~	21.33

Telescopic Boom Extension

Use with all standard mic stands that utilize standard ⅝" x 27 TPI threads. Counterweighted boom arm is ideal for use with musical instruments. •Length is adjustable from 33"~51" •Available in black or chrome

Order #	Finish	Reg.	VIP
35-2020	Black	~~$15.29~~	$12.22
35-2021	Chrome	~~15.29~~	12.22

Flexible Microphone Gooseneck Extensions

#35-2045

#35-2046

Use to extend and add flexibility to any mic stand or boom extension. Multiple units may be added together for longer lengths. Ideal for use with flange mount adaptors. •⅛" x 27 threads •Available in black or chrome

Order #	Length	Finish	Reg.	VIP
35-2040	6"	Black	~~$3.09~~	$1.99
35-2041	6"	Chrome	~~3.09~~	1.99
35-2045	13"	Black	~~4.59~~	2.99
35-2046	13"	Chrome	~~4.59~~	2.99
35-2050	19"	Black	~~5.99~~	3.49
35-2051	19"	Chrome	~~5.99~~	3.49

Matching Transformer

Allows use of balanced signal sources on unbalanced inputs. May be used with microphone or line level sources. 5½" cable lead and spring strain relief reduces stress on mixing board or amplifier input. Fully metal transformer housing and ¼" connector provide good shielding to ensure low-noise operation. Slide switch selects high or low impedance, balanced XLR input, ¼" unbalanced 600ohm output. **Specifications:** •Frequency response: 50Hz~15KHz •Overall length: 12"

Order #	Reg.	VIP
MP33028	~~$23.49~~	$17.99

Folding Microphone Stand with Boom Extension

High-quality mic stands are perfect for all stage performance and studio applications. Included 31" counterweighted boom arm is ideal for use with musical instruments. Collapsible tripod legs weigh considerably less and allow more compact transport than conventional solid base stands. •Adjustable height 37"~63" •Overall weight: 6 lbs. •⅛" x 27 thread •Available in black or chrome

Order #	Finish	Reg.	VIP
35-2010	Black	~~$30.59~~	$24.92
35-2011	Chrome	~~30.59~~	24.92

Spring Clip Mic Holder

Spring loaded mic clip will securely hold a wide variety of microphone sizes from 22mm~38mm (0.87"~1.5") diameter. •⅝" x 27 thread brass insert •Black color

Order #	Reg.	VIP
35-2060	~~$3.39~~	$2.19

Standard Microphone Clip

•Three different sizes hold a variety of microphone types •Each size has a 3mm taper to match common mic shape •⅝" x 27 TPI brass insert •Black color

Order #	Diameter	Reg.	VIP
35-2065	22mm (0.87")	~~$2.59~~	$1.99
35-2070	25mm (1.0")	~~2.59~~	1.99
35-2075	32mm (1.26")	~~2.59~~	1.99

A R T
APPLIED RESEARCH AND TECHNOLOGY

Phantom I Phantom Power Supply

48V supply externally provides power to high quality condenser microphones, when used with equipment not supplying phantom power. **Specifications:** •Input connection: Female XLR •Output connection: Male XLR •Power requirements: Supplied 18VDC adapter •Dimensions: 5.25" (H) x 2.75" (W) x 1.75" (D)

Order #	Reg.	VIP
555-2750	~~$55.00~~	$39.00

Professional Audio

See what is new in DMX lighting from Stellar Labs™

Stellar Labs™

Multi-colored LED Par 56 Can

Turn it up a notch with these long lasting DMX controllable LED par 56 equivalent lighting fixtures. Various patterns can be controlled by the beat of the music playing (adjustable sensitivity) or by manual speed adjustment. In a multi fixture setup, one unit can be used as a four-channel DMX controller, ensuring that each light is in sync. Lights can also be controlled with an external DMX controller. **Features:** •51 red, 50 green and 50 blue LEDs •Auto fade mode •Auto color change mode •Manual color change mode •Settings are adjustable via dipswitches on back of light •3-pin XLR DMX in and out •Manual pattern speed adjustment •Only 20W power consumption •Approximately 50,000 hour bulb life •**Note:** •DMX terminator required at the end of daisy-chained lights (#555-11390) •See MCMelectronics.com for more details

Order #	Color	MSRP	Reg.	VIP
555-11400	Black	$139.99	~~$99.99~~	$59.99
555-11401	Chrome	139.99	~~99.99~~	59.99

Stellar Labs™

Tripod Speaker Stand Kit

Supporting up to 80 lbs., this speaker stand kit offers tremendous portability and can be easily stored between gigs. Kit includes two speaker stands, a carrying bag, and two 20' high-quality ¼" 14AWG speaker cables. **Features:** •1⅜" diameter •Lightweight aluminum construction •Safety pin •Height adjustable from 48"~77"

Order #	Description	MSRP	Reg.	VIP
555-11670	Speaker stand kit	$109.99	~~$81.59~~	$69.99
555-11650	Single stand only	39.99	~~30.59~~	19.99



Stellar Labs™

PAR Can Lighting Stand

This adjustable height PAR can stand is perfect for any mobile DJ who utilizes lighting effects, and is suitable for up to four PAR 16 through PAR 56 lamps. **Features:** •Adjustable height from 44"~98" •Supports 50 lbs. •Crossbar is 37" wide •Overall weight 10 lbs. •Optional storage bag available (#555-11651) •**Note:** Lights not included (#555-11400)

Order #	MSRP	Reg.	VIP
555-11680	$39.99	~~$25.49~~	$19.99

Stellar Labs™

Adjustable Speaker Pole Kit with Cables

These adjustable speaker poles are a perfect solution for mounting a DJ speaker on the top of a subwoofer, or a variety of custom applications. Convenient kit includes two poles, two 6' high-quality 12AWG ¼" speaker cables and a carrying case. **Features:** •Standard 1⅜" diameter pole mount •Adjustable 32"~54.5" height •Heavy-duty steel construction •Supports up to 75 lbs.

Order #	Description	MSRP	Reg.	VIP
555-11675	Kit	$79.99	~~$40.79~~	$34.99
555-11660	Individual pole only	16.99	~~9.19~~	5.99

MCM CUSTOM AUDIO

Speaker Stand Adapters

Designed for use with standard commercial tripod stands including models from MCM. Because they install inside the speaker enclosure, the speaker may then be used with or without a stand. Constructed of 1/16" matte black finished steel. Includes mounting screws. Both sizes are sold individually **#50-1835:** •Inside diameter: 1⅛", fits 1⅜" diameter pole •Required cutout diameter: 1⅛" **#50-1910:** •Inside diameter: 1⅛", fits 1" diameter pole •Required cutout diameter: 1¼"

Order #	Size	MSRP	Reg.	VIP
50-1835	Large	$9.95	~~$6.09~~	$3.99
50-1910	Small	9.95	~~6.09~~	3.99

NEW!

Stellar Labs™

Professional Three Pin DMX Cables

DMX cables utilize a twisted pair of 110ohm conductors, ensuring a much more reliable data transfer than standard XLR cables, and are specifically designed for any professional lighting control setup.

Order #	Length	MSRP	Reg.	VIP
555-11900	3'	$12.99	~~$4.19~~	$3.35
555-11901	6'	15.99	~~4.99~~	3.99
555-11902	10'	18.99	~~5.59~~	4.47
555-11903	15'	21.99	~~6.79~~	5.43
555-11904	30'	29.99	~~9.59~~	7.67
555-11905	50'	39.99	~~13.39~~	10.71
555-11906	75'	59.99	~~18.49~~	14.79

NEW!

Stellar Labs™

Pigtail DMX Adapters

•Available in either 3 pin male to 5 pin female configuration, or 5 pin male to 3 pin female configuration •Total length: 14"

Order #	Configuration	MSRP	Reg.	VIP
555-11910	Male 3 pin to female 5 pin	$19.99	~~$4.99~~	$3.99
555-11911	Male 5 pin to female 3 pin	19.99	~~4.99~~	3.99



Stellar Labs™

Wind-Up Speaker Stand

This heavy-duty speaker stand is designed to support up to 150 lbs. and makes setup easy with it's convenient wind-up hand crank. **Features:**•Easily folds for storage and transportation •Height adjustable from 61"~96" •Approximate 60" overall footprint ensures maximum stability •Integrated measuring tape helps to ensure multiple stands are level with each other

Order #	MSRP	Reg.	VIP
555-11655	$119.99	~~$81.59~~	$69.99

RaXXess

Cable Depot

16 gauge steel cable reorganizer keeps cabling off the floor, out of the way and kink-free. Fourteen fingers extend to hold up to forty cables. Maximum cable diameter is ¼". Mfr. #CBLD.

Order #	Reg.	VIP
555-4065	~~$9.99~~	$8.99

Rack up the savings on these popular 19" accessories.

Stellar Labs™

Heavy-Duty Music Stand

This music stand is constructed for longevity, easy storage and portability. **Features:** •Desk size: 18.5" x 13.5" •2" lower lip •Heavy-duty steel construction •Adjustable from 37"~47" tall •Folds for easy transport and storage

Order #	MSRP	Reg.	VIP
555-11700	$44.99	~~$25.49~~	$19.99

Stellar Labs™

Heavy-Duty Presentation Stand

The design of this versatile stand makes it not only terrific for holding sheet music, but holding a laptop or projector for presentation purposes as well. **Features:** •Raised metal lip surrounds the stand for secure placement of laptop or projector •Heavy-duty steel construction •Adjustable from 36"~60" tall •Folds for easy transport and storage •Desk dimensions: 15¾" x 12"

Order #	MSRP	Reg.	VIP
555-11690	$49.99	~~$30.59~~	$24.99

*Laptop not included

penn elcom
Flight Case & Speaker Cabinet Solutions

Blank "U" Rack Panels

These ventilated flat panels include a 0.43" top and bottom lip for added strength and more contoured appearance when butted up against shelves and trays. Ideal for covering unused rack spaces. Black powder coated steel is 0.047" (1.2mm) thick.

Order #	Rack Spaces	Reg.	VIP	Order #	Rack Spaces	Reg.	VIP
50-1684	One	~~$8.19~~	$6.24	50-1651	Three	~~$15.29~~	$11.62
50-1689	Two	~~14.29~~	10.60	50-1696	Four	~~16.39~~	12.75

Gooseneck Lamps

Use with mixers that utilize either BNC or XLR connections on the top panel for auxiliary lamp. Rack mount version requires one rack space and features dual lamps with built-in dimmer. All models require 12VDC.

Order #	Description	Reg.	VIP
555-115	XLR male base	~~$10.19~~	$7.99
555-116	BNC male base	~~14.79~~	12.47

penn elcom
Flight Case & Speaker Cabinet Solutions

Rack Panel Blanks with U Shaped Edge

•19" width

Order #	Mfr. #	Rack Spaces	Height	Reg.	VIP
50-1680	R1268/1UK	1	1¾"	~~$12.29~~	$10.36
50-1685	R1268/2UK	2	3½"	~~13.29~~	11.64
50-1690	R1268/3UK	3	5¼"	~~14.29~~	12.16
50-1692	R1268/4UK	4	7"	~~18.89~~	13.72

Over 40,000 in-stock products are at your fingertips at MCM.

penn elcom
Flight Case & Speaker Cabinet Solutions

Sliding Rack Tray

Rack shelf is ideal for mounting equipment that requires easy access to the rear. Multiple equipment fixing points allow secure attachment to shelf. Ball bearing slides provide smooth operation •Supports up to 42 lbs. •Shelf slides adjust from 14.5"~22.0" •Overall shelf depth: 15.96" •Occupies one rack space •Black color

Order #	Reg.	VIP
50-1677	~~$61.19~~	$51.97

penn elcom
Flight Case & Speaker Cabinet Solutions

Rack Mount Shelf

•Standard mount shelves are 19" wide to fit into conventional racks

Order #	Rack Spaces	Height	Depth	Reg.	VIP
50-1720	1	1¾"	10¾"	~~$23.99~~	$20.70
50-1725	2	3½"	14½"	~~29.09~~	23.97
50-1727	3	5¾	14½"	~~32.69~~	27.00

SAMSON

SRK Series Universal Rack Stands

Rugged equipment racks are solid steel and feature fully enclosed side panels. Available in four sizes, these racks include heavy-duty, 3" casters with locking fronts, and one single space blank panel. The unique steel support bar construction allows the racks to be assembled to accept either the European or US thread sizes. Following dimensions are exterior, less casters. For overall height including casters, add 4".

Dimensions (H) x (W) x (D) Order #	Model #	Rack Units	VIP
16.5" x 20.0" x 18.1" 555-8580	SRK8	8RU	$117.29
23.6" x 20.0" x 18.1" 555-8581	SRK12	12RU	127.49
30.7" x 20.0" x 18.1" 555-8582	SRK16	16RU	163.19
39.4" x 20.0" x 18.1" 555-8583	SRK21	21RU	178.49

penn elcom
Flight Case & Speaker Cabinet Solutions

Locking Rack Drawers

Powder coated steel drawer fits standard 19" racks and is available in 2RU through 5RU sizes. Perfect when items such as tools, CDs, cables or microphones must be securely stored with an equipment rack. External depth on all drawers is 14.5".

Order #	Rack Height	Internal Height	Reg.	VIP
555-9000	2RU	2.87"	~~$57.19~~	$48.01
555-9001	3RU	4.61"	~~65.29~~	55.09
555-9002	4RU	6.35"	~~72.49~~	61.33
555-9003	5RU	8.11"	~~80.59~~	66.53

penn elcom
Flight Case & Speaker Cabinet Solutions

RATED

Flat Steel Blank Rack Panels

Ideal for covering unused rack spaces, these blank panels may also be drilled or cut for custom applications. Black powder coated steel is 0.078" (2mm) thick.

Order #	Rack Spaces	Height	Hole Centers	Reg.	VIP
50-1681	One	1.75"	1.25"	~~$4.59~~	$3.60
50-1686	Two	3.50"	3.00"	~~6.99~~	5.23
50-1691	Three	5.25"	2.25"	~~11.79~~	8.79
50-1693	Four	7.00"	4.00"	~~13.29~~	10.00

penn elcom
Flight Case & Speaker Cabinet Solutions

Rack Rail

•#10 x 32" holes •.098 steel •Standard rack .5" and .625" O.C. alignment •79" length •Mfr. #R0821

Order #	Reg.	VIP
50-1675	~~$23.49~~	$19.60

RaXXess

Captive Washer Screws

10-32 x ¾" philips head screws integrated with nylon cup washers save the user the trouble of fumbling with separate parts allowing for faster installation of equipment. Available in packages of 100 or 500.

Order #	Mfr. #	Quantity	Reg.	VIP
555-4075	CPSW-100	100	~~$23.99~~	$17.64
555-4076	CPSW-500	500	~~77.99~~	55.03

#555-11280 #555-11282 #555-11284 #555-11286



gemini

Professional DJ Road Cases

DJ equipment not included.

•Ten upper rack spaces •Black carpeting •Metal corners, spring handles and removable lid •Front and rear access with doors

Order #	Dimensions (W x H x D)	Weight	Lower Rack Spaces	Reg.	VIP
555-11280	22.5" x 13.25" x 20.75"	31 lbs.	2	~~$89.99~~	$76.49
555-11282	22.25" x 19" x 20.75"	42 lbs.	6	~~119.99~~	101.99
555-11284	22.5" x 23.5" x 20.75"	44 lbs.	8	~~129.99~~	110.49
555-11286	22.5" x 37.75" x 20.75"	67 lbs.	16	~~179.99~~	152.99

Speaker Components

MCM Audio Select - Saving you money on speaker components for nearly 20 years

12" Professional Woofer

- ✔*Ideal for sound reinforcement, monitor and musical instrument use*
- ✔*Optimized for vented enclosures*
- ✔*175W/350W RMS/peak*

Sound reinforcement woofer is perfect for use in monitors, or as a musical instrument speaker for guitar, bass or keyboard. **Features:** •Treated paper cone •Treated cloth accordion surround •2.5" high temperature voice coil •50oz. vented magnet **Specifications:** •Sensitivity: 97dB (W/M) •Impedance: 8ohm •Re: 7.2ohm •Le: 1.34mH •Frequency response: •38Hz~2.5KHz •Fs: 38Hz •Qts: 0.34 •Qes: 0.385 •Qms: 2.8 •Vas: 108 liters •Xmax: 3.75mm •Overall frame diameter: 12.20" •Required cutout: 10.9" •Mounting depth: 5.04"

Order #	Reg.	VIP
55-2952	~~$22.79~~	$15.99

6½" Professional Woofer

- ✔*Ideal for PA, musical instrument and keyboard use*
- ✔*Optimized for vented or open back enclosures*
- ✔*75W/150W RMS/peak*

Perfect for musical instrument and sound reinforcement use, is ideal as a full range driver in a compact monitor cabinet or as a midrange in a large three-way system. **Features:** •Rigid paper cone •Treated cloth accordion surround •Stamped steel basket •1½" aluminum voice coil wound on a Kapton former •15 oz. vented magnet **Specifications:** •Sensitivity: 94.2dB (W/M) •Impedance: 8ohm •Re: 6.9ohm •Le: 0.54mH •Frequency response: 60Hz~12KHz •Fs: 68.6Hz •Qts: 0.20 •Qes: 0.22 •Qms: 2.25 •Vas: 11.90 (liters) •Xmax: 0.4mm •Overall frame diameter: 6.50" •Required cutout: 5.83" •Mounting depth: 3.00"

Order #	MSRP	Reg.	VIP
55-1732	$24.95	~~$20.39~~	$13.99

10" Professional Woofer

- ✔*Ideal for sound reinforcement, monitor and musical instrument use*
- ✔*Optimized for vented enclosures*
- ✔*125W/250W RMS/peak*

Full range speaker exhibits characteristics typical of drivers at more than twice their price. **Features:** •Treated paper cone •Treated cloth accordion surround •2" high temperature voice coil •40 oz. vented magnet **Specifications:** •Sensitivity: 95dB (W/M) •Impedance: 8ohm •Re: 7.2ohm •Le: 0.923mH •Frequency response: •38Hz~3KHz •Fs: 38Hz •Qts: 0.32 •Qes: 0.369 •Qms: 2.7 •Vas: 62.0 liters •Xmax: 3.5mm •Overall frame diameter: 10.10" •Required cutout: 8.9" •Mounting depth: 4.29"

Order #	Reg.	VIP
55-2951	~~$16.79~~	$11.75

18" Professional Woofer

- ✔*Ideal for dedicated subwoofer boxes*
- ✔*Suitable for sealed or vented enclosures*
- ✔*300W/600W RMS/peak*

Sound reinforcement woofer is perfect for use in monitors or in dedicated subwoofer cabinets. **Features:** •Treated paper cone •Treated cloth accordion surround •4" high temperature voice coil •125oz. vented magnet **Specifications:** •Sensitivity: 100dB (W/M) •Impedance: 8ohm •Re: 7.2ohm •Le: 1.69mH •Frequency response: •27Hz~3KHz •Fs: 27Hz •Qts: 0.29 •Qes: 0.324 •Qms: 2.5 •Vas: 224 liters •Xmax: 4mm •Overall frame diameter: 18.03" •Required cutout: 16.70" •Mounting depth: 7.48"

Order #	Reg.	VIP
55-2954	~~$81.79~~	$57.29

8" Professional Woofer

- ✔*Ideal for small monitors and musical instrument use*
- ✔*Optimized for vented enclosures*
- ✔*100W/200W RMS/peak*

Full range speaker exhibits characteristics typical of drivers at more than twice their price. **Features:** •Treated paper cone •Treated cloth accordion surround •2" high temperature voice coil •30 oz. vented magnet **Specifications:** •Sensitivity: 94dB (W/M) •Impedance: 8ohm •Re: 7.2ohm •Le: 1.08mH •Frequency response: •65Hz~4.5KHz •Fs: 65Hz •Qts: 0.27 •Qes: 0.303 •Qms: 2.5 •Vas: 46.4 liters •Xmax: 3.5mm •Overall frame diameter: 8.23" •Required cutout: 7.09" •Mounting depth: 3.82"

Order #	Reg.	VIP
55-2950	~~$12.59~~	$8.79

15" Professional Woofer

- ✔*Ideal for sound reinforcement and musical instrument use*
- ✔*Suitable for sealed or vented enclosures*
- ✔*200W/400W RMS/peak*

Sound reinforcement woofer is perfect for use in monitors, or as a musical instrument speaker for guitar, bass or keyboard. **Features:** •Treated paper cone •Treated cloth accordion surround •3" high temperature voice coil •67oz. vented magnet **Specifications:** •Sensitivity: 98dB (W/M) •Impedance: 8ohm •Re: 7.2ohm •Le: 1.37mH •Frequency response: •32Hz~2KHz •Fs: 32Hz •Qts: 0.41 •Qes: 0.475 •Qms: 2.9 •Vas: 232 liters •Xmax: 3.75mm •Overall frame diameter: 15.16" •Required cutout: 13.39" •Mounting depth: 6.18"

Order #	Reg.	VIP
55-2953	~~$36.79~~	$25.79

Hot Spot 5" 16ohm Replacement Speaker

Used in the world famous Hot Spot monitor speaker, this driver has a wide variety of applications as a mid and full range speaker. **Features:** •Die-cast aluminum frame •Shielded neodymium magnet •Underhung 1" edge wound voice coil on a kapton former •Ferrofluid cooling **Specifications:** •Power capacity: 100W/200W RMS/peak •Frequency response: 150Hz~18Khz •Impedance: 16ohm •Sensitivity: 95dB (W/M) •Magnet weight: 7.4 oz. •Fs: 140Hz •Qts: 0.39 •QMS: 0.83 •Qes: 0.72 •Vas: 2.25 liter •Mfr. #S5N-16

Order #	Reg.	VIP
55-1907	~~$59.00~~	$45.00

Hot Spot 5" 8ohm Replacement Speaker

Used in the world famous Hot Spot monitor speaker, this driver has a wide variety of applications as a mid and full range speaker. **Features:** •Die-cast aluminum frame •Shielded neodymium magnet •Underhung 1" edge wound voice coil on a kapton former •Ferrofluid cooling **Specifications:** •Power capacity: 100W/200W RMS/peak •Frequency response: 150Hz~18KHz •Impedance: 8ohm •Sensitivity: 95dB (W/M) •Magnet weight: 7.4 oz. •Fs: 130Hz •Qts: 0.42 •Qms: 1.14 •Qes: 0.66 •Vas: 1.89 liter

Order #	Reg.	VIP
55-1906	~~$59.00~~	$45.00

MCM AUDIO SELECT™

15" Die Cast Professional Woofer

- ✔ *Ideal for sound reinforcement speakers and dedicated subwoofer cabinets*
- ✔ *Suitable for sealed or vented enclosures*
- ✔ *200W/400W RMS/peak*

Sound reinforcement woofer is perfect for use in monitors, as a musical instrument speaker or in subwoofer cabinets. **Features:** •Rigid die cast frame •Treated paper cone •Treated cloth accordion surround •3" high temperature voice coil •67 oz. vented magnet **Specifications:** •Sensitivity: 97dB (W/M) •Impedance: 8ohm •Re: 7.2ohm •Le: 1.619mH •Frequency response: •32Hz~3KHz •Fs: 32Hz •Qts: 0.39 •Qes: 0.437 •Qms: 3.3 •Vas: 286 liters •Xmax: 3.75mm •Overall frame diameter: 15.28" •Required cutout: 13.94" •Mounting depth: 6.30"

Order #	Reg.	VIP
55-2963	~~$53.29~~	$37.29

MCM AUDIO SELECT™

18" Die-Cast Professional Woofer

- ✔ *PA cabinet and musical instrument use*
- ✔ *Optimized for vented and open back enclosures*
- ✔ *250W/500W RMS/peak*

This driver handles the power required for stage use, while offering tremendous low frequency response. **Features:** •Rigid paper cone •Treated cloth accordion surround •Die cast basket •4" voice coil •77 oz. magnet **Specifications:** •Sensitivity: 96dB (W/M) •Impedance: 8ohm •Re: 6.8ohm •Le: 1.09mH •Frequency response: 30Hz~3000Hz •Fs: 31Hz •Qts: 0.38 •Qes: 0.47 •Qms: 2.19 •Vas: 404.8 (liters) •Xmax: 4.4mm •Overall frame diameter: 18.6" •Required cutout: 17" •Mounting depth: 7.5"

Order #	MSRP	Reg.	VIP
55-1875	$199.00	~~$148.00~~	$125.00

MCM AUDIO SELECT™

5" Full Range Monitor Driver

- ✔ *Studio monitor full range driver*
- ✔ *Optimized for vented enclosures*
- ✔ *50W/100W RMS/peak*

Versatile driver popular in a compact studio and stage monitors. **Features:** •Paper cone •Treated cloth accordion surround **Specifications:** •1" voice coil •17.7 oz. magnet •Sensitivity: 91dB (W/M) •Impedance: 8ohm •Re: 6.9ohm •Le: 0.59mH •Frequency response: 80Hz~15KHz •Fs: 100Hz •Qts: 0.65 •Qes: 0.88 •Qms: 2.44 •Vas: 3.86 (liters) •Xmax: 1.25mm •Overall frame diameter: 5.18" •Required cutout: 4.21" •Mounting depth: 2.52"

Order #	MSRP	Reg.	VIP
55-1595	$29.95	~~$14.29~~	$9.99

MCM AUDIO SELECT™

12" Die Cast Professional Woofer

- ✔ *Ideal for sound reinforcement, monitors and dedicated subwoofer cabinets*
- ✔ *Optimized for vented enclosures*
- ✔ *175W/350W RMS/peak*

Sound reinforcement woofer is perfect for use in monitors, as a musical instrument speaker or in subwoofer cabinets. **Features:** •Rigid die cast frame •Treated paper cone •Treated cloth accordion surround •2.5" high temperature voice coil •50 oz. vented magnet **Specifications:** •Sensitivity: 96dB (W/M) •Impedance: 8ohm •Re: 7.2ohm •Le: 1.213mH •Frequency response: •48Hz~3KHz •Fs: 48Hz •Qts: 0.39 •Qes: 0.428 •Qms: 4.5 •Vas: 94.5 liters •Xmax: 3.5mm •Overall frame diameter: 12.28" •Required cutout: 11.06" •Mounting depth: 5.00"

Order #	Reg.	VIP
55-2962	~~$32.99~~	$19.75

MCM AUDIO SELECT™ RATED

15" Die-Cast Professional Woofer

- ✔ *Sound reinforcement and musical instrument use*
- ✔ *Optimized for vented and open back enclosures*
- ✔ *400W/800W RMS/peak capacity*

This driver handles the power required for stage use, while offering tremendous low frequency response. **Features:** •Treated paper cone •Treated cloth accordion surround •4" voice coil •100 oz. magnet **Specifications:** •Sensitivity: 98dB (W/M) •Impedance: 8ohm •Re: 6.6ohm •Le: 1.2mH •Frequency response: 26Hz~3500Hz •Fs: 28Hz •Qts: 0.23 •Qes: 0.27 •Qms: 1.46 •Vas: 463 (liters) •Xmax: 4.4mm •Overall frame diameter: 15.75" •Required cutout: 14.63" •Mounting depth: 5"

Order #	MSRP	Reg.	VIP
55-1880	$179.00	~~$122.00~~	$99.99

MCM AUDIO SELECT™

5" Die-Cast Aluminum Cone Woofer

- ✔ *Home theater and studio monitor mid/woofer*
- ✔ *Optimized for vented enclosures*
- ✔ *50W/100W RMS/peak*

Versatile driver popular in a variety of applications including compact studio monitors. Features: •Aluminum cone •Rubber surround Specifications: •1" voice coil •15.6 oz. magnet •Power capacity: 50W/100W RMS/peak •Sensitivity: 87dB (W/M) •Impedance: 8ohm •Re: 7.1ohm •Le: 0.86mH •Frequency response: 65Hz~10KHz •Fs: 65Hz •Qts: 0.50 •Qes: 0.65 •Qms: 2.25 •Vas: 5.73 (liters) •Xmax: 2.0mm •Overall frame diameter: 5.50" •Required cutout: 4.75" •Mounting depth: 2.38"

Order #	MSRP	Reg.	VIP
55-3870	$39.95	~~$18.39~~	$14.99

MCM AUDIO SELECT™

10" Die Cast Professional Woofer

- ✔ *Ideal for sound reinforcement, monitor and musical instrument use*
- ✔ *Optimized for vented enclosures*
- ✔ *100W/200W RMS/peak*

Full range speaker exhibits characteristics typical of drivers at more than twice their price. **Features:** •Rigid die cast frame •Treated paper cone •Treated cloth accordion surround •2" high temperature voice coil •40 oz. vented magnet **Specifications:** •Sensitivity: 96dB (W/M) •Impedance: 8ohm •Re: 7.2ohm •Le: 0.989mH •Frequency response: •52Hz~4KHz •Fs: 52Hz •Qts: 0.29 •Qes: 0.324 •Qms: 2.6 •Vas: 55.8 liters •Xmax: 3.5mm •Overall frame diameter: 10.63" •Required cutout: 9.09" •Mounting depth: 5.75"

Order #	Reg.	VIP
55-2961	~~$25.49~~	$17.89

MCM AUDIO SELECT™

5" Aluminum Cone Woofer

- ✔ *Home theater and studio monitor mid/woofer*
- ✔ *Optimized for vented enclosures*
- ✔ *50W/100W RMS/peak*

Popular in compact studio monitors. **Features:** •Aluminum cone •Rubber surround **Specifications:** •1" voice coil •15.6 oz. magnet •Power capacity: 50W/100W RMS/peak •Sensitivity: 87dB (W/M) •Impedance: 8ohm •Re: 6.7ohm •Le: 0.59mH •Frequency response: 55Hz~17KHz •Fs: 55Hz •Qts: 0.40 •Qes: 0.51 •Qms: 1.87 •Vas: 10.04 (liters) •Xmax: 2.0mm •Overall frame diameter: 5.14" •Required cutout: 4.21" •Mounting depth: 2.52"

Order #	MSRP	Reg.	VIP
55-1870	$29.95	~~$14.29~~	$9.99

MCM AUDIO SELECT™

5" Die-Cast Full Range Monitor Driver

- ✔ *Studio monitor full range driver*
- ✔ *Optimized for vented enclosures*
- ✔ *50W/100W RMS/peak*

The rugged die-cast frame provides increased rigidity, improved appearance and ease of mounting. **Features:** •Paper cone •Treated cloth accordion surround **Specifications:** •1" voice coil •17.7 oz. magnet •Power capacity: 50W/100W RMS/peak •Sensitivity: 90dB (W/M) •Impedance: 8ohm •Re: 7.1ohm •Le: 0.80mH •Frequency response: 85Hz~10KHz •Fs: 85Hz •Qts: 0.46 •Qes: 0.61 •Qms: 1.75 •Vas: 6.39 (liters) •Xmax: 1.35mm •Overall frame diameter: 5.50" •Required cutout: 4.625" •Mounting depth: 2.625"

Order #	MSRP	Reg.	VIP
55-3595	$39.95	~~$17.39~~	$12.99

Speaker Components

Incredible prices on our new replacement woofers

MCM AUDIO SELECT™

6.5" Poly Cone Woofer

✔*Ideal in a wide variety of new and replacement applications*
✔*Suitable for sealed or vented enclosures*
✔*50W/100W RMS/peak*

Rugged woofer is perfect for a wide range of home or autosound applications. **Features:** •Polypropylene cone •Rubber surround •1" voice coil •16.6 oz. magnet **Specifications:** •Sensitivity: 88dB (W/M) •Impedance: 8ohm •Re: 7.2ohm •Le: 0.39mH •Frequency response: 60Hz~8KHz •Fs: 40Hz •Qts: 0.42 •Qes: 0.48 •Qms: 3.66 •Vas: 26.93 liters •Xmax: 3.5mm •Overall frame diameter: 6.54" •Required cutout: 5.60" •Mounting depth: 3.0"

Order #	Reg.	VIP
55-2970	~~$6.49~~	$4.59

MCM AUDIO SELECT™

8" Poly Cone Woofer

✔*Ideal in a two way cabinets or as a compact subwoofer*
✔*Optimized for sealed enclosures*
✔*70W/140W RMS/peak*

Rugged woofer is perfect for a wide range of home or autosound applications. **Features:** •Polypropylene cone •Rubber surround •1" voice coil •20 oz. magnet **Specifications:** •Sensitivity: 89dB (W/M) •Impedance: 8ohm •Re: 7.2ohm •Le: 0.56mH •Frequency response: 50Hz~6KHz •Fs: 28.8Hz •Qts: 0.45 •Qes: 0.52 •Qms: 3.40 •Vas: 98.26 liters •Xmax: 3.5mm •Overall frame diameter: 8.00" •Required cutout: 7.17" •Mounting depth: 3.0"

Order #	Reg.	VIP
55-2971	~~$7.59~~	$5.69

MCM AUDIO SELECT™

10" Poly Cone Woofer

✔*Ideal in two or three way applications, or as a subwoofer*
✔*Suitable for sealed or vented enclosures*
✔*100W/200W RMS/peak*

Rugged woofer is perfect for a wide range of home or autosound applications. **Features:** •Polypropylene cone •Rubber surround •1.5" voice coil •24 oz. magnet **Specifications:** •Sensitivity: 90dB (W/M) •Impedance: 8ohm •Re: 7.2ohm •Le: 0.56mH •Frequency response: 50Hz~5KHz •Fs: 40Hz •Qts: 0.45 •Qes: 0.55 •Qms: 2.49 •Vas: 82.27 liters •Xmax: 5mm •Overall frame diameter: 10.00" •Required cutout: 9.01" •Mounting depth: 4.29"

Order #	Reg.	VIP
55-2972	~~$11.09~~	$7.79

MCM AUDIO SELECT™ 8" Polypropylene Cone Woofer

RATED

✔*Home and automotive woofer*
✔*Optimized for sealed enclosures*
✔*70W/100W RMS/peak*

Considered one of our most popular general purpose replacement drivers, this woofer offers very good power handling and low frequency response for its size. **Features:** •Polypropylene cone •Rubber surround •Stamped steel basket •1" voice coil •17.7 oz. magnet **Specifications:** •Power capacity: 70W/100W RMS/peak •Sensitivity: 87dB (W/M) •Impedance: 8ohm •Re: 6.8ohm •Le: 0.63mH •Frequency response: 30Hz~3.5KHz •Fs: 31Hz •Qts: 0.55 •Qes: 0.77 •Qms: 1.89 •Vas: 65.76 (liters) •Xmax: 3.8mm •Overall frame diameter: 8.07" •Required cutout: 7.19" •Mounting depth: 3.53"

Order #	Reg.	VIP
55-1190	~~$15.29~~	$10.99

MCM AUDIO SELECT™

15" Poly Cone Woofer

✔*Ideal in three way applications, or as a subwoofer*
✔*Suitable for sealed or vented enclosures*
✔*200W/400W RMS/peak*

Rugged woofer is perfect for a wide range of home or autosound applications. **Features:** •Polypropylene cone •Rubber surround •2.0" voice coil •40 oz. magnet **Specifications:** •Sensitivity: 92dB (W/M) •Impedance: 8ohm •Re: 7.2ohm •Le: 1.522mH •Frequency response: 50Hz~3KHz •Fs: 32.5Hz •Qts: 0.47 •Qes: 0.56 •Qms: 3.08 •Vas: 322.23 liters •Xmax: 6mm •Overall frame diameter: 15.08" •Required cutout: 13.82" •Mounting depth: 5.63"

Order #	Reg.	VIP
55-2974	~~$25.39~~	$17.79

MCM AUDIO SELECT™

12" Poly Cone Woofer

✔*Ideal in two or three way applications, or as a subwoofer*
✔*Suitable for sealed or vented enclosures*
✔*120W/240W RMS/peak*

Rugged woofer is perfect for a wide range of home or autosound applications. **Features:** •Polypropylene cone •Rubber surround •1.5" voice coil •24 oz. magnet **Specifications:** •Sensitivity: 91dB (W/M) •Impedance: 8ohm •Re: 7.2ohm •Le: 0.91mH •Frequency response: •50Hz~5KHz •Fs: 42Hz •Qts: 0.47 •Qes: 0.57 •Qms: 3.24 •Vas: 122.6 liters •Xmax: 5mm •Overall frame diameter: 12.20" •Required cutout: 10.95" •Mounting depth: 5.04"

Order #	Reg.	VIP
55-2973	~~$15.39~~	$10.79

MCM AUDIO SELECT™

8" High Excursion Woofer

RATED

✔*Home and automotive subwoofer*
✔*Optimized for vented enclosures*
✔*120W/240W RMS/peak*

This high performance woofer offers extremely long throw design for outstanding low frequency response thought impossible of an 8" driver. It is ideal in two or three-way systems, or as a compact subwoofer. **Features:** •Lightweight paper •Treated foam surround •Stamped steel basket •2" voice coil •47 oz. magnet **Specifications:** •Power capacity: 120W/240W RMS/peak •Sensitivity: 87dB (W/M) •Impedance: 4ohm •Re: 3.4ohm •Le: 2.46mH •Frequency response: 25Hz~1KHz •Fs: 25Hz •Qts: 0.22 •Qes: 0.22 •Qms: 13.62 •Vas: 32.46 (liters) •Xmax: 16mm •Overall frame diameter: 8.25" •Required cutout: 7.13" •Mounting depth: 4.50"

Order #	MSRP	Reg.	VIP
55-2421	$64.95	~~$35.69~~	$26.99

MCM AUDIO SELECT™

6½" High Excursion Woofer

✔*Home theater mid/woofer*
✔*Optimized for vented enclosures*
✔*75W/150W RMS/peak*

Modeled after our similar (and highly acclaimed) #55-1860, this driver offers greatly increased excursion. **Features:** •Aluminum cone •Rubber surround •1.4" diameter voice coil •Fully shielded 23.5 oz. magnet **Specifications:** •Power capacity: 75W/150W RMS/peak •Sensitivity: 88dB (W/M) •Impedance: 8ohm •Re: 5.9ohm •Le: 2.15mH •Frequency response: 45Hz~12KHz •Fs: 47Hz •Qts: 0.35 •Qes: 0.39 •Qms: 3.49 •Vas: 12.89 (liters) •Xmax: 3.4mm •Overall frame diameter: 6.50" •Required cutout: 5.83" •Mounting depth: 3.58"

Order #	MSRP	Reg.	VIP
55-1862	$44.95	~~$21.49~~	$17.39

MCM AUDIO SELECT™

8" Polypropylene Cone Woofer

✔*Home theater woofer/subwoofer*
✔*Optimized for sealed enclosures*
✔*70W/100W RMS/peak*

Features: •1.5" voice coil •17.7 oz. magnet •Polypropylene cone •Treated foam surround **Specifications:** •Sensitivity: 89dB (W/M) •Impedance: 8ohm •Re: 6.8ohm •Le: 0.68mH •Frequency response: 40Hz~3.5KHz •Fs: 40Hz •Qts: 0.58 •Qes: 0.82 •Qms: 1.99 •Vas: 52.90 (liters) •Xmax: 3.8mm •Overall frame diameter: 8.07" •Required cutout: 7.19" •Mounting depth: 3.53"

Order #	MSRP	Reg.	VIP
55-1195	$34.95	~~$15.29~~	$10.99

PYLE® 8" Sealed Back Midrange

Designed to be used as a midrange in large sound reinforcement three-way systems **Features:** •Large 35 oz. magnet •Treated paper cone •Rolled foam suspension •1½" high temperature kapton voice coil **Specifications:** •Power capacity: 180W/360W RMS/peak •Frequency response: 200Hz~5KHz •Impedance: 8ohm •Overall frame diameter: 8¼" •Required cutout: •7⅛" •Mounting depth: 3¼" •Mfr #: PDMR8

Order #	Reg.	VIP
555-9850	~~$25.49~~	$22.50

MCM AUDIO SELECT™ Bullet Piezo Horn Driver

The unique design of this piezo horn driver incorporates a parallel "voice" coil to provide impedance characteristics comparable to a standard tweeter, greatly simplifying the incorporation of a crossover network. Additionally, an internal series 4.7uF capacitor allows direct connection in much the same manner as a conventional piezo tweeter. **Specifications:** •Standard 1⅜" x 18TPI threads •Impedance: 8ohm •Power capacity: 75W/150W RMS/Peak •Frequency response: 2Hz~20KHz •Impedance: 8ohm •Diameter: 4"

Order #	MSRP	Reg.	VIP
53-812	$12.99	~~$3.99~~	$2.99

Threaded Horn Lens

Perfect for use with virtually any horn driver that utilizes standard 1⅜" x 18 thread mount. Compact design provides good 90° x 90° dispersion and is ideal for stage/studio monitors. Brass threaded insert and ABS resin construction ensure secure mounting, even with large drivers. •Dimensions: 6½" (dia.) x 2⅛" (D) •Black color

Order #	Reg.	VIP
54-580	~~$11.79~~	$9.99

MCM AUDIO SELECT™ Piezo Horn Tweeter

Commonly used tweeter in musical instrument, sound reinforcement, DJ speaker systems and automotive speaker boxes. Piezoelectric design offers excellent transient response, high efficiency and very high immunity to burnout. Very high impedance at low frequencies eliminates the need for a crossover, making this a very inexpensive and reliable tweeter to incorporate into any speaker system. It is perfect for direct incorporation into multi tweeter arrangements. **Specifications:** •Power capacity: 50W/100W RMS/max •Frequency response: 2KHz~20KHz •Mounting flange dimensions: •3½" x 3½" •Required opening: 2¾" diameter •Depth: 2¼"

Order #	Reg.	VIP
53-820	~~$0.99~~	$0.79

3" Full Range Speakers

Perfect for replacement use or in new compact speaker designs, these are also great for multi–driver columns. Wide frequency response and good power handling make them suitable in full range or midrange applications. **Features:** •Open back stamped frame •Paper cone with foam surround and molded dust cap •¼" copper voice coil on an aluminum former **Specifications:** •Power capacity: 20W/40W RMS/peak •Frequency range: 120Hz~16KHz •SPL: 88dB (1W/1M) •Magnet weight: 5.4 oz. •Qts: 0.55 •Qes: 0.68 •Qms: 2.82 •Vas: 1.51 •Mms: 1.6g •Xmax: 1.5mm •Sd: 31cm² **Dimensions:** •Outer frame: 3.1" x 3.1" •Required cutout: 2.8" (dia.) •Depth: 1.7"

Order #	Impedance	Re	Le	Reg.	VIP
LS00118	4ohm	3.3ohm	0.10mH	~~$12.29~~	$8.99
LS00119	8ohm	6.5ohm	0.15mH	~~11.59~~	8.99

MCM AUDIO SELECT™ Bullet Piezo Horn Driver

Ideal for use with any standard midrange/tweeter horn lens. Screw-on horn driver utilizes standard 1⅜" x 18TPI threads for compatibility with most available drivers. Commonly used in musical instrument and DJ speaker systems, this driver provides wide dispersion, ideal in sound reinforcement applications. It is perfect for direct incorporation into multi tweeter arrangements. **Specifications:** •Power capacity: 75W/150W RMS/max •Frequency response: 2KHz~20KHz •Diameter: 2½"

Order #	MSRP	Reg.	VIP
53-810	$9.95	~~$1.89~~	$1.49

MCM AUDIO SELECT™ Dual Element Piezo Horn Tweeter

Ideal for replacement or upgrade in musical instrument, sound reinforcement and DJ speaker systems. Dual element configuration offers higher SPL and wider dispersion, from a single horn assembly. **Specifications:** •Power capacity: 75W/150W RMS/max •Frequency response: 3KHz~18KHz •Mounting flange dimensions: •3¾" x 6½" •Required opening: 2¼" x 5" •Depth: 4"

Order #	MSRP	Reg.	VIP
53-815	$19.95	~~$3.09~~	$2.69

MCM AUDIO SELECT™ 1" Titanium Dome Tweeter

This high-quality dome tweeter is perfect for repair, upgrade, or new speaker construction, and is ideal for pro sound cabinets. **Specifications:** •60W/120W RMS/peak •Impedance: 8ohm •Sensitivity: 94dB •Frequency response: 1.5KHz~20KHz •Required cutout: 2¾" diameter •Mounting depth: 2" •Overall frame dimensions: 3⅛" x 3⅛"

Order #	MSRP	Reg.	VIP
53-1075	$19.99	~~$10.99~~	$7.75

MCM AUDIO SELECT™ 5" Poly Paper Cone Midrange

•Ideal for satellite, main stereo and automotive speaker systems •5" driver provides a broad frequency range •Magnet weight: 13.3 oz. •1" voice coil •8ohm •Power handling: RMS/peak 50W/70W •Sensitivity SPL 1W/1 meter: 93dB •#54-310 has a free air resonance of 104Hz, Qts of .85 and Vas of .12 cu. ft.

Order #	Back Type	Frequency Response	MSRP	Reg.	VIP
54-310	Open	100~10KHz	$19.95	~~$10.70~~	$6.99
54-360	Sealed	500~10KHz	19.95	~~10.70~~	6.99

MCM AUDIO SELECT™ 3" x 7" Piezo Horn Tweeter

RATED ★★★★★

Very commonly used tweeter in musical instrument, sound reinforcement and DJ speaker systems. Rectangular horn lens provides wide dispersion, ideal in sound reinforcement applications. It is perfect for direct incorporation into multi tweeter arrangements. **Specifications:** •Power capacity: 75W/150W RMS/max •Frequency response: 2500Hz~25KHz •Mounting flange dimensions: 3¼" x 7⅜" •Required opening: 2¼" x 6¼" •Depth: 4"

Order #	MSRP	Reg.	VIP
53-805	$14.95	~~$2.09~~	$1.49

MCM AUDIO SELECT™ Piezo Horn Tweeter

Very commonly used tweeter in musical instrument, sound reinforcement and DJ speaker systems, it is also popular for use in carpeted automotive speaker boxes. It is perfect for direct incorporation into multi tweeter arrangements. **Specifications:** •Power capacity: 75W/150W RMS/max •Frequency response: 2KHz~20KHz •Mounting flange dimensions: •3⅛" x 3⅜" •Required opening: 3⅛" diameter •Depth: 3"

Order #	MSRP	Reg.	VIP
53-800	$9.95	~~$2.09~~	$1.49

MCM AUDIO SELECT™ 1" Titanium Dome Tweeter

This heavy-duty titanium dome tweeter is ideal for any speaker repair, upgrade, or building project. **Specifications**: •Power capacity: 60W/120W RMS/peak @ 8ohm •Frequency response: 1.5KHz~20KHz •Impedance: 8ohm •Sensitivity: 94dB •8 oz. magnet structure •Required cutout: 2⅞" •Depth: 2" •Overall diameter: 3⅞"

Order #	MSRP	Reg.	VIP
53-1070	$19.99	~~$8.99~~	$7.75

Speaker Components

New soft dome tweeters from MCM Audio Select

50 Watt Subwoofer Amplifier Module

This high-quality amplifier module is ideal for any compact amplified subwoofer project. **Features:** •Fully adjustable 12dB/octave crossover from 70Hz~150Hz •Overload, thermal and fuse protection •High density trim gasket •LED indicator light that can be custom mounted **Specifications**: •Minimum speaker impedance: 4ohm •Power output (RMS): 50W @ 4ohm, 30W @ 8ohm •THD: 0.1% •S/N ratio: Greater than 90dB •Power requirements: 120VAC, 60/50Hz •Overall dimensions: 10⅜ (H) x 5¾" (W) x 4" (D) •Required cutout: 9¼" (H) x 4½" (W)

Order #	MSRP	Reg.	VIP
50-6268	$99.95	~~$59.99~~	$54.99

1" Dome Tweeter Pair

This high-quality soft dome tweeter is perfect for repair, upgrade, or new speaker construction. **Specifications**: •5W/10W RMS/peak •Impedance: 8ohm •Sensitivity: 89dB •Frequency response: 3KHz~20KHz •Required cutout: 2" diameter •Overall frame dimensions: 3" x 3" •Mounting depth: 1" **•Sold in pairs**

Order #	MSRP	Reg.	VIP
53-1050	$12.99	~~$11.99~~	$8.99



1" Soft Dome Tweeter Pair

This high-quality soft dome tweeter is perfect for repair, upgrade, or new speaker construction. **Specifications**: •5W/10W RMS/peak •Impedance: 8ohm •Sensitivity: 89dB •Frequency response: 3KHz~20KHz •Required cutout: 2⅓" diameter •Overall frame diameter: 3" •Mounting depth: 1½" **•Sold in pairs**

Order #	MSRP	Reg.	VIP
53-1055	$20.99	~~$25.99~~	$17.99



1" Compact Soft Dome Tweeter Pair

This high-quality soft dome tweeter is perfect for repair, upgrade, or new speaker construction. With a depth of only ½", this tweeter is extremely versatile. **Specifications**: •5W/10W RMS/peak •Impedance: 8ohm •Sensitivity: 90dB •Frequency response: 3KHz~20KHz •Required cutout: 1½" diameter •Overall frame dimensions: 2" x 2" **•Sold in pairs**

Order #	MSRP	Reg.	VIP
53-1060	$19.99	~~$24.99~~	$16.99

200 Watt Subwoofer Amplifier Module

RATED ★★★★★

Features: •Speaker level and line level inputs and outputs •Fully adjustable 12dB/octave crossover from 50Hz~120Hz •Continuously adjustable phase adjustment from 0°~180° •Overload and thermal and fuse protection with output relay •High density trim gasket •Discrete TO-3P output devices (two pairs of complimentary 2SC5200/2SA1943) **Specifications:** •Absolute minimum speaker impedance: 4ohm •Power output (RMS): 200W @ 4ohm, 150W @ 8ohm •THD: Less than 0.05% •S/N ratio: Greater than 82dB •Power requirements: 120VAC, 60/50Hz •Overall dimensions 10½" (H) x 8¹⁵⁄₁₆" (W) x 5½" (D) •Required opening: 9¼" (H) x 7½" (W) •Mounting depth: 4"

Order #	MSRP	Reg.	VIP
50-6263	$199.95	~~$112.00~~	$99.99

100 Watt Subwoofer Amplifier Module

Features: •Speaker level inputs, line level inputs and outputs •Fully adjustable 12dB/octave crossover from 50Hz~120Hz •Continuously adjustable phase adjustment from 0°~180° •Overload and thermal and fuse protection with output relay •High density trim gasket •Fully enclosed ABS rear cover •Discrete TO-3P output devices (complimentary 2SC5197/2SA1940) **Specifications:** •Absolute minimum speaker impedance: 4ohm •Power output (RMS): 100W @ 4ohm, 68W @ 8ohm •THD: Less than 0.03% •S/N ratio: Greater than 80dB •Power requirements: 120VAC, 60/50Hz •Overall dimensions 8¾" (H) x 7⅛" (W) x 4½" (D) •Required opening: 7½" (H) x 6¾" (W) •Mounting depth: 3½"

Order #	MSRP	Reg.	VIP
50-6272	$129.95	~~$89.99~~	$69.99

NEW!



Two-Way Crossover Network

✔*6dB per Octave*
✔*Power Handling: 40W RMS*

Designed for use as a replacement crossover, or for a new speaker building project, this low cost crossover is ideal for use in small 2-way speakers. **Features:** •Crossover frequency: 3KHz •Designed for 8ohm drivers •Dimensions: 2⅝" (H) x 2⅛" (W) x 1" (D)

Order #	MSRP	Reg.	VIP
50-782	$9.99	~~$10.99~~	$3.49

NEW!

Three-Way Crossover Network

✔*12dB per Octave*
✔*Power Handling: 60W RMS*

Designed for use as a replacement crossover, or for a new speaker building project, this low cost crossover is ideal for use in medium-sized 3-way speakers. **Features:** •Crossover frequencies: 700Hz and 3KHz •Designed for 8ohm drivers •Dimensions: 4¾" (H) x 2½" (W) x 1⅛" (D)

Order #	MSRP	Reg.	VIP
50-786	$22.99	~~$10.99~~	$7.69

NEW!



Two-Way Crossover Network

✔*12dB per Octave*
✔*Power Handling: 60W RMS*

Designed for use as a replacement crossover, or for a new speaker building project, this low cost crossover is ideal for use in medium-sized 2-way speakers. **Features:** •Crossover frequency: 3.5KHz •Designed for 8ohm drivers •Dimensions: 4" (H) x 2¼" (W) x 1⅛" (D)

Order #	MSRP	Reg.	VIP
50-784	$19.99	~~$9.49~~	$6.64

NEW!



Three-Way Crossover Network

✔*12dB per Octave*
✔*Power Handling: 100W RMS*

Designed for use as a replacement crossover, or for a new speaker building project, this low cost crossover is ideal for use in larger 3-way speakers. **Features:** •Crossover frequencies: 700Hz and 5KHz •Designed for 8ohm drivers •Dimensions: 6⅜" (H) x 4¼" (W) x ¾" (D)

Order #	MSRP	Reg.	VIP
50-788	$39.99	~~$24.99~~	$17.49



Gold Plated Speaker Terminals

•High powered speaker terminals for use with heavy–duty speaker wire •Made of high–quality plastic construction •Gold plated binding post •Available in round, square and rectangular bi–wire with bridge

Fig.	Order #	Type	Reg.	VIP
A	50-1275	Square	~~$3.99~~	$2.89
B	50-1280	Bi–wiring/Bridge	~~6.19~~	3.99

Fig.	Order #	Type	Reg.	VIP
C	50-1500	Surface	~~$3.59~~	$2.91
D	50-1495	Surface	~~2.29~~	1.73

Large Cantilever Mount

✔*For panels up to 50"*
✔*130 lbs. weight limit*

•For LCD televisions and monitors •Double-arm cantilever swivels at wall, mid-arm, and screen •Knob-free balanced tilt up to 15° for easy adjustment of any viewing angle •Universal mounting up to VESA 600 x 400 •Double-stud mounting for 16" on-center studs •Extends from 5.5"~16" from wall •Includes all mounting hardware and detachable spirit level •Matte black with chrome rails

Order #	VIP
50-9535	$139.00



Medium Tilt Mount

✔*For panels 23"~36"*
✔*Max weight: 165 lbs.*

•Tilts up to 15° for improved viewing angle •Universal for mounting holes spaced up to 19" wide •2½" mounting profile •For 16" or less stud spacing only •Double stud mounting •Includes hardware •Black

Order #	VIP
50-9160	$34.99

Large Flat Mount

✔*For panels 36"~55"*
✔*Max weight: 165 lbs.*

•Universal mounting up to 28" wide mounting holes •Low 1¼" mounting profile •Double stud mounting •Includes all hardware •Black

Order #	VIP
50-9170	$39.99

Medium Cantilever Mount

✔*Up to 40"*
✔*100 lbs. weight limit*

•For LCD televisions and monitors •Swivels at wall, mid-arm, and screen and tilts up to 15° for easy adjustment of any viewing angle •Fits VESA 75 up to 400 x 200 •Single stud mounting •Extends from 3.5"~22" from wall •Includes all mounting hardware •Black

Order #	VIP
50-9530	$89.99

Projector Ceiling Mount

•Projector ceiling mount holds up to 17 lbs. •Can be changed to lengths of 200mm, 400mm or 600mm •Adjustable tilt/role angling for optimal viewing (±15°) •Rotates 360° •Black with a modern design •Includes all mounting hardware for easy installation •Mfr. #PMB301

Order #	VIP
50-9575	$37.99

Component Wall Mount

•Provides an on-wall holding support solution for audio and video equipment •Mount underneath a television for a streamlined entertainment center •Each shelf supports up to 22 lbs. •Adjustable open-base shelves are 8" apart at midpoint, and 11" at widest point to support a majority of devices •Built-in cable management •Available in one or two shelf systems

Order #	Shelves	VIP
50-9520	1	$14.99
50-9525	2	19.99



Cantilever Arm Mount

A reliable, streamlined articulated retractable mount offering multiple user-friendly features for most flat panels. •Screen leveling adjustment •Tilts from -20°~+25° for better viewing angles •Rotates for portrait or landscape orientation •Locking system •Single stud mounting •Includes installation template and grade 5 hardware kit

Order #	Mfr. #	TV Size	Capacity	VESA	Color	VIP
50-7965	17ARM S	13"~24"	30 lbs.	75/100	Silver	$54.95
50-7966	17ARM B	13"~24"	30 lbs.	75/100	Black	54.95
50-7970	37ARM S	23"~37"	80 lbs.	75/100/200	Silver	109.00
50-7971	37ARM B	23"~37"	80 lbs.	75/100/200	Black	109.00
50-7981	48ARMUA B	32"~50"	125 lbs.	Universal	Black	209.00

Universal Projector Ceiling Mount

An easy to install projector mount that works with most projectors •Legs adjustable up to 19" diagonally for small to large projectors •Built-in pitch/tilt adjustment controls for easy alignment •Universal adjustable mounting pattern •Tamper-proof hardware •40 lbs. maximum weight capacity •3.6" mounting profile •Single stud mounting •Black finish •Mfr. #PRO-PJT

Order #	VIP
50-8078	$59.99



Large Tilt Mount

✔*For panels 36"~55"*
✔*165 lbs. weight limit*

•For LCD monitors •Tilts for easy adjustment of viewing angle •Universal mounting up to 27" wide mounting holes •4" mounting profile •Double stud mounting •Includes all hardware •Black

Order #	VIP
50-9165	$54.99

Medium Fixed Mount

✔*Up to 36"*
✔*130 lbs. weight limit*

•For LCD televisions and monitors •Universal mounting up to 20" spaced mounting holes •Low 1" mounting profile •Detachable spirit level assists in leveling •Double stud mounting •Includes all mounting hardware •Black

Order #	VIP
50-9515	$24.99

Small Fixed Mount

✔*For panels 10"~24"*
✔*Max weight: 30 lbs.*

•VESA 75/100 compatible •Low 11/16" mounting profile •Single stud mounting •Includes hardware •Black

Order #	VIP
50-9150	$5.99

Audio/Video Accessories

MCM stocks a huge assortment of headphones.

Stellar Labs™

Full Size Stereo Headphones with Volume Control

Rugged full size headphones feature large 40mm diaphragms, for excellent sound quality, and beefed up construction for durability. They are ideally suited for education use. Smooth fluid rotary controls are located in each ear cup allowing independent left/right volume adjustment. Heavy-duty 6' single entry cord stays out of the way, and is terminated with a right angle 3.5mm plug. Soft padded ear cushions ensure snug comfortable fit. **Specifications:** •Frequency response: 20Hz~20KHz •Impedance: 32ohm •Sensitivity: 105dB •Display packaged for resale

Order #	MSRP	Reg.	VIP
35-2225	$19.95	~~$10.19~~	$8.18

Stellar Labs™

Full Size Lightweight Stereo Headphones

Full size headphones feature large 40mm diaphragms, for excellent sound quality. Featherweight design and specially contoured ear cushions ensure long term comfort. These headphones are the choice when optimum sound quality is needed for long term use. **Specifications:** •Frequency response: 20Hz~20KHz •Impedance: 32ohm •Sensitivity: 105dB •Display packaged for resale

Order #	MSRP	Reg.	VIP
35-2230	$19.95	~~$10.19~~	$7.99

Replacement Stereo Headphones

•Economical replacement headphones for most personal stereos and portable CD players. •27mm mylar speakers •32ohm •Maximum input level: 10mW •4' straight cord •3.5mm stereo plug

Order #	MSRP	VIP
35-460	$4.95	$1.79

SONY

Infrared Wireless Stereo Headphone System

Get ready to rock with Sony's wireless headphone system. **Features:** •Complete kit including transmitter and headphones •Lightweight, open-air design •30mm drive units for deep base •Up to 60 hours of battery life with with an optional alkaline battery, or up to 35 hours of battery life with the supplied NiHM rechargeable battery •Transmission range up to 24' •Battery is automatically charged by placing headphones on the cradle •Transmission coverage angle up to 90° •Easy connection to home audio system, TV or VCR

Order #	Reg.	VIP
MDR-IF240RK	~~$56.99~~	$49.99

Stellar Labs™

Noise Canceling Folding Headphones

Built-in inverting amplifier electronically cancels out all ambient sounds near 300Hz. This is perfect for eliminating background noise commonly heard near office machines, in vehicles and commercial jets. Compact size and folding headband allows easy storage when not in use. 30mm cobalt magnet drivers produce 70Hz~20KHz frequency response, further enhancing the sound quality of any sound source. Soft padded ear cushions provide hours of comfortable use, and attached 6' cord is terminated with a standard 3.5mm plug. **Specifications:** •Impedance: 32ohm •Sensitivity: 92dB •Active noise reduction level: 15dB •Requires "AAA" battery (#292-015), not included •Display packaged for resale

Order #	MSRP	Reg.	VIP
35-2205	$59.95	~~$30.59~~	$17.95

UNI TONE

Stereo/Mono Headphones

•Great for schools or amateur projects, these headphones are switchable stereo/mono with an independent volume control •Adjustable headband and highly cushioned earpads •40mm super thin diaphragm drive units •32ohm •Frequency response: 20Hz~18KHz •Sensitivity: 105dB SPL at 1KHz ±2% •3.5mm to ¼" adapter included •Display packaged for resale

Order #	MSRP	Reg.	VIP
35-455	$12.95	~~$9.69~~	$5.99

UNI TONE

Stereo/Mono Headphones

•Great for schools or amateur projects, these headphones are switchable stereo/mono with an independent volume control •Adjustable headband and highly cushioned earpads •40mm super thin diaphragm drive units •32ohm •Frequency response: 20Hz~18KHz •Sensitivity: 105dB SPL at 1KHz ±2% •3.5mm to ¼" adapter included •Display packaged for resale

Order #	MSRP	Reg.	VIP
35-455	$12.95	~~$8.19~~	$5.99

UNI TONE

Mini Stereo/Mono Headphones

Designed for television use, these headphones are also perfect in security, educational and communications applications. Attached 15' cord allows plenty of room between the wearer and the set. In–line volume control also has stereo/mono switch, allowing compatibility with either type of output. 34mm diaphragms provide rich, full audio. Cord is terminated with a 3.5mm nickel–plated stereo plug, 3.5mm stereo/mono adapter is also included. Product is display carded and is perfect for resale, call for larger quantity pricing. **Specifications:** •Frequency response 20Hz~20KHz •SPL 102dB at 1KHz •Impedance 32ohm

Order #	Reg.	VIP
35-1065	~~$7.09~~	$5.73

Stellar Labs™

Noise Canceling Headphones

Built-in inverting amplifier electronically cancels out all ambient sounds near 300Hz. This is perfect for eliminating background noise commonly heard near office machines, in vehicles and commercial jets. 40mm cobalt magnet drivers produce full 20Hz~20KHz frequency response, further enhancing the sound quality of any sound source. Soft padded ear cushions provide hours of comfortable use, and removable 6' cord is terminated with a standard 3.5mm plug. Adapters are included to convert dual mono airline type plug, as well as standard ¼". **Specifications:** •Impedance: 32ohm •Sensitivity: 110dB •Active noise reduction level: 15dB •Requires "AA" battery (#292-015), not included •Display packaged for resale

Order #	MSRP	Reg.	VIP
35-2200	$69.95	~~$40.79~~	$29.95

UNI TONE

Full Size Stereo Headphones

40mm diaphragms deliver full rich sound expected from models at three times the cost. Straight 9' cord has 3.5mm plug and includes 3.5mm to ¼" adapter. Product is display boxed and is perfect for resale. **Specifications:** •Frequency response 20Hz~18KHz •SPL 105dB at 1KHz •Impedance 32ohm

Order #	Reg.	VIP
35-972	~~$8.19~~	$5.99

PRO-LUXE

Lightweight Headphones

Perfect for personal stereo or multimedia applications. Attached 5' cord enters from only one side, instead of both, making it much easier to keep out of the way and untangled. Wide, adjustable headband provides comfort while holding unit securely in place. 30mm diaphragms provide frequency response expected of models of over twice the price. The cord is terminated with a standard 3.5mm plug, and ¼" adapter is included. **Specifications:** •Frequency response: 20Hz~18KHz •Impedance: 32ohm •Sensitivity: 118dB •Display packaged for resale

Order #	Reg.	VIP
35-1135	~~$5.09~~	$4.29

SONY

Studio Monitor Stereo Headphones

Enjoy long-lasting comfort, stylish design and deep base audio for a great listening experience. **Features:** •40mm driver unit, long stroke •Ear conscious design for pleasant wear-ability and extended listening comfort •Single sided cord •Unimatch plug •Comfortable earpads •3.5m cord length **Specifications:** •Type: Closed, dynamic •Sensitivity: 100dB/mW •Frequency response: 12~22,000Hz •Impedance: 70ohm at 1KHz

Order #	VIP
MDR-XD100	$19.61

maxell Couleur® Series Ear Buds

•Aluminum cavity provides clear and bright sound
•Soft silicone ear tips, three different sizes included
•4' cord

Fig.	Order #	Color	VIP
A	35-2970	Pink/green	$14.99
B	35-2971	Silver/blue	14.99
C	35-2972	Blue/purple	14.99
D	35-2973	Purple/orange	14.99

UNI TONE Lightweight Headphones

This is the exact same headphone seen with other "brand names", only for half the price. 27mm diaphragm provides 20Hz~18KHz frequency response, outstanding performance for the dollar! Attractive retail package, and low quantity price makes this a great resale or promotional item. The attached 4' cord is terminated with a standard 3.5mm plug. **Specifications:**
•Impedance: 32ohm
•Sensitivity: 101dB

Order #	VIP
35-1145	$2.99

Earphone

•3.5mm miniature plug
•Commonly used with portable radios, televisions, scanners and other audio devices •6' cord length

Order #	VIP
28-005	$1.99

SHURE® Magnetic Phono Cartridge

•Compatible with over 85% of turntables •Universal mount
•Biradial diamond tip •Low tracking force •Mfr. #M92E

Order #	Description	VIP
39-520	Phono cartridge	$29.58
39-525	Replacement stylus	15.58

maxell Encore Series Headphones



•Extremely flexible headband
•30mm high-quality drivers with neodymium magnet •Lightweight, rugged design •Frequency response: 10Hz~24KHz •4' cord

Fig.	Order #	Description	VIP
A	35-2985	Single headband	$20.69
B	35-2986	Dual headband	20.69

UNI TONE Replacement Stereo Headphones

High quality, low cost units are ideal as replacements for lost or broken headphones used with portable MP3 and CD players. 27mm diaphragms provide 20Hz~20KHz response. 4' cable is terminated with a 3.5mm stereo plug. Low cost makes this ideal in disposable situations, and retail blister card and quantity discounts make this an ideal resale item. **Specifications:** •SPL: 88dB at 1KHz
•Impedance: 32ohm

Order #	Reg.	VIP
35-1415	~~$2.79~~	$1.69

Mono Earphone

Mono earphone designed to fit into the ear. It is held firmly in place by a band which clips over the ear. Supplied with a 1m lead and a 3.5mm mono plug. •Impedance: 32ohm •Frequency response: 50~18KHz •Total weight: 22g

Order #	VIP
AV00225	$2.69

SHURE® DJ Grade Magnetic Phono Cartridge

•Mounts on a standard ½" tone arm mount
•Includes: Cleaning brush, extra set of headshell wires, headshell weight, mounting hardware and stylus guard

Order #	Description	VIP
39-530	Phono cartridge	$49.00
39-535	Replacement stylus	26.00


#39-400

#39-460

#39-500

audio-technica Cartridges

Order #	Model #	Stylus Color	Stylus Type	Frequency Response	Tracking Grams	Mounting Type	Channel Separation	Reg.	VIP
39-400	CN5625AL	Red	Spherical diamond	20~20KHz	1.5~2.5	½"	1 KHz = 25dB 10KHz = 15dB	~~$25.49~~	$21.39
39-460	AT3482P	Black	Conical diamond	20~20KHz	2~3	P	1KHz = 20dB 10KHz = 17dB	~~22.49~~	20.99
	(Same cartridge used by many OEMs in rack systems)								
39-500	AT440ML/OCC	Violet	Nude square micro-linear diamond	5~32KHz	.8~1.6 1.25 optimal	½"	1 KHz = 30dB 10KHz = –	~~183.00~~	172.00

M&M's maxell Stereo Ear Buds

Styled to look like everyone's favorite miniature candy, these M&M's® style lightweight ear buds are designed for comfort and extended use. **Features:** •Soft cushion ear tips •Color matching cords and plugs •Perfect for kids and adults •4' cord length •Frequency response: 16Hz~24KHz

Order #	Color	VIP
35-2950	Pink	$6.99
35-2951	Blue	6.99
35-2952	Green	6.99
35-2953	Red	6.99
35-2954	Orange	6.99
35-2955	White	6.99

Stellar Labs™ Compact Stereo Ear Buds



Ideal for use with any portable A/V device, the white color and compact design make these ideal replacements for iPods™ and similar items. Set includes three pairs of soft silicon cushions, ensuring secure and comfortable fit. 10mm drivers produce very good sound quality from any sound source and 4' cord is terminated with a standard 3.5mm plug. **Specifications:** •Impedance: 16ohm •Sensitivity: 93dB
•Display packaged for resale

Order #	MSRP	Reg.	VIP
35-2210	$9.95	~~$6.19~~	$4.90

MCM CUSTOM AUDIO Phono Preamplifier

•L/R RCA female type inputs and outputs
•Separate ground lug
•Dimensions: 1½" (H) x 2⅜" (W) x 4⅞" (D)

Order #	MSRP	Reg.	VIP
40-630	$24.95	~~$20.39~~	$14.99

Black Plastic Head Shell

•Universal replacements for Japanese type plug–in tone arms •Top quality construction with lead wires

Order #	Reg.	VIP
39-130	~~$5.80~~	$5.19

Ceramic Cartridges

Order #	Type	Mfr #	Replacement Styli	VIP
40-1542	Vaco	TN-4AD	40-380	$11.29

Audio/Video Accessories

Having trouble routing cable? Use a wireless or powerline A/V device.

Digital Video Stabilizer

State of the art integrated circuit makes perfect copies of any video tape. Compatible with all types of VCRs and TVs. Lightweight and compact. Requires one 9V battery (not included).

Order #	Reg.	VIP
80-4280	~~$22.49~~	$16.99

2.4GHz Wireless USB Audio System

This wireless USB audio system allows you to stream audio from your computer at distances up to 150'. A simple three step process is all it takes for you to be able to listen to your playlist on any set of powered speakers, AV receiver, or a set of headphones. **Features:** •CD quality 16 bit/44.1KHz stereo •No driver required •RCA and 3.5mm audio output **Includes:** •AC adapter (for receiver) •RCA to 3.5mm cable

Order #	VIP
80-7300	$36.99

AITech Wireless Cable TV Kit

This unique kit allows you to watch cable or satellite TV on a main television and at the same time send the signal to a second TV. That TV can then watch channels independently of what is being viewed on the main TV. **Features:** •Send cable, satellite, DVDs, TiVo, DIRECT TV® and more to televisions anywhere in the home •Four selectable frequencies to eliminate the interference •Extra receivers available for multiple TVs

Order #	VIP
80-7265	$169.00

VideoConnection Wireless Audio/Video Transceiver

The VideoConnection uses state of the art 2.4GHz technology to transmit crisp clear video and audio signals through the walls and between the rooms in a house. The hidden high gain antenna reduces interference. Use the VideoConnection to send the audio/video signals from a satellite receiver, VCR, camcorder, DVD or other video source to a TV in a different room.

Order #	VIP
33-4725	$79.99

SANGEAN Portable AM/FM Radio with Digital Tuning

•Uses six "AA" Batteries •10 memory presets (five FM, five AM) •Alarm timer •Mfr. #PR-D7

Order #	VIP
80-7435	$74.99

SANGEAN AM/FM Clock Radio with Digital Tuning

•14 memory presets (7 FM, 7 AM) •Aux in jack •Two separate alarm systemsn•Atomic clock automatically sets time •Mfr. #RCR-22

Order #	VIP
80-7475	$57.99

SANGEAN Portable AM/FM Radio with SD recording

•Highly efficient synthesized stereo quality sound with deep bass compensation •Large FSTN dot-matrix LCD screen, wide view angle •SD media player and recorder, record level indication, track name and mp3 folder creation •Alarm radio/buzzer, snooze •Line-out for external stereo amplifier •Five preset each wave band •Rechargeable with battery power indicator

Order #	VIP
80-7440	$142.00

SANGEAN AM/FM Tabletop Radio

•Wood Cabinet •PLL synthesized tuning with RDS •Line out, aux in and headphone jacks •Humane wake system

Order #	Color	MFR#	VIP
80-7465	Walnut	WR-2	$137.00
80-7470	Black	WR-2BK	137.00

DXG 1080P Waterproof Camera

•Records video at up to full 1080p resolution at 30fps in H.264 encoding in .MOV format, still images up to 12MP •Waterproof to ten feet •Up to 4x digital zoom •HDMI output (HDMI cable included) •128Mb internal memory, supports SD and SDHC flash memory, up to 32Gb•Mfr. #DXG-5BIV

Order #	VIP
83-11924	$139.00

DXG 1080P HD Digital Camcorder with 12x Optical Zoom

•Records full 1080p HD video @ 30fps ,720p HD video @ 60fps in H.264 .MOV file format •12x optical zoom, 10x digital zoom •3.0" touch-screen display •Electronic image stabilization •Supports SDHC flash memory up to 16Gb • Mfr. #DXG-A85V

Order #	VIP
83-11921	$249.00

DXG 720P Digital Camcorder

- ✔720p video resolution
- ✔2.4" LCD screen
- ✔5x digital zoom

•Records at up to 720p resolution at 30fps •H.264 encoding in .MOV format •Takes still images up to 16MP (5MP native) •Digital image stabilizer •Up to 16x digital zoom •HDMI output (HDMI cable included) •Supports SD and SDHC flash memory, up to 16Gb •Connects to your PC via included USB cable •32Mb internal memory •Includes ArcSoft TotalMedia software Mfr. # DXG-5B6V

Order #	VIP
83-11926	$79.99

DXG 1080p Digital Video Camera

- ✔1080p video resolution
- ✔3.0" LCD screen
- ✔5x optical zoom

•Records at up to full 1080p resolution at 30fps •H.264 encoding in .MOV format •2.5" CMOS image sensor •Takes still images up to 12MP •Digital image stabilizer •Up to 8x digital zoom •HDMI output (HDMI cable included) •Supports SD and SDHC flash memory, up to 32Gb •Connects to your PC via included USB cable •128Mb internal memory •Includes ArcSoft TotalMedia software •Mfr. #DXG-587V

Order #	VIP
83-11923	$139.00

RCA SystemLink 3 Universal Remote

•Designed for the basic TV watcher this remote contains the basics for convenience and ease of use •Controls up to three devices: One TV, one VCR and one cable box •Preprogrammed •Replaces lost or broken remotes for leading name brands such as Sony, Sharp, GE, Fisher and many more •Batteries included

Order #	VIP
RCU300T	$4.99

RCA Universal Remote Control

•Three device remote controls TV, VCR and cable box **Features include:** •Menu key •Easy-to-use channel and volume keys •Code saver •Sleep timer

Order #	VIP
RCU403	$4.99

RCA Six Device Universal Remote Control

✔*Six device*
✔*DVR control*
✔*Supports subchannels*

•DVD and DVR functionality •Controls TV, SAT, cable, DVD, DVR, AUX1, audio, VCR, and AUX2 •Enables direct access to new HD over the air digital sub channels •Extensive DVD functionality with previous chapter, next chapter, and slow play keys

Order #	VIP
RCR6473	$9.99

Antibacterial Clean Remote

The Clean Remote has tested to be 99% cleaner than standard remotes. In several studies, TV remotes have been revealed to be a leading carrier of bacteria in a patient's room. With many cracks and crevices, they are nearly impossible to properly disinfect. The Clean Remote has a flat non-porous surface that makes it simple to clean and disinfect. **Features:** •Simple one touch set-up (no codes needed) •For TV only (will not work TV/DVD, VCR or DVD/VCR combination units) •Works over 250 brands of commercial and retail TVs •No menu button - So patients and guests cannot change settings •Hidden battery compartment and attached door to help prevent batteries from being taken

Order #	Reg.	VIP
80-7580	~~$12.99~~	$9.99

SONY Seven Device Universal Remote Control

•3x standard remote signal •Controls TV, cable, DVD, DVR, VCR, CD and receivers/amplifiers •Supports macros •Easy-to-use rubber buttons •Requires two "AA" batteries (not included)

Order #	VIP
RM-VZ320	$11.99

SONY Four Device Universal Remote Control

•Controls TV, DVD, VCR, satellite/cable •Supports macros •Easy-to-use rubber buttons •PIP (picture-in-picture) function •Requires two "AA" batteries (not included)

Order #	VIP
RM-VZ220	$7.99

SONY Eight Device Universal Remote Control

•3x standard remote signal •Controls TV, cable, satellite, DVD, DVR, Blu-Ray, CD and receivers/amplifiers •Supports macros •Easy-to-use rubber buttons •Requires two "AA" batteries (not included)

Order #	VIP
RM-VLZ620	$19.99

SONY Large Button Universal Remote Control

Control your TV and cable box from the couch with this easy-to-use remote control. Works with most major brands. **Features:** •Large buttons for easy operation and ergonomic design •3-minute memory backup

Order #	Reg.	VIP
RM-EZ4	~~$9.99~~	$7.99

UNIVERSAL remote control R6 Six Device Universal Remote Control

The URC R6 AVEX pre-programmed and learning remote control sends IR (infrared) commands to all home theater A/V equipment and can replace up to six different remote controls. With MacroPower™, you can program the R6 to turn up to six components ON or OFF with the press of one button. Two "AA" batteries required (included).

Order #	Reg.	VIP
80-7070	~~$19.99~~	$15.99

UNIVERSAL remote control R50 LCD Universal Remote Control

The R50 controls up to 18 components. It features a large, color LCD screen and provides a Set-up Wizard right on the remote for quick and easy configuration (simply answer a few questions). And it has thousands of built-in control codes to assure full control of your components. •1,500 macro buttons (up to 255 steps each) •32Mb (non-volatile flash memory) •IR (infrared) range of 30'~50' (approximate range will vary depending upon operational and environmental conditions) •Uses only four "AA" batteries

Order #	Reg.	VIP
80-7055	~~$142.00~~	$87.99

UNIVERSAL remote control R7 Seven Device Universal Remote Control

The URC R7 pre-programmed and learning remote control sends IR (infrared) commands to all home theater A/V equipment and can replace up to seven different remote controls. With MacroPower™, you can program the R7 to turn up to seven components ON or OFF with the press of one button. Two "AA" batteries required (included).

Order #	Reg.	VIP
80-7065	~~$29.99~~	$19.99

TERK TECHNOLOGIES Universal Remote Control Extender

•Extends the range of any remote control and operates through walls and floors from up to 120' away •Free standing units works with most remote controls and A/V components •Installs easily and is expandable **Includes:** •Remote transmitter and receiver, AC adapters and IR blaster cable •Mfr. #LFIRX

Order #	VIP
80-5703	$27.99

Audio/Video Accessories

Coby DVD players are great for on-the-go families.

COBY®
7" Widescreen TFT Under-The-Cabinet DVD/CD Player with ATSC Digital TV Tuner

Introducing Cobys' KTFDVD7093 7" widescreen TFT under-the-cabinet DVD/CD player with ATSC digital TV tuner. supports formats including DVD, DVD±R/RW, CD, CD-R/RW, JPEG and MP3 **Features:** •7" widescreen (16:9) TFT color display •Dual ATSC/NTSC tuner •Digital AM/FM radio •Audio/video input jack •Integrated stereo speakers •Parental lock control **Included accessories:** •Mounting kit •Remote control •Two 1.5V "AAA" batteries •UL AC adapter •AV cable •FM antenna •AM loop antenna

Order #	VIP
80-7225	$139.00

COBY®
Coby SNAPP Pocket Camcorder

Take videos anywhere with this Coby pocket camcorder. **Features:** •640 x 480 VGA resolution •32Mb built-in flash memory (expandable to 8Gb with optional SD card) •Built-in rechargeable battery

Order #	VIP
80-7590	$49.99

DVE: HD Basics Blu-Ray™ Test DVD

Getting the most out of your HDTV set will require some adjustments. DVE HD Basics is the most advanced program for calibrating today's high-definition displays. Created by home theater industry legend Joe Kane, HD Basics is the definitive high definition home theater calibration tool. It promises to improve your picture and give you an understanding of the concepts that are vital to getting the most out of your HDTV. Coupled with the Blu-ray video DVDs, you can set-up your HD television and enjoy some of the highest quality content available.

Order #	Mfr. #	Description	VIP
DVE: HD Basics			
80-6995	DVDI6004	Blu-ray™ Test DVD	$24.95
Blu-ray Video DVDs			
80-7000	DVDI6010	Exotic Saltwater Aquarium	19.95
80-7005	DVDI6011	Fireplace: Visions of Tranquility	19.95
80-7010	DVDI6013	Antarctica Dreaming Blu-ray™	19.95

COBY®
8.5" Widescreen TFT Portable DVD/CD/MP3 Player

Taking your DVDs on-the-go has never been easier with the Coby TFDVD8509 8.5" Portable DVD Player. **Features:** •8.5" Widescreen TFT LCD •DVD, DVD±R/RW, CD, CD-R/RW, JPEG and MP3 compatible •Digital and analog AV outputs •Audio/video input jack •Headphone jack •Stereo earphones •Remote control •100V AC adapter •DC car adapter •AV cable

Order #	VIP
80-7645	$99.99

COBY®
10.2" Widescreen TFT Portable DVD/CD/MP3 Player

Taking your DVDs on-the-go has never been easier with the Coby TFDVD1029 10.2" Portable DVD Player. **Features:** •10.2" Widescreen TFT LCD •DVD, DVD±R/RW, CD, CD-R/RW, JPEG and MP3 compatible •Dolby digital decoder •Digital and analog AV outputs •Audio/video input jack •Headphone jack accessories: •Stereo earphones •Remote control •100-240V UL Listed AC adapter •DC car adapter •AV cable

Order #	VIP
80-7635	$139.00

DVD Library Cases

DVD library cases are made of tough black plastic. Full clear sleeve for labels and DVD covers. Available for single and double DVD sets.

Order #	Description	Qty.	Price per Pkg. Reg.	VIP
80-5980	Single DVD case	1	~~$0.79~~	$0.39
80-5985	Single DVD case	5	~~3.83~~	0.99
80-5990	Double DVD case	1	~~1.09~~	0.69

D-VHS NTSC Home Theater Set-Up

"Digital Video Essentials"is the most advanced program for calibrating today's high-definition displays. Featuring the visual work of renowned cinematographer Allen Daviau ("E.T.-The Extra Terrestrial", "Empire Of The Sun", "The Color Purple"), DVE is the one calibration program that will render all of the other existing calibration discs obsolete. This is an essential resource for calibrating all high-definition displays when the source machine is a JVC HM-DH30000, HM-DH40000, or Marantz MV8300 HD digital VCR.

Order #	Mfr. #	Description	VIP
80-6410	DVDI 0712	DVD calibration disc	$19.95
80-6415	DVDI 3005	D-VHS 1080i calibration tape	89.95

maxell
Video Tapes

Maxell videotapes provides clear, sharp pictures with bright colors and premium sound quality.

Order #	Description	Reg.	VIP
Standard Grade VHS			
80-5345	T120	~~$2.09~~	$1.29
80-5350	T160	~~2.79~~	1.79
80-5355	T180	~~4.59~~	2.99
High Grade VHS			
80-5360	T120	~~3.59~~	1.99
80-5365	T160	~~3.89~~	2.99
VHS-C			
80-5400	HGX-GOLD TC-30	~~N.M!~~	N.M!
Hi-8			
80-5415	XR-MP6-120	~~6.49~~	3.49

Panasonic
Mini Digital Video Cassette

•Digital video cassettes for digital video camcorders •Outstanding picture quality and high reliability

Order #	Description	VIP
P-AY-DVM60EJ	60 minutes (90 min. in LP mode)	$3.99
P-AY-DVM80EJ	80 minutes (120 min. in LP mode)	7.59
P-AY-DVMCLA1	Head cleaner	8.49

KINYO
Economical Laser Lens Cleaner

•Designed to eliminate dirt, dust and other undesired particles which cause distortion and effect performance •Easy to follow step-by-step voice instructions •Ideal for use with CD, DVD, CD game and D-ROM equipment

Order #	Reg.	VIP
80-4335	~~$7.09~~	$3.99



Paper CD Sleeve

•100 sleeves per bag •Paper material with clear window and flap

Order #	Reg.	VIP
83-11252	~~$4.23~~	$2.99

maxell
VHS Head Cleaner

•VCR head cleaner safely and effectively cleans tape heads and entire tape path •Non-abrasive •Exclusive cleaning material prevents debris from re-depositing on heads •Wet type •Mfr. #VP-200

Order #	Reg.	VIP
80-6875	~~$5.09~~	$3.99